





LOC	DIST	REVISIONS						
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			A6	REV PER ECR-11-019151	08SEP2011	AY	SZ	
			A7	REV PER ECR-13-012441	30AUG2013	CZ	SZ	
			A8	REV PER ECR-14-002489	25FEB2014	OL	SZ	
			A9	ADDED NEW DASH NUMBER 1-2	30MAR2014	CZ	SZ	



- ⚠️ HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-O; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- ⚠️ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
RETENTION CLIP: .000115 MIN TIN.
- ⚠️ "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER 2.50 LONG MAY BE MARKED ON BOTH SIDES.
- ⚠️ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- ⚠️ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
6. A SEATING TOOL IS REQUIRED TO SEAT THE HEADER ON THE P.C. BOARD. PLEASE REFER TO THE 114-13038 APPLICATION SPEC.
- ⚠️ CUSTOMER SUPPLIES (2) #4-UNC SCREWS, HARDWARE TO BE USED TO MOUNT HEADER ASSEMBLY TO PC BOARD.
- ⚠️ MECHANICAL CONNECTOR KEEP OUT ZONE.
- ⚠️ DETAIL DIM SEE PART VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 25MAR06	 TE Connectivity				
		CHK M. PERCHERKE 25MAR06					
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.005 4 PLC ± ANGLES ± FINISH -2	NAME VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL				
			PRODUCT SPEC 108-1973				
			APPLICATION SPEC 114-13038				
			SIZE CAGE CODE DRAWING NO RESTRICTED TO A 00779 C 6600393 -				
MATERIAL 			CUSTOMER DRAWING		SCALE 2:1	SHEET 1 OF 5	REV. A9

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

A9

TRAY	1.220	.575	.235	1.330	.275	1.700	.250	1.900	.475	1.300	YES	4P	1-6600393-2
/	1.520	.575	.235	1.630	.275	2.000	.350	2.200	.475	1.600	YES	4P	1-6600393-0
TRAY	1.220	9	.235	9	-	-	.250	9	-	-	NO	4P	6600393-9
TRAY	1.470	.575	.235	1.580	.275	1.950	.200	2.150	.475	1.550	YES	6HDP	6600393-8
TRAY	2.070	.625	.285	2.180	.325	2.550	.300	2.750	.525	2.150	YES	6ACP	6600393-7
TAPE&REEL	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-5
TRAY	1.720	.575	.235	1.830	.275	2.200	.250	2.400	.475	1.800	YES	6P	6600393-3
TRAY	.970	.575	.235	1.080	.275	1.450	.250	1.650	.475	1.050	YES	3P	6600393-2
TRAY	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-1
PKG INFO.	DIM "EE"	DIM "DD"	DIM "CC"	DIM "BB"	DIM "TT"	DIM "U"	DIM "S"	DIM "L"	DIM "K"	DIM "D"	RETENTION CLIP	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

D. RINGLER

25MAR06

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

±"

1 PLC

±"

2 PLC

±"

3 PLC

±.005

4 PLC


±"

ANGLES

±"

FINISH

-



MATERIAL

-

DRAWING NO.

108-1973

PRODUCT SPEC.

108-1973

APPLICATION SPEC.

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL

SIZE

A1

CAGE CODE

00779

DRAWING NO.

6600393

RESTRICTED TO

-

SCALE

2:1

SHEET

2

OF



5

REV


A9

TE Connectivity

PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
6600393-9	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P							

4805 (3/11)

PART NUMBER	ROWS		POWER				
			P 1	P 2	P 3	P 4	
I-6600393-2	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P		HD					HD

4805 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-6600393-0](#)