




LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
AD	00		M	ECO-07-012860	24JUL2007	RB MM
			M1	REVISED PER ECO-10-002990	19DEC09	KK HMR

D

C

B

A



1. SLEEVING MAY BE REQUIRED ON ALTERNATE CONTACTS,

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	-
1 PLC	±	-
2 PLC	±	-
3 PLC	±	-
4 PLC	±	-
ANGLES	±	-
FINISH	-	-

MATERIAL

-

DWN RUMBLE 04APR75

CHK RUMBLE 04APR75

APVD R.SHOUMER 04APR75

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

Tyco Electronics Corporation
Harrisburg, Pa 17105-3608

NAME

HOUSING ASS'Y LOW PROFILE
EDGE CONNECTOR, WITHSOLDER
EYELET .125 CENTERS.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2 00779


SCALE 5:1

SHEET 1 OF 2

REV M1

NOTES:

- 1 .000015 MIN GOLD OVER.00005 MIN. NICKEL IN CONTACT AREA.
- 2 .000030 MIN GOLD OVER.00005 MIN. NICKEL IN CONTACT AREA.
- 3 ALL PARTS ASSEMBLED IN MEXICO MUST BE STAMPED "ASSY IN MEXICO"
THE WORD "MEXICO" CAN BE SUBSTITUTED ONLY WHERE PART SIZE
PROHIBITS STAMPING "ASSY IN MEXICO" INK IS STAMP COLOR WHITE OR HOT
STAMP (NO WHITE TAPE) 115-9009, APPROX, WHERE SHOWN, SIDE OPTIONAL,
- 4 MATTE TIN PLATED CONTACT TAILS.
- 5 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

	OBSOLETE	8-530664-2	6.125	.437	6.375	6.535	6.795	7.055	50	—
	OBSOLETE	8-530664-0	4.875	437	5.125	5.285	5.545	5.805	40	—
	OBSOLETE	7-530664-6	3.375	.437	3.625	3.785	4.045	4.305	28	—
	OBSOLETE	7-530664-5	2.625	.437	2.875	3.035	3.295	3.555	22	—
		7-530664-3	1.750	437	2.000	2.160	2.420	2.680	15	—
		OBSOLETE	3-530664-2	6.125	.437	6.375	6.535	6.795	50	1-530664-2
		OBSOLETE	3-530664-1	5.250	.437	5.500	5.660	5.920	43	1-530664-1
		OBSOLETE	3-530664-0	4.875	437	5.125	5.285	5.545	40	1-530664-0
		OBSOLETE	2-530664-9	4.375	.370	4.625	4.785	5.045	36	530664-9
		OBSOLETE	2-530664-8	3.750	↑	4.000	4.160	4.420	31	530664-8
		OBSOLETE	2-530664-7	3.625		3.875	4.035	4.295	30	530664-7
		OBSOLETE	 2-530664-6	3.375		3.625	3.785	4.045	28	530664-6
		OBSOLETE	2-530664-5	2.625		2.875	3.035	3.295	22	530664-5
		OBSOLETE	2-530664-4	2.125		2.375	2.535	2.795	18	530664-4
		OBSOLETE	2-530664-3	1.750		2.000	2.160	2.420	15	530664-3
		OBSOLETE	2-530664-2	1.125	↓	1.375	1.535	1.795	10	530664-2
		OBSOLETE	2-530664-1	6.25	.370	8.75	1.035	1.295	6	530664-1

PART NO.	2	G	W	D	C	B	A	NO.POS	PART NO.	1
THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN RUMBLE		04APR75		 Tyco Electronics Corporation Harrisburg, Pa 17105-3608				
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		CHK RUMBLE		04APR75				
		APVD		—		NAME				
		PRODUCT SPEC		—		HOUSING ASS'Y LOW PROFILE EDGE CONNECTOR, WITSOLDER EYELET .125 CENTERS.				
		APPLICATION SPEC		—						
		—		—						
MATERIAL		FINISH		WEIGHT		—		SIZE		RESTRICTED TO
—		—		—		A2		CAGE CODE 00779		DRAWING NO C-530664
				CUSTOMER DRAWING		SCALE		SHEET		REV
						1:1		2 of 2		M1

D

C

530664

B

A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-530664-3](#)