

TYPE 3 FOR 7P ONLY
THREE KINDS OF DIFFERENT POCKETS AS 1 SET
USED FOR 7P ONLY





Fig-2

COLOR	BLACK		NATURAL					
	WITH	WITHOUT	WITH	WITHOUT				
TE CONNECTOR POST HEAD ASS'Y (BOX-H SMT TYPE W/O BOSS & W/ TAIL)	TYPE 2	A	20.2	44	24	500	9	3-292173-9
	TYPE 3	A	14.2	32	20	7	3-	-7
	TYPE 2	A	14.2	32	18	6	3-	-6
	TYPE 1	A	11.5	24	16	5	3-	-5
	TYPE 1	A	11.5	24	14	4	3-	-4
	TYPE 1	A	11.5	24	12	3	3-	-3
	TYPE 2	A	20.2	44	10	2	3-	-2
	TYPE 2	A	20.2	44	24	9	2-	-9
	TYPE 2	A	20.2	44	22	8	2-	-8
	TYPE 3	A	14.2	32	20	7	2-	-7
	TYPE 2	A	14.2	32	18	6	2-	-6
	TYPE 1	A	11.5	24	16	5	2-	-5
TYPE 1	A	11.5	24	14	4	2-	-4	
TYPE 1	A	11.5	24	12	3	2-	-3	

STE TE Connectivity

ON TAPING (EMBOSS)

TE CT CONNECTOR POST HEADER ASS'Y
(BOX-H SMT TYPE W/O BOSS & W/ TAIL)

SIZE A3
CAGE CODE 00779
DRAWING NO. 292173

APVD: [Blank]
CHK: [Blank]
DWN: [Blank]
MATERIAL: [Blank]
FINISH: [Blank]

THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONS: MM
TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
MATERIAL: [Blank]




NOTES:
△ PEELING RESISTANCE : 0.196N-0.686N (20gf-70gf)
SPEED : 300mm/min

TOLERANCE UNLESS OTHERWISE SPECIFIED:
10>* ±0.2
30>* ±0.25
100>* ±0.3
ANGLE ±3°

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

REVISIONS		DATE	DWN	APVD

LAYOUT FOR 292173-X,1-292173-X




5 POS. & ABOVE POS.

3 POS.

2 POS.

RECOMMENDED P.C. BOARD LAYOUT
 (P.C.B THK:0.8mm MIN)




TE Connectivity
 SMT TYPE POST HDR ASS'Y (H)
 WITH BOSS & TAIL TYPE
 (TE CT CONN. 2mm PITCH)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		NAME	
DIMENSIONS: MM		CHK		APVD	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE	
0 PLC	±	-		A3	
1 PLC	±	-		CAGE CODE	
2 PLC	±	-		00779	
3 PLC	±	-		DRAWING NO	
4. P.C. ANGLES	±	-		G=292173	
MATERIAL		APPLICATION SPEC		SCALE	
-		-		5:1	
-		WEIGHT		SHEET	
-		-		4 OF 6	
-		CUSTOMER DRAWING		REV	
-		-		C3	

Loc	DIST	P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

LAYOUT FOR 2-292173-X,3-2-292173-X



RECOMMENDED P.C.BOARD LAYOUT
(P.C.B THK:0.8mm MIN)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN	NAME
0 PLC	± -	CHK	TE Connectivity SMT TYPE POST HDR ASS'Y (H) W/O, WITH TAIL TYPE (TE CT CONN. 2mm PITCH)
1 PLC	± -	APVD	
2 PLC	± -	PRODUCT SPEC	
3 PLC	± -	APPLICATION SPEC	
4. P.C.B ANGLES	± -	WEIGHT	SIZE
FINISH	± -	CUSTOMER DRAWING	A3
			CAGE CODE
			00779
			DRAWING NO
			292173
			SCALE
			5:1
			SHEET
			6 OF 6
			REV
			C3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-292173-2](#)