

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0622030450](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** Removal Tool

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)


**General**

Product Family	Application Tooling
Series	<a href="#">207121</a>
Comments	See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	884982694729
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

**Material Info**

**Reference - Drawing Numbers**

Application Tooling Documents [ATS-622030450](#)



*Series image - Reference only*

**EU ELV**

**Not Reviewed**

**EU RoHS**

**Not Reviewed**

**REACH SVHC**

Not Reviewed

**Halogen-Free**

**Status**

**Not Reviewed**

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

**Search Parts in this Series**

[207121](#) Series

**Use With**

[45280](#) 3.00mm Pitch Micro-Fit 3.0 BMI CPI Compliant Pin Header

**Application Tooling** | **FAQ**

<b>Description</b>	<b>Product #</b>
--------------------	------------------

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0, Tin (Sn) Over Nickel (Ni) Plating	<a href="#">452800401</a>
---	---------------------------

MicroFit 3.0 Hdr Vert CPI 4ckt Matte Sn	<a href="#">452800404</a>
---	---------------------------

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	<a href="#">452800452</a>
---	---------------------------

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	
---	--

0.38µm Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI [452800601](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 6 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating  
Micro-Fit BMI CPI [452800652](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 6 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38µm Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI [452800653](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 6 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76µm Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI [452800801](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 8 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating  
Micro-Fit BMI CPI [452800852](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 8 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38µm Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI [452800853](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 8 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76µm Gold (Au)  
Selective Contact

Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801001  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 10 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating  
MicroFit 3.0 Hdr Vert 452801004  
CPI 10ckt Matte Sn  
Micro-Fit BMI CPI 452801052  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 10 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38µm Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801053  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 10 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76µm Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801201  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 12 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating  
Micro-Fit BMI CPI 452801252  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 12 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38µm Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801253  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 12 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76µm Gold (Au)  
Selective Contact

Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801401  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 14 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating  
Micro-Fit BMI CPI 452801452  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 14 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801453  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 14 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801601  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 16 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating  
Micro-Fit BMI CPI 452801652  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 16 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating  
Micro-Fit BMI CPI 452801653  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 16 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating

Micro-Fit BMI CPI [452801801](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 18 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating

Micro-Fit BMI CPI [452801852](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 18 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating

Micro-Fit BMI CPI [452801853](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 18 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating

Micro-Fit BMI CPI [452802001](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 20 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating

Micro-Fit BMI CPI [452802052](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 20 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating

Micro-Fit BMI CPI [452802053](#)  
Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 20 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating

Micro-Fit BMI CPI [452802401](#)  
Compliant Pin  
Header, Blind Mate

Interface, Dual Row,  
Vertical, 24 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0, Tin  
(Sn) Over Nickel (Ni)  
Plating

Micro-Fit BMI CPI [452802452](#)

Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 24 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.38 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating

Micro-Fit BMI CPI [452802453](#)

Compliant Pin  
Header, Blind Mate  
Interface, Dual Row,  
Vertical, 24 Circuits,  
PA Polyamide Nylon  
4/6, UL 94V-0,  
0.76 $\mu$ m Gold (Au)  
Selective Contact  
Plating, Tin (Sn) Tail  
Plating

This document was generated on 01/07/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**