

## Specification Sheet

Part Number: HDM312HIRH4



Standard Torque Cable Tie Mount, Mtg Hole Dia. 0.3125", Max Torque 115.0 in lbs, PA66HIRHSUV, Black, 500/pkg

**Article Number** 151-00440

**Type** HDM312

**Color** Black (BK)

**Features & Benefits**

- Mount and tie combination makes it easy to service bundles in the field.
- Made from impact modified, heat stabilized, UV resistant material, ideal for heavy duty environments.
- Eliminates the needs for multiple sized fix diameter clamps.

**Quantity Per** bag

<b>Product Description</b>	These mounts contain a small tab inside the mounting hole to temporarily engage the threads, which allows assemblers to preinstall the mount on a stud before securing with a washer and a nut. For use with HellermannTyton heavy duty T120, T250, T255 and Wide Strap Cable Ties.
<b>Short Description</b>	Standard Torque Cable Tie Mount, Mtg Hole Dia. 0.3125", Max Torque 115.0 in lbs, PA66HIRHSUV, Black, 500/pkg
<b>Global Part Name</b>	HDM312-PA66HIRHSUV-BK
<b>Length L (Imperial)</b>	1.43
<b>Length L (Metric)</b>	36.3
<b>Fixation Method</b>	Screw Mounting and Rivet
<b>Width W (Imperial)</b>	0.76
<b>Width W (Metric)</b>	19.3
<b>Height H (Imperial)</b>	0.66
<b>Height H (Metric)</b>	16.7
<b>Cable Tie Width Max (Imperial)</b>	0.50
<b>Cable Tie Width Max (Metric)</b>	12.7
<b>Mounting Hole Diameter D (Imperial)</b>	0.3125
<b>Mounting Hole Diameter D (Metric)</b>	7.8 mm

**Mounting Hole Diameter D Min (Imperial)** 0.3125

**Mounting Hole Diameter D Max (Imperial)** 0.3125

**Mounting Hole Diameter D Max (Metric)** 7.9

**Material** Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

**Material Shortcut** PA66HIRHSUV

**Flammability** UL 94 HB

**Operating Temperature (Metric)** -40°F to +230°F (-40°C to +110°C)

**Maximum Torque (kgf-cm)** 132.5

**Maximum Torque (lbf-ft)** 9.583

**ROHS Complaint** Yes

**Package Quantity(Imperial)** 500

**Package Quantity (Metric)** 500

**Customs Number** 3926909988

**Weight (Imperial)** 0.00914

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)