

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AG	00	BB2	REVISED PER ECO-11-004917	11MAR11	RK HMR






FIG 8





FIG 5




FIG 6




FIG 7




FIG 2




FIG 3




FIG 4

435166-4 SHOWN




FIG 1

- FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.
 - SWITCH SHOWN IN OPEN POSITION.
 - ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.
 - STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- △ .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300 ±.010 AT MOUNTING SURFACE.
- △ STRIPPABLE TRANSPARENT SEAL, SEE FIG 1.
- △ STAMPED CUSTOMER PART NO, SEE FIG 5.
- △ NO PART NO, LOGO AND DATE CODE. SEE FIG 6.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

FIG	DESCRIPTION	DATE	DWN	APVD
△9 OBSOLETE	FIG 8	1.08	10	7-435166-4
OBS	NONE	.58	5	7-435166-3
OBS	FIG 4	1.08	10	6-435166-0
OBS	NONE	1.28	12	5-435166-9
OBS		1.28	12	5-435166-7
△9 OBSOLETE		1.08	10	5-435166-5
OBS		.98	9	5-435166-4
		.88	8	5-435166-3
△9 SUPSEDED BY 5-5435166-2		.78	7	5-435166-2
		.68	6	5-435166-1
△9 OBSOLETE		.58	5	5-435166-0
		.48	4	4-435166-9
OBS	FIG 7	.38	3	4-435166-8
△9 SUPSEDED BY 3-435626-6		.28	2	4-435166-7
OBS	AS SHOWN	.48	4	4-435166-6
OBS	FIG 3	.78	7	3-435166-5
OBS	AS SHOWN	1.28	12	3-435166-2
OBS	FIG 7	.38	3	3-435166-0
		.28	2	2-435166-9
△9 OBSOLETE	FIG 2	.88	8	2-435166-8
		1.08	10	435166-7
△9 SUPSEDED BY 1-435166-6		.98	9	435166-6
		.88	8	435166-5
△9 SUPSEDED BY 435640-3		.68	6	435166-4
		.58	5	435166-3
		.48	4	435166-2
△9 OBSOLETE		.78	7	435166-1
	TOP MARKING		PROTECTIVE SEAL	A
			NO OF POSN	
			PART NO	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	R.TALLEY	17NOV89
DIMENSIONS: INCHES		CHK	R.MILLER	06MARGO
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	H.LEITER	07MARGO
0 PLC	± -	PRODUCT SPEC		
1 PLC	± -	APPLICATION SPEC		
2 PLC	± -			
3 PLC	± .005			
4 PLC	± -			
ANGLES	± -			
MATERIAL	HOUSING & ROCKERS: POLYESTER CONTACTS: BERYLLIUM COPPER	FINISH	CONTACTS: PLATED .00030 MIN GOLD IN CONTACT AREA OVER .00050 MIN NICKEL	WEIGHT
CUSTOMER DRAWING		SCALE	4:1	SHEET
				1 OF 1
				REV
				BB2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[435166-2](#)