



12	11	10	9	8	7	6	5	4	3	2	1			
LOOSE PIECE		TAPE MOUNTED		SPECIFICATIONS										
MATERIAL NUMBER	ENGINEERING NUMBER	MATERIAL NUMBER	ENGINEERING NUMBER	STUD SIZE	"S" $\pm .005$ [0.13]	"W" $\pm .010$ [0.25]	"C" MIN.	"L" MAX.	"D" $\pm .005$ [0.13]	"H"				
190990025	BB-2707-05X	190990026	BB-2707-05XT	5	.127 [3.23]	.250 [6.35]	.230 [5.84]	.810 [20.57]	.105 [2.67]	.980 [24.89]				
190990027	BB-2707-06X	190990028	BB-2707-06XT	6	.146 [3.71]	.250 [6.35]	.230 [5.84]	.810 [20.57]	.114 [2.90]	.980 [24.89]				
G												G		
F												F		
E												E		
D												D		
C												C		
B												B		
A												A		





PARTS ON TAPE

NOTES:

- MATERIAL:
 - (A). TERMINAL: COPPER (STOCK THICKNESS $.031 \pm .001$ [0.79])
 - PLATING: ELECTRO-TIN (.0003 MIN.)
 - (B). INSULATION: MOLDED PVC (BLUE)
- MWID: MAXIMUM WIRE INSULATION DIAMETER
- WIRE SIZE: 16 -14 AWG
1.0 -2.5 MM²
- "UL" LISTING #E32244
- "CSA" LISTING #18689
- ALL DIMENSIONS IN INCHES/[MM].
- PARTS ARE ROHS COMPLIANT.
- DIMS. SHOWN ARE FOR REFERENCE ONLY.

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
		DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATION TO							
		INCH/MM		NTS		ECTR/NX							
∇ = 0													
∇ = 0						GENERAL TOLERANCES							
∇ = 0						(UNLESS SPECIFIED)							
∇ = 0						MM	INCH						
∇ = 0													
∇ = 0						4 PLACES	$\pm .000$						
∇ = 0						3 PLACES	$\pm .000$						
∇ = 0						2 PLACES	$\pm .013$						
∇ = 0						1 PLACE	$\pm .025$						
∇ = 0						0 PLACES	$\pm .000$						
∇ = 0						ANGULAR TOL							
∇ = 0						$\pm .05^\circ$							
∇ = 0						DRAFT WHERE APPLICABLE							
∇ = 0						MUST REMAIN							
∇ = 0						WITHIN DIMENSIONS							
								INITIAL REVISION:					
								DRWN: JJ					
								1984/11/07					
								APPR: JMACNEIL					
								2019/08/05					
								PRODUCT CUSTOMER DRAWING					
								DOCUMENT NUMBER					
								190990025				PSD	000
												A	
								CUSTOMER					
								GENERAL MARKET					
								SHEET NUMBER					
								1 OF 1					

DOCUMENT STATUS
P1
RELEASE DATE
2019/08/05 20:30:06

NOTES:

① MAT'L: COPPER (STOCK TKN. $\frac{.031}{.79}$) $\pm .001$

PLATING: ELECTRO-TIN (.0003 MIN.)

② INSULATION: MOLDED PVC (BLUE)


STUD SIZES: ($\pm .005$)

02 = .094
04 = .119
06 = .146
08 = .173
10 = .198
14 = .265
56 = .328
38 = .390

"UL" LISTING # E32244
"CSA" LISTING # 18689

ALL DIMENSIONS = INCHES
MM

PART NUMBER	"W" $\pm .010$	"C" MIN.	"L" MAX.	"D" $\pm .005$	AVAILABLE STUD SIZES
BB-2707-	<u>.250</u>	<u>.230</u>	<u>.810</u>	<u>.105</u>	05X($\frac{.127 \pm .005}{3.23}$)
BB-2707-	<u>.250</u>	<u>.230</u>	<u>.810</u>	<u>.114</u>	06X
BB-2708-	<u>.375</u>	<u>.261</u>	<u>.871</u>	<u>.139</u>	08X
BB-2709-	<u>.406</u>	<u>.261</u>	<u>.919</u>	<u>.156</u>	10X



TIME: SNAP SPADE SHORT
TONGUE TERMINAL
INSULKRIMP
200 SERIES

DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED	REFERENCE	SCALE: NTS	DATE: 11-7-84
FRAC.	DEC.	DRAWN BY: JJ	11-7-84
		CHKD. BY: G2	11-14-84
		APPRO. BY:	

E **I** **C** *molex*
INCORPORATED

DWG. NO.	A	CUSTOMER DWG.
----------	---	---------------

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex](#):

[19099-0089](#)