

Assembly of other products using:
body/contact assemblies: see page 36068-EN/2
accessories: see page 36070-EN/2

Pushbuttons with flush push ⁽¹⁾

Shape of head	Type of push	Colour of push	Reference	Weight kg
Heads only				
	Without cap ⁽²⁾	–	ZB4 BH0	0.028
	Flush	White	ZB4 BH01	0.029
		Black	ZB4 BH02	0.029
		Green	ZB4 BH03	0.029
		Red	ZB4 BH04	0.029
		Yellow	ZB4 BH05	0.029
		Blue	ZB4 BH06	0.029

844154



ZB4 BH02

Pushbuttons with projecting push ⁽¹⁾

Shape of head	Type of push	Colour of push	Reference	Weight kg
Heads only				
	Projecting	White	ZB4 BH1	0.029
		Black	ZB4 BH2	0.029
		Green	ZB4 BH3	0.029
		Red	ZB4 BH4	0.029
		Yellow	ZB4 BH5	0.029
		Blue	ZB4 BH6	0.029

523792



ZB4 BH6

Heads with black metal bezel

To order, add a figure 7 to the references selected above.
Example: **ZB4 BH01** becomes **ZB4 BH017**.

⁽¹⁾ Recommended maximum number of contacts constituting the body (fixing collar + contact) associated with the head, see page 36072-EN/2.

⁽²⁾ Caps to be ordered separately, see page 36069-EN/2

Assembly of other products using:
combined sub-assemblies: see page 36068-EN/6
accessories: see page 36070-EN/2

Control and signalling units Ø 22

Harmony® XB4, metal

Illuminated pushbuttons, push-push, with integral LED



ZB4 BH033

Illuminated pushbuttons with flush push ⁽¹⁾				
Shape of head	Type of push	Colour of lens	Reference	Weight kg
Heads only ⁽²⁾				
	Flush	White	ZB4 BH013	0.026
		Green	ZB4 BH033	0.026
		Red	ZB4 BH043	0.026
		Orange	ZB4 BH053	0.026
		Blue	ZB4 BH063	0.026



ZB4 BH63

Illuminated pushbuttons with projecting push ⁽¹⁾				
Shape of head	Type of push	Colour of lens	Reference	Weight kg
Heads only ⁽²⁾				
	Projecting	White	ZB4 BH13	0.026
		Green	ZB4 BH33	0.026
		Red	ZB4 BH43	0.026
		Orange	ZB4 BH53	0.026
		Blue	ZB4 BH63	0.026

Heads with black metal bezel

To order, add a figure 7 to the references selected above.
Example: ZB4 BH013 becomes ZB4 BH0137.

- (1) Recommended maximum number of contacts constituting the body (fixing collar + contact) associated with the head, see page 36072-EN/2.
(2) Only for use with bodies comprising a light source with integral LED.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Schneider Electric:](#)

[ZB4BH043](#)