

4

3

2


1

| THIS DRAWING IS UNPUBLISHED. | | RELEASED FOR PUBLICATION | | LOC | DIST | REVISIONS | | | | | | | |
|------------------------------|--|--------------------------|--|-----|------|-----------|-----|---------------|--|--|-----------|--|--|
| C COPYRIGHT | | ALL RIGHTS RESERVED. | | | | P | LTR | DESCRIPTION | | | DATE | | |
| | | | | | | A1 | | ECR-14-002338 | | | 18FEB2014 | | |
| | | | | | | | | | | | GK HMR | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151379-6

FOR REPLACEMENT PARTS FOR APPLICATOR 1911097
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1911097

| | | | | | |
|---|--|----------------------|--|----------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN GOPALAKRISHNA HV | | TE Connectivity | |
| DIMENSIONS: | | CHK RAGHAVENDRA | | | |
|  | | APVD RAGHAVENDRA | | | |
| 0 PLC \pm | | PRODUCT SPEC | | | |
| 1 PLC \pm | | APPLICATION SPEC | | | |
| 2 PLC \pm | | | | | |
| 3 PLC \pm | | | | | |
| 4 PLC \pm | | | | | |
| ANGLES \pm | | WEIGHT | | SIZE A3 | |
| MATERIAL | | FINISH | | CAGE CODE C- 1911097 | |
| | | CUSTOMER DRAWING | | DRAWING NO | |
| | | | | SCALE | |
| | | | | SHEET 1 OF 2 | |
| | | | | REV A1 | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

20

1

| PART NUMBER | | REV | DESCRIPTION | PROGRAMMED MEMORY CHIP |
|-------------|---|-----|--------------------|------------------------|
| 1911097-1 | A | | CUTS CARRIER | 8-1911097-1 |
| 1911097-6 | A | | CONTINUOUS CARRIER | 8-1911097-6 |
| 7-1911097-1 | A | | -1 AND SPARE PARTS | 9-1911097-1 |
| 7-1911097-6 | A | | -6 AND SPARE PARTS | 9-1911097-6 |
| 7-1911097-7 | A | | SPARE PARTS KIT | - |

| APPLICATOR DATA | | |
|-------------------|---------------|---|
| CRIMP | SIZE | TYPE |
| WIRE | .080 [2.03mm] | F |
| INSUL | .110 [2.79mm] | OV |
| APPL INSTRUCTIONS | |  |
| 408-10135 | | |

TERMINAL NAME: 2.8mm FASTIN-FASTON TAB


| | | |
|--|---|---|
| WIRE STRIP LENGTH 4.0-4.6 mm [.157-.181 IN] |  | INSULATION DIAMETER RANGE 1.40-2.30mm [.055-.090 IN] |
|--|---|---|

TERMINAL
APPI SPEC

WHITE VINE

| TERMINALS APPLIED | |  | |
|-------------------|----------|---|---|
| 928930-1 | 928930-3 | 928930-5 | - |
| 928930-2 | 928930-4 | - | - |

| WIRE SIZE |  | CRIMP HEIGHT mm [INCH] |  |
|---------------------|---|---------------------------|---|
| 1mm ² | | 1.56±0.05 [.061±.002] | |
| 0.75mm ² | | 1.47±0.05 [.058±.002] | |
| 0.5mm ² | | 1.38±0.05 [.054±.002] | |



| - | I | I | I | I | 1976053-2 | LOCATER BLOCK, TERMINAL | 179 |
|-----|-----|-----|-----|-----|-------------|-------------------------------------|---------|
| - | I | I | I | I | I-993111-6 | PIN, SLOTTED SPRING 3.0 X 30.0 | 177 |
| - | 2 | 2 | 2 | 2 | 3-22280-7 | SPRING, COMPRESSION | 176 |
| - | I | I | I | I | 1752353-1 | GUIDE PIN, HOLDDOWN | 175 |
| - | I | I | I | I | 1901680-1 | GUIDE PIN, HOLDDOWN | 174 |
| - | REF | REF | REF | REF | SEE TABLE | MEMORY CHIP, PROGRAMMED | 135 |
| - | I | I | I | I | 455888-1 | SPACER, CRIMPER | 82 |
| - | I | I | I | I | 1633565-1 | DOCUMENTATION PACKAGE | 71 |
| - | I | I | I | I | 1901048-1 | TAG, IDENTIFICATION | 67 |
| - | 2 | 2 | 2 | 2 | 21017-1 | SCREW, DRIVE | 66 |
| - | I | I | I | I | 18028-1 | WASHER, FLAT, REG M3 | 64 |
| - | 3 | 3 | 3 | 3 | 1655785-9 | SCR, BTN SKT HD CAP (M3 X 6) | 62 |
| - | 2 | 2 | 2 | 2 | 1655785-1 | SCR, BTN SKT HD CAP (M4 X 8) | 60 |
| - | 4 | 4 | 4 | 4 | 1655783-3 | SCR, CAP, SOC HD, LOW HEAD, M4 X 12 | 54 |
| - | I | I | I | I | I-18030-0 | NUT, HEX, REG M3.5 | 52 |
| - | I | I | I | I | 1901681-8 | HOLDDOWN, TERMINAL | 51 |
| - | I | I | I | I | I-1752354-2 | STANDOFF, HOLD-DOWN | 50 |
| - | I | I | I | I | 1752300-1 | SF SYSTEM III APPLICATOR | 46 |
| - | I | I | I | I | 1752308-1 | RAM | 44 |
| - | I | I | I | I | 2-1655785-3 | SCR, BTN SKT HD CAP (M8 X 25) | 41 |
| - | I | I | I | I | 993002-4 | SCREW, SET, SFT TIP | 40 |
| - | I | I | I | I | 1962043-1 | PLUNGER, BALL, METRIC | 39 |
| - | I | I | I | I | 1752309-3 | RING, INSULATION CRIMP | 38 |
| - | I | I | I | I | I-1752356-9 | SUPPORT, TERMINAL | 34 |
| - | 2 | 2 | 2 | 2 | 3-1655785-3 | SCR, BTN SKT HD CAP (M4 X 20) | 33 |
| - | I | I | I | I | 18028-3 | WASHER, FLAT, REG M5 | 32 |
| - | I | I | I | I | 5-1655316-3 | SCR, SKT HD CAP, M5 X 10.0 | 31 |
| - | I | I | I | I | 1320908-1 | SPACER, STRIP GUIDE | 30 |
| - | I | I | I | I | 1901087-1 | ASSEMBLY, STRIP GUIDE | 29 |
| - | I | I | I | I | I-455888-5 | SPACER, CRIMPER | 28 |
| - | I | I | I | I | 1320928-1 | PLATE, STRIP GUIDE | 24 |
| - | I | I | I | I | 1976045-1 | STRIPPER | 22 |
| - | I | I | I | I | 18028-2 | WASHER, FLAT, REG M4 | 20 |
| - | REF | REF | REF | REF | 1752311-1 | STRIPPER | 19 |
| - | I | - | I | - | 1338684-1 | SHEAR HOLDER, FRONT | 13 |
| - | I | I | I | I | 3-22280-3 | SPRING, COMPRESSION | 12 |
| - | I | I | I | I | 356885-4 | STOP, SHEAR | 11 |
| - | - | I | - | I | 1320921-1 | SHEAR HOLDER, FRONT, CUT | 10 |
| - | I | I | I | I | I-454276-9 | FLOATING SHEAR, FRONT | 9 |
| - | I | 2 | 2 | I | 2-1333204-9 | ANVIL, COMBINATION | 8 |
| - | I | I | I | I | I-455889-4 | DEPRESSOR, SHEAR | 5 |
| - | I | I | I | I | 238011-8 | BLOCK, CRIMPER SPACER | 4 |
| - | I | 2 | 2 | I | 2-854830-7 | CRIMPER, INSULATION SPECIAL | 3 |
| - | I | 2 | 2 | I | 455888-7 | SPACER, CRIMPER | 2 |
| - | I | 2 | 2 | I | I-456405-5 | CRIMPER, WIRE PREMIUM | 1 |
| -77 | -76 | -71 | -6 | -1 | PART NO | DESCRIPTION | ITEM NO |

| | | | | | |
|---|--|--|--|---|--|
| THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION IT IS THE PROPERTY OF THE DESIGNER AND THE COMPANY SHOULD BE CONTACTED FOR THE LATEST EDITION. | | DIN 17JUL2007 M. HERR CHK. 18JUL2007 N. DEMING APV2D H. DEMING 18JUL2007 PRODUCT SPEC APPLICATION SPEC SEE TABLE FINISH - WEIGHT - CUSTOMER DRAWING | | Tyco Electronics Harrisburg, PA 17105-3608 | |
| DIMENSIONS: INCHES [mm] | | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC - 3 PLC ± 4 PLC ± ANGLES ± | | NAME SIDE FEED SYSTEM III APPLICATOR SIZE CAGE CODE DRAWING NO A 00779 C-1911097 SCALE 3:5 SHEET 1 OF 1 REV A | |
| MATERIAL - | | | | | |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1911097-6](#)