




AUXILIARY VIEWS
SCALE 1:1



NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. PACKAGING: NOT REQUIRED
5. MATES WITH: MOST 5.08 (.200) PIN HEADERS
6. "XX" REFERS TO THE QUANTITY OF CIRCUITS
7. ROHS COMPLIANT

ODD CIRCUIT CONFIGURATION SHOWN

7	XX	XX	SCREW, M3.5 X .280	STEEL	ZINC CHROMATE
6	XX	XX	NUT, M3.5, HEX	STEEL	ZINC CHROMATE
5	XX/2	(XX-1/2)	REAR ROW TERMINAL (-G30 OPT.)	PHOS. BRONZE	SELECTIVE GOLD
4	XX/2	(XX-1/2)	FRONT ROW TERMINAL (-G30 OPT.)	PHOS. BRONZE	SELECTIVE GOLD
3	XX/2	(XX-1/2)	REAR ROW TERMINAL	PHOS. BRONZE	HOT TIN DIP
2	XX/2	(XX-1/2)	FRONT ROW TERMINAL	PHOS. BRONZE	HOT TIN DIP
1	1	1	BARRIER	THERMOPLASTIC	BLACK
ITEM	QTY. (EVEN NO. OF CIRCUITS)	QTY. (ODD NO. OF CIRCUITS)	DESCRIPTION	MATERIAL	FINISH

REVISED & REDRAWN
EC NO: WNA2008-0391
DRWN: JENC INAS 2008/07/01
CHKD: CYORK 2008/07/02
APPR: JMACNEIL 2008/07/07

QUALITY
SYMBOLS
▽=0
▽=0


DESCRIPTION
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± .005	± .0005
3 PLACES	± .01	± .001
2 PLACES	± .03	± .005
1 PLACE	± .075	± .0075
ANGULAR ± 2 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE MM/IN	
DRAWN BY C. YORK	DATE 2005/02/22
CHECKED BY R. KEMP	DATE 2005/02/22
APPROVED BY GHR	DATE 2005/02/22
MATERIAL NO. SEE SHEET 2	
SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
TITLE 5.08/200 PLUG ASSY, FWE WITH BULKHEAD PANEL MTG. ENDS (9479XX)		
MOLEX INCORPORATED		
DOCUMENT NO. SD-39940-006		SHEET NO. 1 OF 2

NO. OF CIRC. "XX"	"A"	"B"	"C"	"D" ^{+0.00} _{-0.25} [^{+0.000} _{-0.010}]	MATERIAL NO.	MATERIAL NO. (-10A OPT.)	MATERIAL NO. (-G30 OPT.)	MATERIAL NO. (-G30,-10A OPT.)
03	35.6 [1.40]	10.16 [4.00]	27.94 [1.100]	15.2 [60]	399400703		399410703	
04	40.6 [1.60]	15.24 [600]	33.02 [1.300]	20.3 [80]	399400704		399410704	
05	45.7 [1.80]	20.32 [800]	38.10 [1.500]	25.4 [100]	399400705		399410705	
06	50.8 [2.00]	25.40 [1000]	43.18 [1.700]	30.5 [120]	399400706		399410706	
07	55.9 [2.20]	30.48 [1200]	48.26 [1.900]	35.6 [140]	399400707		399410707	
08	61.0 [2.40]	35.56 [1400]	53.34 [2.100]	40.6 [160]	399400708		399410708	
09	66.0 [2.60]	40.64 [1600]	58.42 [2.300]	45.7 [180]	399400709		399410709	
10	71.1 [2.80]	45.72 [1800]	63.50 [2.500]	50.8 [200]	399400710		399410710	
11	76.2 [3.00]	50.80 [2000]	68.58 [2.700]	55.9 [220]	399400711		399410711	
12	81.3 [3.20]	55.88 [2200]	73.66 [2.900]	61.0 [240]	399400712		399410712	
13	86.4 [3.40]	60.96 [2400]	78.74 [3.100]	66.0 [260]	399400713		399410713	
14	91.4 [3.60]	66.04 [2600]	83.82 [3.300]	71.1 [280]	399400714		399410714	
15	96.5 [3.80]	71.12 [2800]	88.90 [3.500]	76.2 [300]	399400715		399410715	
16	101.6 [4.00]	76.20 [3000]	93.98 [3.700]	81.3 [320]	399400716		399410716	
17	106.7 [4.20]	81.28 [3200]	99.06 [3.900]	86.4 [340]	399400717		399410717	
18	111.8 [4.40]	86.36 [3400]	104.14 [4.100]	91.4 [360]	399400718		399410718	
19	116.8 [4.60]	91.44 [3600]	109.22 [4.300]	96.5 [380]	399400719		399410719	
20	121.9 [4.80]	96.52 [3800]	114.30 [4.500]	101.6 [400]	399400720		399410720	
21	127.0 [5.00]	101.60 [4000]	119.38 [4.700]	106.7 [420]	399400721		399410721	
22	132.1 [5.20]	106.68 [4200]	124.46 [4.900]	111.8 [440]	399400722		399410722	
23	137.2 [5.40]	111.76 [4400]	129.54 [5.100]	116.8 [460]	399400723		399410723	
24	142.2 [5.60]	116.84 [4600]	134.62 [5.300]	121.9 [480]	399400724		399410724	399490019



OPTIONAL
10A IMPRINTING
(ODD CIRCUIT CONFIGURATION SHOWN)

SEE SHEET ONE EC NO: WNA2008-0391 DRAWN: JENC INAS 2008/07/01 CHKD: CYORK 2008/07/02 APPR: MACNE IL 2008/07/07	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES	± ---	± ---	DRAWN BY C. YORK	DATE 2005/02/22	TITLE 5.08/.200 PLUG ASSY, FWE WITH BULKHEAD PANEL MTG. ENDS (9479XX)			
		3 PLACES	± ---	± .005	CHECKED BY R. KEMP	DATE 2005/02/22				
		2 PLACES	± 0.13	± .01	APPROVED BY GHR	DATE 2005/02/22	MOLEX INCORPORATED			
		1 PLACE	± 0.3	± ---	MATERIAL NO. SEE CHART					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ± 2 °		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[39940-0708](#) [39940-0710](#) [39940-0704](#) [39940-0714](#) [39940-0721](#) [39940-0724](#) [39940-0716](#) [39940-0703](#) [39940-0706](#) [39940-0717](#)