

Specification Sheet

Part Number: PFCLC50



Connector, Fiber Optic LC Multimode OM2 (50/125), Pre-Polished (Cleave & Insert), 1/Pkg

Article Number 855-14207

Type PFCLC

Color Black (BK)

Features & Benefits

- Factory-polished zirconia ceramic ferrules for quick and reliable field installations.
- Unique wedge clip retains connector shape for precision connection.
- Easy to use- no epoxy, heat curing, polishing or special tools required.
- Color coded for easy identification.
- Meet ANSI/TIA/EIA 568-B standards.
- Meet ANSI/TIA/EIA 604 (FOCIS) connector interface requirements.

Quantity Per bag

| | |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | Pre-polished connectors provide high performance and eliminate the need for the time consuming task of hand polishing ferrules in the field. A factory pre-cleaved fiber stub and index-matching gel combine to offer an immediate low loss termination of single mode or multimode fiber. |
| Short Description | Connector, Fiber Optic LC Multimode OM2 (50/125), Pre-Polished (Cleave & Insert), 1/Pkg |
| Global Part Name | PFCLC |
| Technical Description | Pre-Polished LC 50/125 Multimode Fiber Connector, Black |
| Port Count | 2 |
| Use Conditions | For Indoor Use Only |
| Package Quantity(Imperial) | 1 |
| Package Quantity (Metric) | 1 |
| Customs Number | 8536700000 |

