




PART NUMBER:
1438136-1
SHOWN WITH SPACER
IN SEATED POSITION



SECTION A-A
SPACER AND LEVER
IN PRE-SEATED POSITION
(DELIVERY POSITION)



SHOWN WITH CAM
LEVER AND SPACER
IN LOADED POSITION



MIN. FEED THRU CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH SPACER IN SEATED POSITION

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
G45		REVISED PER ECO-13-011449	16JUL2013	DLD	DCM
G46		REVISED PER ECO-14-007153	19MAY2014	DLD	DCM
G47		REVISED PER ECO-14-014965	09OCT2013	DLD	DCM

1. PRINT FORD PART NUMBER (SEE ATTACHED CHARTS) AND TRACEABILITY CODE (YY = 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR) IN THIS LOCATION AT ASSEMBLY. SEE SHEETS 3, 4 AND 5 (-*) PART NUMBERS.

2. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²

3. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.

4. REFERENCE TE INSTRUCTION SHEET 408-8893.

△ COMPANY LOGO.



APPLICABLE COMPONENTS (FOR REFERENCE ONLY)

DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG

SEE SHEETS 3 THRU 7
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. R. VESTAL 15APR2005	TE TE Connectivity	
DIMENSIONS:		CHK. T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD. T. VALASEK 15APR2005	NAME	
	0 PLC ±.3	PRODUCT SPEC	70-WAY HARNESS ASSEMBLY	
	1 PLC ±0.10	APPLICATION SPEC		
MATERIAL	FINISH	WEIGHT	SIZE	CAGE CODE
-	-	-	A100779	1438136
CUSTOMER DRAWING		SCALE 2:1	SHEET 1 OF 11	REV. G47


REVISIONS				
P.	LTR.	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-




KEYING OPTION "A"




KEYING OPTION "B"




KEYING OPTION "C"



KEYING OPTION "D"



KEYING OPTION "E"



KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL	15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK	15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK	15APR2005	NAME	
	0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±1° FINISH	PRODUCT SPEC		70-WAY HARNESS ASSEMBLY	
MATERIAL	-	APPLICATION SPEC		SIZE	RESTRICTED TO
-	-	WEIGHT	-	A100779C=1438136	-
-	-	CUSTOMER DRAWING		SCALE	SHEET
				2:1	2 OF 11

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

BY -

ALL RIGHTS RESERVED.

REVISONS

P	LYR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

KEYING OPTION A

				65	64	63	62					56								42	40	39					33	32				27	26	25	24	23	22	21	20	19	18				13				8	7	6				2	1	9-1438136-6	5L3T-14A464-DA-054
				65	64	63	62					56								43	42	40	39				33							24			21	20	18			13			8				3	2	1	8-1438136-8	5L3T-14A464-DA-053					
				65	64	63	62					56					49	48		43	42	40	39				33	31	30			27				23	21		18			13			8			5	4	3	2	1	8-1438136-3	5L3T-14A464-DA-052				
				65								56				50	49	48		44	43	42	40	39			33	31	30					24			20				13			8				3	2	1	8-1438136-2	5L3T-14A464-DA-051						
					64	63	62					57	56	55		50				43			39	38			32					27	26	25			22				14	13		9	8				3			8-1438136-1	5L3T-14A464-DA-050					
					64	63	62					57	56	55		50				43			39	38			32			29	28	27	26	25			22			14	13		9	8				3			7-1438136-8	5L3T-14A464-DA-049						
				65	64	63	62					57	56							42	40	39				33	32					26	25	24	23	22	21	20	19	18			13		8	7	6				2	1	7-1438136-7	5L3T-14A464-DA-048				
				65	64	63	62					56					49	48		43	42	40	39				33	31	30						23	21		18			13		8			5	4	3	2	1	7-1438136-5	5L3T-14A464-DA-047						
				65								56				50				44	43	42	40	39			33							24			20				13		8				3	2	1	7-1438136-4	5L3T-14A464-DA-046							
				65	64	63	62					56								43	42	40	39				33				27		24			21	20	18			13		8				3	2	1	7-1438136-3	5L3T-14A464-DA-045							
		68	67	65	64							56	55			50				44	43	42	41	40	39	38		33	31	30		27		24			20			15	14	13	11	10	9	8				2	1	7-1438136-2	5L3T-14A464-DA-044					
70	68	67	66	65	64	63			60	59			55	54		51	50			44	43	42	40	38	37		34	32	31	30	29	27		24	23		21	20	19	18	16	15	14		11	10	9			5	4	3	2	1	7-1438136-1	5L3T-14A464-DA-043		
					64	63	62					57	56	55		50				43	42		39	38				32				27		25			22	21	20	19	18		14			9	8	7		5				6-1438136-9	5L3T-14A464-DA-042			
	68	67		65	64							56				50				44	43	42	40	39			33	31	30		27			24	23			20	18			13		8				4		2	1	6-1438136-8	5L3T-14A464-DA-041					
	68	67			64	63	62					56				50				44	43	42	40	39			33	31	30		27			24	23		21	20	18			13		8	7	6						6-1438136-7	5L3T-14A464-DA-040					
	68	67			64	63	62									50	49	48		44	43	42	40				33	31	30		27			24	23		21	20	18					7	6		4	3				6-1438136-6	5L3T-14A464-DA-039					
	68	67	66	65	64		62		60	59		56	55			51	50			44	43	42	41	40	39	38		34	32	31	30		27		24	23		20	19		15	14	13	11	10	9	8	7		5	4	3	2	1	6-1438136-5	5L3T-14A464-DA-038		
	68	67	66	65	64		62		60	59		56	55			51	50			44	43	42	41	40	39	38		34	32	31	30		27		24	23		20	19		15	14	13	11	10	9	8	7		5	4		2	1	6-1438136-4	5L3T-14A464-DA-037		
70	68	67	66	65	64	63			60	59			55	54		51	50			44	43	42	40	38	37		34	32	31	30	29	27		24	23		21	20	19		16	15	14		11	10	9			5	4	3	2	1	6-1438136-3	5L3T-14A464-DA-036		
					64	63	62					57	56	55		50				43			39	38				32				27	26	25			22	21	20	19	18		14	13		9	8	7	6	5	4	3			6-1438136-2	5L3T-14A464-DA-035		
					64	63	62					57	56	55		50				43			39	38				32				27	26	25		23	22	21	20	19	18		14	13		9	8	7	6	5	4				6-1438136-0	5L3T-14A464-DA-034		
	68	67		65	64							56	55						44		42	40	39	38			33	31	30		27			24	23		20	18		15	14	13	11	10	9	8	7		5	4		2	1	5-1438136-9	5L3T-14A464-DA-033			
	68	67													50				44	43	42	40					33				27			24			20	18					7				2				5-1438136-8	5L3T-14A464-DA-032						
		68	67			63	62								50				44	43	42	40					33				27			24			21	20	18					7				2				5-1438136-7	5L3T-14A464-DA-031					
					64	63	62					56									42	40	39					33						24	23		21	20	18			13		8	7						5-1438136-6	5L3T-14A464-DA-030						
	68	67	66	65	64				60	59			55			51	50			44	43	42	40	38			34	32	31	30		27		24	23		20	19		15	14		11	10	9			5	4		2	1	5-1438136-5	5L3T-14A464-DA-029				
	68	67			64							56				50				44	43	42	40	39				33	31	30		27			24	23		20	18			13		8	7	6				4-1438136-9	5L3T-14A464-DA-028							
70	68				63							56	55	54					44		42	40	39	38	37		33	32	31	30	29	27		25	24		22	21		19		15	14		10			5	4		2	1	4-1438136-3	5L3T-14A464-DA-027				
70	68				63							56	55	54					44		42	40	39	38	37		33	32	31	30	29	27			24		22	21		19		15	14		10				4	2	1	4-1438136-2	5L3T-14A464-DA-026					
					64	63						56	55			50				43	42	41	40	39	38				32	31	30		27		25			22	21	20	19			14				5					4-1438136-1	5L3T-14A464-DA-025				
	68	67			64							56				50				44	43	42	40	39				33	31	30		27	26	25		23	22		20	19	18			13		8	7	6	5	4	3	2	1	4-1438136-0	5L3T-14A464-DA-024			
	68	67			64	63	62					56				50				44	43	42	40	39				33	31	30		27			24	23		21																				

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

KEYING OPTION B

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5L3T-14A464-E* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005

15APR2005

15APR2005

DIMENSIONS:

mm

0 PLC ±.3

1 PLC ±0.10

2 PLC ±.

3 PLC ±.

4 PLC ±.

ANGLES ±1°

FINISH

MATERIAL

-

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME

70-WAY HARNESS ASSEMBLY

SIZE CAGE CODE DRAWING NO

A100779C=1438136

RESTRICTED TO

-

SCALE

2:1

SHEET

5

OF

11

REV

647

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.		

REVISIONS					
#	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET I	-	-	-


KEYING OPTION F

[illegible]


KEYING OPTION E

[illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RES. VESTAL 15APR2005 CHK T. VALASEK 15APR2005 APP'D T. VALASEK 15APR2005		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0 1 PLC ±.3 2 PLC ±.0..10 3 PLC ±. 4 PLC ±. 5 PLC ±. ANGLES ±1°		NAME 70-WAY HARNESS ASSEMBLY	
MATERIAL - - -		FINISH - - -		PRODUCT SPEC - APPLICATION SPEC - SIZE CAGE CODE DRAWING NO A100779C1438136 RESTRICTED TO -	
CUSTOMER DRAWING		WEIGHT -		SCALE 2:1 SHEET 9 OF 11 REG 47	




SECTION C-C



DETAIL F
SCALE 6:1


8. MATES WITH TYCO ELECTRONICS PART# 1438136-*

SECTION B-B

THIS DRAWING IS A CONTROL DOCUMENT.		DWG R VESTAL 15APR2005 CHK T VALASEK 15APR2005 T VALASEK 15APR2005		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC 1 PLC ±.3 2 PLC ±.010 3 PLC ±. 4 PLC ±. ANGLES ±1°		NAME 70-WAY HARNESS ASSEMBLY	
MATERIAL - - -		FINISH - - -		WEIGHT - - -	
CUSTOMER DRAWING		SIZE A1		CAGE CODE 100779	
		DRAWING NO C-1438136		RESTRICTED TO - - -	
		SCALE 2:1		SHEET 10 OF 1 REG 47	

HEADER INTERFACE KEYING OPTIONS

REVISIONS				
P.	LTR.	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 15APR2005	 TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME	
	0 PLC ±0.3	PRODUCT SPEC	70-WAY HARNESS ASSEMBLY	
	1 PLC ±0.10	APPLICATION SPEC		
MATERIAL	FINISH	WEIGHT	SIZE	RESTRICTED TO
-	-	-	A100779C=1438136	-
CUSTOMER DRAWING		SCALE	SHEET	REV
		2:1	11 OF 11	647

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1438136-4](#)