

Specification Sheet

Part Number: CTN380STD



Article Number 169-60015

Type CTN380

Color Black with Gray Stripe (BKSTGY)

Features & Benefits

- Durable tubing provides protection of wire harness from friction, vibration, fraying and puncture.
- Tubing protects cables and wires against automotive fluids and vibration wear.
- Weather resistant material provides protection against water, snow, ice, and the effects of heat or cold.
- Nylon material is formulated to withstand high temperatures.
- Lateral slit allows fast and easy insertion of wires.

Quantity Per carton

Product Description

Convoluted tubing provides an efficient method of routing and protecting wire harness assemblies, while reducing the chance of installation damage. It also can serve to protect valuable wiring circuits. HellermannTyton's convoluted tubing offers excellent protection against automotive fluids, vibration wear, water, snow, ice, and the effects of heat or cold on cables and wires. Available in standard, bulk, and dispenser box packaging. Material is slit.

Short Description

Convoluted Tubing, Slit, .38" Dia, PA6, Black with Gray Stripe, 1900ft/carton

Global Part Name

CTN380-PA6-BK

Technical Description

Convoluted Tubing, Slit, 3/8" Dia., PA6, Black w/Gray Stripe

Length L (Imperial)

1900.0

Length L (Metric)

579.1

Variant

Slit

Inner Diameter D (Imperial)

0.380

Inner Diameter D (Metric)

9.65

Diameter D (imperial)

0.526

Diameter D (metric)

13.36

Outside Diameter OD(Imperial)

0.526

Outside Diameter OD(metric)

13.36

Nominal Diameter (Imperial)	0.38
Nominal Diameter (Metric)	9.65
Wall Thickness WT (Imperial)	0.005
Wall Thickness WT (Metric)	0.127
 Material	
Material Shortcut	Polyamide 6 (PA6)
Flammability	PA6
Halogen free	UL 94 HB
Operating Temperature (Metric)	No
Reach Complaint(Article 33)	-40°F to +257°F (-40°C to +125°C)
ROHS Complaint	Yes
 Package Quantity(Imperial)	
Package Quantity (Metric)	1900
Customs Number	579.10
 3926909988	

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)