



P	LTR	DESCRIPTION	DATE	DWN	APVD
	K	REVISED	08FEB2018	M. T	K. K



SCALE 5:1



RECOMMENDED PCB LAYOUT (REF.)
SCALE 5:1

NOTES:

- | | | |
|---|---|---|
| 1 | CONTACT PLATING:
1,2 μ m NICKEL UNDERLAYER
1,25 μ m MIN. GOLD AT CARD SIDE
0,1-0,2 μ m GOLD AT SOLDER SIDE | 2-170530
2-170530
2-170530
1-170530 |
| 2 | MARKINGS ON RECESSED AREA | 1-170530
1-170530 |
| 3 | LASER PRINTED: EXAMPLE: 3104 AH:
DAY 3, WEEK 10, YEAR 2004,
PRODUCTIONLINE A, PRODUCTION DRAWING REVISION H | 1-170530
PARTNUMBER |
| 4 | PACKAGING INFO SEE SHEET 2. | |
| 5 | OBsolete | 2 CONTACT |

5-1705300-0	0,34	5,00	6,6	3,5
4-1705300-9	0,33	4,90	7,6	3,4
4-1705300-8	0,33	4,80	6,6	3,3
4-1705300-7	0,32	4,70	7,6	3,2
4-1705300-6	0,32	4,60	6,9	3,1
4-1705300-5	0,32	4,50	7,7	3,0
4-1705300-4	0,31	4,40	6,8	2,9
4-1705300-3	0,31	4,30	7,6	2,8
4-1705300-2	0,30	4,20	6,8	2,7
4-1705300-1	0,30	4,10	7,5	2,6
4-1705300-0	0,29	4,00	6,8	2,5
3-1705300-9	0,29	3,90	7,5	2,4
3-1705300-8	0,28	3,80	7,1	2,3
3-1705300-7	0,28	3,70	7,6	2,2
3-1705300-6	0,27	3,60	7,1	2,1
3-1705300-5	0,27	3,50	7,6	2,0
3-1705300-4	0,26	3,40	6,7	1,9
3-1705300-3	0,26	3,30	7,3	1,8
3-1705300-2	0,25	3,20	7,7	1,7
3-1705300-1	0,25	3,10	7,0	1,6
3-1705300-0	0,24	3,00	7,4	1,5
2-1705300-9	0,24	2,90	7,7	1,4
2-1705300-8	0,23	2,80	6,9	1,3
2-1705300-7	0,23	2,70	7,2	1,2
2-1705300-6	0,23	2,60	7,5	1,1
2-1705300-5	0,22	2,50	7,7	1,0
2-1705300-4	0,22	2,40	7,1	0,9
2-1705300-3	0,21	2,30	7,3	0,8
2-1705300-2	0,20	2,20	7,3	0,7
2-1705300-1	0,20	2,10	7,5	0,6
2-1705300-0	0,20	2,00	7,5	0,5
1-1705300-9	0,19	1,90	7,6	0,4
1-1705300-8	0,19	1,80	7,7	0,3
1-1705300-7	0,18	1,70	7,8	0,2
1-1705300-6	0,18	1,60	7,8	0,1
1-1705300-5	0,18	1,50	7,8	0,0
PARTNUMBER	WEIGHT	DIM A	DIM B	DIM C

2	CONTACT	COPPER ALLOY	SEE NOTES
1	HOUSING	GF LIQUID CRISTAL POLYMER	BLACK
ITEM NO.	DESCRIPTION	MATERIAL	FINISH



TE Connectivity

NAME	SIM CONNECTOR
	5 DIRECTIONAL
	6 positions

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1705300	

WEIGHT	gram
--------	------

SCALE	8.1	SHEET	1	OF	2	REV	K
-------	-----	-------	---	----	---	-----	---

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
mm			
			
		0 PLC	$\pm .$
		1 PLC	$\pm 0,1$
		2 PLC	$\pm 0,05$
		3 PLC	$\pm .$
		4 PLC	$\pm .$
		ANGLES	$\pm .$
MATERIAL		FINISH	
see notes		see notes	
material_2		finish_spec_2	

DWN	17-Sep-03
W. Jansen	
CHK	17-Sep-03
W. Jansen	
APVD	17-Sep-03
P. Jaeger	


PRODUCT SPEC

108-19280

APPLICATION SPEC
114-19092



WEIGHT	gram
--------	------

CUSTOMER DRAWING




MATERIAL	see notes
	material_2

FINISH	see notes finish_spec
--------	--------------------------



—COPLANARITY:
0,10 MAX.





THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY - ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



SECTION D-D

SECTION C-C



SCALE 3:10

DETAIL B
SCALE 2:1

2-1705300-0 AS SHOWN

NOTES:

- ⚠ THE FIRST 33 POCKETS ARE EMPTY AND THE LAST 13 POCKETS ARE EMPTY.
ONE REEL CONTAINS X PRODUCTS (SEE TABLE).
- ⚠ OBSOLETE

5-1705300-0	6,4	800
4-1705300-9	6,4	800
4-1705300-8	6,4	800
4-1705300-7	6,4	800
4-1705300-6	6,4	800
4-1705300-5	6,4	800
4-1705300-4	5,4	950
4-1705300-3	5,4	950
4-1705300-2	5,4	950
4-1705300-1	5,4	950
4-1705300-0	5,4	950
3-1705300-9	5,4	950
3-1705300-8	5,4	950
3-1705300-7	5,4	950
3-1705300-6	5,4	950
3-1705300-5	5,4	950
3-1705300-4	4,4	1150
3-1705300-3	4,4	1150
3-1705300-2	4,4	1150
3-1705300-1	4,4	1150
3-1705300-0	4,4	1150
2-1705300-9	4,4	1150
2-1705300-8	4,4	1150
2-1705300-7	4,4	1150
2-1705300-6	4,4	1150
2-1705300-5	4,4	1150
2-1705300-4	3,4	1450
2-1705300-3	3,4	1450
2-1705300-2	3,4	1450
2-1705300-1	3,4	1450
2-1705300-0	3,4	1450
1-1705300-9	3,4	1450
1-1705300-8	3,4	1450
1-1705300-7	3,4	1450
1-1705300-6	3,4	1450
1-1705300-5	3,4	1450
PARTNUMBER	DIM "D"	PRODUCTS/REEL

SEALED COVER TAPE	PET/PE	TRANSPARENT
EMBOSSD CARRIER TAPE	PS	GREY
REEL	PS	GREY
DESCRIPTION	MATERIAL	COLOUR

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-	 TE Connectivity	
		CHK	-		
		APVD	-		
		PRODUCT SPEC	108-19280		
DIMENSIONS: mm		APPLICATION SPEC	114-19092	NAME SIM CONNECTOR 5 DIRECTIONAL 6 positions	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT	gram	SIZE	CAGE CODE
0 PLC ±		CUSTOMER DRAWING		A3	00779
1 PLC ±0,1		SCALE 8:1		DRAWING NO C-1705300	
2 PLC ±0,05		SHEET 2 OF 2		REV K	
3 PLC ±					
4 PLC ±					
ANGLES ±					
MATERIAL see notes material_2					
FINISH see notes finish_spec_2					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1705300-9](#)