







PART NUMBER W/CAP IN TUBE	CKT. SIZE	DIM A	DIM B	DIM C
87381-06**	6	6.00	4.00	0.55
87381-08**	8	8.00	6.00	1.55
87381-10**	10	10.00	8.00	2.55
87381-12**	12	12.00	10.00	3.55
87381-14**	14	14.00	12.00	4.55
87381-16**	16	16.00	14.00	5.55
87381-18**	18	18.00	16.00	6.55
87381-20**	20	20.00	18.00	7.55
87381-22**	22	22.00	20.00	8.55
87381-24**	24	24.00	22.00	9.55
87381-26**	26	26.00	24.00	10.55
87381-28**	28	28.00	26.00	11.55
87381-30**	30	30.00	28.00	12.55
87381-32**	32	32.00	30.00	13.55
87381-34**	34	34.00	32.00	14.55
87381-36**	36	36.00	34.00	15.55
87381-38**	38	38.00	36.00	16.55
87381-40**	40	40.00	38.00	17.55
87381-42**	42	42.00	40.00	18.55
87381-44**	44	44.00	42.00	19.55
87381-46**	46	46.00	44.00	20.55
87381-48**	48	48.00	46.00	21.55
87381-50**	50	50.00	48.00	22.55

NOTES:

1. PLATING FINISH:
 - 0 , 3 - 0.76µm MIN. GOLD IN CONTACT AREA 1.27µm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27µm MIN. NICKEL OVERALL
 - 4 - 0.38µm MIN. GOLD IN CONTACT AREA 1.27µm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27µm MIN. NICKEL OVERALL
 - 5 - 0.05µm MIN. GOLD FLASH IN CONTACT AREA 1.90µm MIN. TIN
IN SOLDER TAIL AREA BOTH OVER 1.27µm MIN. NICKEL OVERALL
2. 12 CKT SIZE SHOWN FOR ASSY ILLUSTRATION ONLY. (SEE CHART FOR ALL PART SIZES), 6 CKT & 30 CKT ILLUSTRATED FOR TAPE/REEL VERSION ON SHT 2.
3. PRODUCT SPECIFICATION PS-87380 APPLIES.
4. COPLANARITY OF SOLDER TAILS ARE TO BE MEASURED BY RESTING THE PART ON A FLAT GAUGE SURFACE ↑ +0.05 UPWARDS AND ↓ -0.05 DOWNWARDS.
5. TUBE PACKAGING STANDARD.
6. COVER IS OPTIONAL, SEE LEGEND.
7. PARTS SHALL BE PACKED IN MOISTURE BARRIER BAG.
8. REFER SHT 3 FOR P/N: 87381-6000 T&R ILLUSTRATION.

PART NUMBER LEGEND

87381 - ** * *

CKT SIZE —

PLATING (SEE NOTE 1)

0


3

4


5

2, 6 -COVER

7 - NO COVER

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex	
mm		NTS						MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT	
GENERAL TOLERANCES (UNLESS SPECIFIED)									
	MM	INCH							
4 PLACES	±	±							
3 PLACES	±	±							
2 PLACES	± 0.2	±		PRODUCT CUSTOMER DRAWING					
1 PLACE	±	±							
0 PLACES	±	±							
ANGULAR TOL ± 3.0 °				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SD-87381-XX6X		PSD	001	E15	
THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
		A3-SIZE		87381		SEE CHART		GENERAL MARKET	
								SHEET NUMBER	
								1 OF 5	



DOCUMENT STATUS	P1	RELEASE DATE	2019/07/09	06:47:06
-----------------	----	--------------	------------	----------



E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

CKT SIZE	PART No. WITHOUT CAP IN TUBE	PART NO. WITHOUT CAP IN TAPE / REEL	W	So	Ao	F	Bo	Ko	T & R TYPE (SHT 2)	T&R QTY PER REEL
50	87381-5074	87381-6000 	72	68.40	6.80	34.20	50.50	8.00	B	500

 ILLUSTRATION FOR P/N: 87381-6000
50 CKT IN T&R W/O CAP












SECTION X-X

DOCUMENT STATUS	P1	RELEASE DATE	2019/07/09	06:47:06
-----------------	----	--------------	------------	----------

FORMAT: Mef-lega-master-ib-prod-A3
REVISION: D
DATE: 2017/1/0/08

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED BTB DIST.				molex				
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)								MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT				
		MM	INCH	EC NO: 619055				PRODUCT CUSTOMER DRAWING				
4 PLACES	±		±	DRWN: HK02 2019/05/14								
3 PLACES	±		±	CHK'D: NMANE02 2019/07/09								
2 PLACES	±	0.2	±	APPR: MRAMAKRISHNA 2019/07/09								
1 PLACE	±		±	INITIAL REVISION:				DOCUMENT NUMBER				
0 PLACES	±		±	DRWN: JAMES 1998/01/08								
ANGULAR TOL ± 3.0 °				APPR: SQUEK 1999/04/26				SD-87381-XX6X		PSD	001	E15
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
						A3-SIZE	87381	SEE CHART	GENERAL MARKET		4 OF 5	

10	9	8	7	6	5	4	3	2	1																																																																																																																								
BOARD TO BOARD (BTB) DISTANCE <table><thead><tr><th>RECEPTACLE</th><th>MATES WITH(HEADER)</th><th>BTB DISTANCE</th><th>PICTORIAL VIEW</th></tr></thead><tbody><tr><td rowspan="2">87381</td><td>87831</td><td>7.01</td><td></td></tr><tr><td>87832</td><td>8.21</td><td></td></tr></tbody></table>										RECEPTACLE	MATES WITH(HEADER)	BTB DISTANCE	PICTORIAL VIEW	87381	87831	7.01		87832	8.21		F																																																																																																												
RECEPTACLE	MATES WITH(HEADER)	BTB DISTANCE	PICTORIAL VIEW																																																																																																																														
87381	87831	7.01																																																																																																																															
	87832	8.21																																																																																																																															
										E																																																																																																																							
										D																																																																																																																							
										C																																																																																																																							
										B																																																																																																																							
										A																																																																																																																							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td>DIMENSION UNITS</td><td>SCALE</td><td colspan="2">CURRENT REV DESC: ADDED BTB DIST.</td><td colspan="4"> molex </td></tr><tr><td>mm</td><td>NTS</td><td colspan="2"></td><td colspan="4">MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2"></td><td colspan="4">PRODUCT CUSTOMER DRAWING</td></tr><tr><td></td><td>MM</td><td>INCH</td><td colspan="2">EC NO: 619055</td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td><td colspan="2">DRWN: HK02 2019/05/14</td><td colspan="2">SD-87381-XX6X</td><td>PSD</td><td>001</td><td>E15</td></tr><tr><td>3 PLACES</td><td>±</td><td>±</td><td colspan="2">CHK'D: NMANE02 2019/07/09</td><td colspan="2"></td><td></td><td></td><td></td></tr><tr><td>2 PLACES</td><td>±</td><td>0.2</td><td colspan="2">APPR: MRAMAKRISHNA 2019/07/09</td><td colspan="2"></td><td></td><td></td><td></td></tr><tr><td>1 PLACE</td><td>±</td><td>±</td><td colspan="2">INITIAL REVISION:</td><td colspan="2"></td><td></td><td></td><td></td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td><td colspan="2">DRWN: DRWN BY XXXX/XX/XX</td><td colspan="2"></td><td></td><td></td><td></td></tr><tr><td colspan="2">ANGULAR TOL</td><td>± 3.0 °</td><td colspan="2">APPR: APPR BY XXXX/XX/XX</td><td colspan="2"></td><td></td><td></td><td></td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>A3-SIZE</td><td>87381</td><td></td><td colspan="2">GENERAL MARKET</td><td>5 OF 5</td></tr></table> <table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2019/07/09</td><td>06:47:06</td></tr></table>										DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED BTB DIST.		molex				mm	NTS			MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT				GENERAL TOLERANCES (UNLESS SPECIFIED)				PRODUCT CUSTOMER DRAWING					MM	INCH	EC NO: 619055		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	4 PLACES	±	±	DRWN: HK02 2019/05/14		SD-87381-XX6X		PSD	001	E15	3 PLACES	±	±	CHK'D: NMANE02 2019/07/09							2 PLACES	±	0.2	APPR: MRAMAKRISHNA 2019/07/09							1 PLACE	±	±	INITIAL REVISION:							0 PLACES	±	±	DRWN: DRWN BY XXXX/XX/XX							ANGULAR TOL		± 3.0 °	APPR: APPR BY XXXX/XX/XX							DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER					A3-SIZE	87381		GENERAL MARKET		5 OF 5	DOCUMENT STATUS	P1	RELEASE DATE	2019/07/09	06:47:06	
DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED BTB DIST.		molex																																																																																																																													
mm	NTS			MGRID, TOP ENTRY RECEPT. 4.50MM HT., SMT																																																																																																																													
GENERAL TOLERANCES (UNLESS SPECIFIED)				PRODUCT CUSTOMER DRAWING																																																																																																																													
	MM	INCH	EC NO: 619055		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																																																								
4 PLACES	±	±	DRWN: HK02 2019/05/14		SD-87381-XX6X		PSD	001	E15																																																																																																																								
3 PLACES	±	±	CHK'D: NMANE02 2019/07/09																																																																																																																														
2 PLACES	±	0.2	APPR: MRAMAKRISHNA 2019/07/09																																																																																																																														
1 PLACE	±	±	INITIAL REVISION:																																																																																																																														
0 PLACES	±	±	DRWN: DRWN BY XXXX/XX/XX																																																																																																																														
ANGULAR TOL		± 3.0 °	APPR: APPR BY XXXX/XX/XX																																																																																																																														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER																																																																																																																								
				A3-SIZE	87381		GENERAL MARKET		5 OF 5																																																																																																																								
DOCUMENT STATUS	P1	RELEASE DATE	2019/07/09	06:47:06																																																																																																																													
10	9	8	7	6	5	4	3	2	1																																																																																																																								

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

87381-1474