








CONTACT CAVITY NUMBERING STANDARD CAVITY NUMBER ASSIGNMENT




1877040-2
SCALE 4:1




1. COMPONENTS ARE PACKAGED IN KIT FORM. CABLE MUST BE PURCHASED SEPARATELY. .231 HEX CRIMP WILL ALLOW ASSEMBLY OF SOME 150 OHM CABLES.
REFERENCE CABLES: TENSOLITE 26473/02006X-4(LD), RAYCHEM CEC-RWC-18684, RAYCHEM CEC-RWC-18680
2. ASSEMBLY PER APPLICATION SPECIFICATION 114-13123. (.231 HEX CRIMP)
3. USE INSERTION-EXTRACTION TOOL 1738894-1.

BLUE	SAME AS - I EXCEPT WITH WIRE SEAL	1877040-2
--	AS SHOWN; WITHOUT WIRE SEAL	1877040-1
SEAL COLOR	DESCRIPTION	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. 05MAY05 BH CHK 05MAY05 RW APP'D 05MAY05 RW		 TE Connectivity	
DIMENSIONS: mm [INCH]		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0081 1 PLC ±.01 (1.005) 2 PLC ±.01 (1.005) 3 PLC ±.051 (1.002) 4 ANGLES ±.		NAME ASSEMBLY, SOCKET, QUADRAx, 2mm SO, AIRCRAFT DATA NETWORK, RR/RR WITH SOCKET CONTACTS, .231 HEX CRIMP	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE A1	
MATERIAL - - -		FINISH - - -		CAGE CODE C=1877040	
WEIGHT - - -		CUSTOMER DRAWING - - -		RESTRICTED TO - - -	
				SCALE 10:1 SHEET 1 OF 2 REV C	

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	BH	05MAY05	TE TE Connectivity	
		CHK	RW	05MAY05		
		APVD	RW	05MAY05		
		NAME				
DIMENSIONS: mm [INCH]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	ASSEMBLY, SOCKET, QUADRAx, 2mm SQ, AIRCRAFT DATA NETWORK, RR/RR WITH SOCKET CONTACTS, .231 HEX CRIMP	
		0 PLC ±.0		APPLICATION SPEC		
		1 PLC ±0.2 (1.008)				
		2 PLC ±0.13 (1.005)				
		3 PLC ±0.031 (1.002)			SIZE	
		4 PLC ±.0				
		ANGLES				
		FINISH				
MATERIAL		WEIGHT		DRAWING NO		
-		-		A 1		
-		-		C=1877040		
		CUSTOMER DRAWING		RESTRICTED TO		
				SCALE 4:1		
				SHEET 2 OF 2		
				REV C		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1877040-1](#)