

Rectifier module - UEG 20-GR/230/2/SO1 - 2757801

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Rectifier module, with varistor protective circuit, operating voltage 230 V AC

RoHS

Key Commercial Data

Packing unit	10 pc
GTIN	 4 017918 242367
GTIN	4017918242367

Technical data

Dimensions

Width	70 mm
Height	20 mm
Depth	79.5 mm

Ambient conditions

Ambient temperature (operation)	-20 °C ... 50 °C
---------------------------------	------------------

General

Mounting position	any
-------------------	-----

Standards and Regulations

Standard designation	Air clearances and creepage distances
Standards/regulations	DIN EN 50178: 1998-04

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Approvals

Approvals

Rectifier module - UEG 20-GR/230/2/SO1 - 2757801

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU C- DE.A*30.B.01082
-----	---	--------------------------

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2757801](#)