

Fiber optic adapter - IBS OPTOSUB-MA/M/R-LK - 2750125

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



INTERBUS fiber optic adapter, for converting the remote OUT interface to fiber optic, FO output right

Product Description

Using the fiber optic (FO) converter you can equip INTERBUS controller boards or suitable INTERBUS devices with a fiber optic interface. In order to support the different orientation of the 9-pos. D-SUB connector, the fiber optic converter is available in 2 versions.

RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 108274
GTIN	4017918108274

Technical data

Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
-------------------------	---

Dimensions

Width	49.7 mm
Height	49.7 mm
Depth	15.6 mm

Ambient conditions

Degree of protection	IP20
----------------------	------

General

Net weight	32.74 g
Color	green

Serial interface

Interface	Incoming remote bus
-----------	---------------------

Fiber optic adapter - IBS OPTOSUB-MA/M/R-LK - 2750125

Technical data

Serial interface

Connection method	D-SUB 9 plug
Transmission length	35 m (50 m system without optical path diagnostics)
	50 m (70 m system with optical path diagnostics)

Optical interface FO

Wavelength	660 nm
Transmission medium	FO
Connection method	F-SMA

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2750125](#)