







LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			K	EC 0G3C 0760 04	23DEC04	BSV	—
			K1	REVISED PER ECO-09-020774	26AUG09	KK	AEG



EXAMPLE: STRIP ASSEMBLY
SCALE 2:1

- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- 2 USE WITH #26-#30 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR INDIVIDUAL ASSEMBLIES SEE PART NUMBER 103684
- 6 ASSEMBLIES ARE JOINED BY THE CARRIER STRIP.
ORDER QUANTITY REFLECTS TOTAL NUMBER OF
INDIVIDUAL ASSEMBLIES REQUIRED. SEE TABLE
FOR NUMBER OF ASSEMBLIES PER STRIP.
- 7 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 8 MAXIMUM ALLOWABLE BOW OF ASSEMBLY NOT TO EXCEED.055.
- 9 CONTACTS: .000015 GOLD IN THE CONTACT AREA,.000050-.000100 BRIGHT TIN-LEAD
ON THE TERMINATION AREA, ALL OVER .000050 NICKEL.
- 10 CONTACTS: .000015 GOLD IN THE CONTACT AREA,.000050-.000100 BRIGHT TIN
ON THE TERMINATION AREA, ALL OVER .000050 NICKEL.
- 11 PRELIMINARY PART-NOT RELEASED FOR PRODUCTION.
- 12 HOUSING MATERIAL: FLAME RETARDANT THERMOPLASTIC, COLOR BLACK.
- 13 CONTACTS: .000015 GOLD IN THE CONTACT AREA,.000050-.000100 MATTE TIN
ON THE TERMINATION AREA, ALL OVER .000050 NICKEL.
- 14 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

<div><div>4</div></div>	OBSOLETE	<div><div>13</div></div>	2	2.40	1.198	1-103688-1	12	6-103978-1	
<div><div>4</div></div>	OBSOLETE	<div><div>13</div></div>	2	2.20	1.098	1-103688-0	1 1	6-103978-0	
<div><div>4</div></div>	OBSOLETE	<div><div>13</div></div>	2	2.00	.998	103688-9	10	5-103978-9	
<div><div>4</div></div>	OBSOLETE	<div><div>13</div></div>	2	1.80	.898	103688-8	9	5-103978-8	
<div><div>4</div></div>	OBSOLETE	<div><div>13</div></div>	2	1.60	.798	103688-7	8	5-103978-7	
<div><div>4</div></div>	OBSOLETE	<div><div>13</div></div>	2	1.40	.698	103688-6	7	5-103978-6	
<div><div>4</div></div>	OBSOLETE	<div><div>13</div></div>	4	2.39	.598	103688-5	6	5-103978-5	
<div><div>4</div></div>		<div><div>13</div></div>	4	1.99	.498	103688-4	5	5-103978-4	
		<div><div>13</div></div>	5	1.99	.398	103688-3	4	5-103978-3	
		<div><div>13</div></div>	8	2.40	.298	103688-2	3	5-103978-2	
		<div><div>13</div></div>	10	2.00	.198	103688-1	2	5-103978-1	
		<div><div>10</div></div>	5	1.99	.398	103688-3	4	<div><div>11</div></div> 1-103978-2	
		<div><div>4</div></div>	OBSOLETE	<div><div>9</div></div>	2	2.40	1.198	1-103688-1	12
<div><div>4</div></div>	OBSOLETE	<div><div>9</div></div>	2	2.20	1.098	1-103688-0	1 1	1-103978-0	
<div><div>4</div></div>	OBSOLETE	<div><div>9</div></div>	2	2.00	.998	103688-9	10	103978-9	
<div><div>4</div></div>	OBSOLETE	<div><div>9</div></div>	2	1.80	.898	103688-8	9	103978-8	
<div><div>4</div></div>		<div><div>9</div></div>	2	1.60	.798	103688-7	8	103978-7	
		<div><div>4</div></div>	OBSOLETE	<div><div>9</div></div>	2	1.40	.698	103688-6	7
<div><div>4</div></div>	OBSOLETE	<div><div>9</div></div>	4	2.39	.598	103688-5	6	103978-5	
<div><div>4</div></div>		<div><div>9</div></div>	4	1.99	.498	103688-4	5	103978-4	
		<div><div>9</div></div>	5	1.99	.398	103688-3	4	103978-3	
		<div><div>9</div></div>	8	2.40	.298	103688-2	3	103978-2	
		<div><div>9</div></div>	10	2.00	.198	103688-1	2	103978-1	
PLATING		<div><div>6</div></div>	B	A	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER ON STRIP		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. MAYER 05 NOV 1986		 Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES		CHK P.C.DEJONG 11-12-86			
		APPROV P.C.DEJONG 11-13-86		NAME RCPT ASSY, AMPMODU MTE, SINGLE ROW, .100 C/L FOR #26-#30 AWG WIRE SIZE, STRIP FORM	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:			
		PRODUCT SPEC 108-25034			
		APPLICATION SPEC 114-25026			
0 PLC ± - 1 PLC ± - 2 PLC ± .02 3 PLC ± .005 4 PLC ± - ANGLES ± ± - MATERIAL FINISH		WEIGHT -		SIZE A2 CAGE CODE 00779 DRAWING NO C-103978 RESTRICTED TO -	
 SEE TABLE		CUSTOMER DRAWING SCALE 4:1 SHEET 1 of 1 REV K1			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[103978-3](#)