





KEYING OPTIONS
SCALE 2:1


OPTION "H"



A detailed line drawing of the internal structure of the device. It shows a rectangular battery compartment with four slots, each containing a battery. The compartment is surrounded by a frame with various mounting points and a handle at the top. The drawing is a top-down view of the internal assembly.

Diagram of the rear panel of the 1000 Series Power Supply, showing various connectors and terminals.


OPTION "K"



A detailed line drawing of the internal structure of a 1911A1 magazine. The diagram shows the magazine body with a follower at the top, a coiled spring at the bottom, and a row of bullets in the center. The magazine is shown in a cross-sectional view, revealing the internal components and the arrangement of the bullets.

[illegible]

OPTION "M"



SCALE 1:1

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS. IT IS TO BE USED FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS. IT IS TO BE DESTROYED WHEN NO LONGER REQUIRED.		DWN: 14NOV2006 A. HOLT		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 PLC ± 2 PLC ±0.3 3 PLC ±0.10 4 PLC ± ANGLES ±°		NAME: 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		DWN: 14NOV2006 W. WELLSKY		PRODUCT SPEC - APPLICATION SPEC	
MATERIAL: SEE CHART ON SHEET 2		WEIGHT: SEE NOTE 5		SIZE: CAGE CODE: DRAWING NO: 00779 C=1924170	
FINISH: -		CUSTOMER DRAWING		SCALE: 3:1 SHEET 1 OF 5 REV F	

[illegible]

THIS IS A TEMPLATE IT CANNOT BE USED FOR ANY OTHER PURPOSES. ANY REPRODUCTION OR REUSE OF THIS DOCUMENT IS PROHIBITED. ANY VIOLATION OF THIS POLICY WILL BE PROSECUTED TO THE FULL EXTENT OF THE LAW.		DWG: 14NOV2006 A HOLT		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$.01 2 PLC $\pm$.02 2 PLC $\pm$.02, .10 3 PLC $\pm$.01 3 PLC $\pm$.01 ANGLES $\pm$ $\pm$.5°		NAME: 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		CHG: 14NOV2006 W. WELLINSKY		PRODUCT SPEC: - APPLICATION SPEC: -	
MATERIAL: SEE CHART ON SHEET 2		FINISH: - WEIGHT: - CUSTOMER DRAWING:		SIZE: A CASE CODE: 00779 DRAWING NO: C-1924170 RESTRICTED TO: - SCALE: 3:1 SHEET: 2 OF 5 REV: F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22												35	36	37	38	39	40	0-1924170-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24									35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30					35	36					0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30					35	36	37	38	39	40	1-1924170-0	G
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	1-1924170-4	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-6	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18										27	28	29	30					35	36	37	38	39	40	1-1924170-8	G
							7	8	9	10	11	12																														1-1924170-9	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30								39	40		2-1924170-1	G
							7	8	9	10	11	12	13	14	15	16																							39	40		2-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40		2-1924170-3	G	
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24										35	36	37	38	39	40	2-1924170-5	G		
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G
							7	8	9	10	11	12	13	14	15	16	17	18								26									35	36	37	38	39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																				39	40		2-1924170-8	G	
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40		2-1924170-9	G
											11	12																								37	38	39	40		3-1924170-0	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-1	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G	
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-5	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22			24						29	30				35	36	37	38	39	40	3-1924170-7	G	
1	2						7	8	9	10	11	12									21	22		24											35	36	37	38	39	40	3-1924170-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
											11	12							19	20																37	38	39	40		4-1924170-0	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29	30							37	38	39	40		4-1924170-1	G
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	4-1924170-2	G	
1	2	3	4	5	6	7	8				11	12	13	14	15	16			19	20	21	22	23	24			27	28	29	30	31	32			35	36	37	38	39	40	4-1924170-3	G	
1	2	34																																									

LOC	DIST	REVISONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24				27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24													35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	7-1924170-1	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	7-1924170-3	G		
											11	12											24																		7-1924170-4	G		
1	2										11	12	13	14	15	16							24																		7-1924170-5	G		
											11	12																				32					37	38	39	40	7-1924170-6	G		
											11	12											24																		7-1924170-7	G		
											11	12							19	20																				7-1924170-8	G			
							7	8	9	10	11	12							19	20				24											33	34					7-1924170-9	G		
						7	8	9	10	11	12								19	20															33	34					8-1924170-0	G		
						7	8	9	10	11	12																										37	38	39	40	8-1924170-1	G		
							9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G	
				5	6	7	8	9	10	11	12	13	14	15	16					19	20																37	38			8-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																33	34		37	38	39	40	8-1924170-4	G
						7	8	9	10	11	12	13	14	15	16			19	20																	33	34		37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G			
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G		
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38			9-1924170-1	G			
		3	4	5	6					11	12												24												35	36	37	38	39	40	9-1924170-2	G		
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G		
										11	12												24												35	36	37	38	39	40	9-1924170-4	G		
		3	4	5	6					11	12								19	20																		39	40	9-1924170-5	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G			
						7	8	9	10	11	12	13	14	15	16			19	20				24														37	38	39	40	9-1924170-7	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24												33	34		37	38	39	40	9-1924170-8	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24														37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24														37	38	39	40	0-1924171-1	G		
										11	12							19	20																						0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12							19	20				24															39	40	0-1924171-3	G			
						7	8	9	10	11	12																														0-1924171-4	G		
										11	12																														0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G			
						7	8	9	10	11	12												24													35	36					0-1924171-7	G	
										11	12	13	14	15	16								24																		0-1924171-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G			

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			37	38	39	40		
											11	12																												0-1924172-1	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24					27	28	29	30					35	36	37	38	39	40	0-1924172-6	G
							7	8	9	10	11	12					17	18																		35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-9	G
							7	8	9	10	11	12											24													35	36	37	38	39	40	1-1924172-0	G
							7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G		
1	2					7	8	9	10	11	12						17	18			21	22													35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24											35	36	37	38	39	40	1-1924172-4	G	
			3	4	5	6																		24											35	36	37	38	39		1-1924172-5	G	
			3	4	5	6					11	12												24											35	36	37	38	39		1-1924172-6	G	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																												0-1924173-1	H		
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H
1	2	3	4						9	10	11	12	13	14	15	16					21	22						27	28	29	30									39	40	0-1924173-4	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34				37	38	39	40	0-1924173-5	H	
									9	10	11	12																											39	40	0-1924173-6	H	
							7	8	9	10	11	12												24												35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12											24																		0-1924173-8	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32						37	38	39	40	0-1924173-9	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32						37	38	39	40	1-1924173-0	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	1-1924173-2	H	
									9	10	11	12					17	18	19	20	21	22		24		26						33	34	35	36	37	38	39	40	1-1924173-3	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32						37	38	39	40	1-1924173-4	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38		1-1924173-6	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34				37	38	39	40	1-1924173-8	H	
			3	4	5	6					11	12							19	20																		39	40	1-1924173-9	H		
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-0	H		
			3	4	5	6					11	12							19	20				24														39	40	2-1924173-1	H		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1924172-9](#)