







- | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|---|------------|-----------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2019 | | | | | | DWG
M_SHIRK
24FEB2012 | |  | | TE Connectivity | |
| DIMENSIONS:
mm | | | | | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | CHK
D_SZCZESNY
24FEB2012 | | APPRD | |
|  <p>0 PLC ±
P LC +0.25
P LC -0.15
P LC ±
P LC ±
ANGLES ±°
FINISH</p> | | | | | | NAME | | CASE AND CONNECTOR ASSEMBLY,
WITH EMI GASKET, 2X2,
ZOSFP+ STACKED | | | |
| | | | | | | PRODUCT SPEC | | | | | |
| | | | | | | PART NO. | | | | | |
| | | | | | | APPLICATION SPEC | | | | | |
| MATERIAL | | | | | | SIZE | | CASE CODE | DRAWING NO | RESTRICTED TO | |
| SEE NOTE 1 | | | | | | SEE NOTE 2 | | A100779 | | C=2214593 | |
| WEIGHT | | | | | | CUSTOMER DRAWING | | SCALE | | SHEET | |
| | | | | | | | | 4:1 | | 1 of 4 | |
| | | | | | | | | | | REV A | |


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		-	-	SEE SHEET 1	-	-




2214593-1 / 2214593-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2214593-2 / 2214593-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2214593-3 / 2214593-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD


SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY 24FEB2012	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SIZE A100779	
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	DRAWING NO C=2214593	
MATERIAL SEE NOTE 1		WEIGHT -	CUSTOMER DRAWING	
SEE NOTE 2		SCALE 4:1	SHEET 2 OF 4	REV A

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



RECOMMENDED PC BOARD LAYOUT
COMPONENT SIDE OF BOARD
(PCB TOLERANCE ± 0.05)
SCALE 5:1



DETAIL G
2X INDIVIDUALLY
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012 CHK D. SZCZESNY 24FEB2012 APVD -	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-60102	SIZE 114-60015	RESTRICTED TO -
MATERIAL SEE NOTE 1	FINISH SEE NOTE 2	APPLICATION SPEC 114-60015	WEIGHT -	SCALE 4:1
CUSTOMER DRAWING		A100779C=2214593		SHEET 3 OF 4
		REV A		

D

C

B


A

D


C

B


A




KEEPOUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1




DETAIL H
SCALE 10:1



DETAIL J
LED PADS
SCALE 10:1



DETAIL K
SCALE 10:1



DETAIL L
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012 CHK D. SZCZESNY 24FEB2012 APVD	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.25 1 PLC ±0.15 2 PLC ±. 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH	PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015 WEIGHT	SIZE A100779	RESTRICTED TO -
MATERIAL SEE NOTE 1	SEE NOTE 2	CUSTOMER DRAWING	SCALE 4:1	SHEET 4 OF 4 REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2214593-2](#)