


P/N	PLATING TYPE	REMARK
67489-0001	GOLD FLASH	METAL LATCH TYPE ONLY
67489-0002	GOLDPLATED 0.76 MICRONS	
67489-0005	GOLDPLATED 0.38 MICRONS	



NOTES:

1.MATERIAL:

HOUSING: THERMAL PLASTIC, GLASS FILLED, UL94V-0, COLOR: BLACK,

COVER: THERMAL PLASTIC, COLOR : BLACK.

TERMINAL: COPPER ALLOY.

METAL LATCH: STAINLESS STEEL

2.TERMINAL PLATING :

CONTACT AREA: GOLD PLATED;



SOLDER TAIL:TIN, THICKNESS=1.27 MICRNS MINIMUM

UNDER PLATE:NICKEL, THICKNESS=1.27 MICRONS MINIMUM



3.PACKAGING : TRAY

4.PRODUCT SPECIFICATION REFER TO PS-67490-00*







5 MATING PART 67800, 47080 SERIES



SECTION A-A



EC NO: SH2004-0185		2004/12/28		QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE	DESIGN UNITS		THIRD ANGLE PROJECTION	REVISE ON CAD ONLY						
DRWN:GRMA		2004/12/30					5:1	METRIC									
CHKD:GRATE		2004/12/30															
APPR: YTYAP		2004/12/30															
DESCRIPTION				 = 0			DIMENSION STYLE		TITLE								
							MM ONLY										
							DRAWN BY		DATE		SERIAL ATA R/A CABLE END CONNECTOR WITH LATCH TYPE						
							GRATE MA		2004/03/24								
								CHECKED BY		DATE		MOLEX INCORPORATED					
								YAJUN		2004/03/24							
								APPROVED BY		DATE		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
								SAM		2004/03/24		SEE TABLE		SD-67489-001		1 OF 2	
								THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								B	



SECTION B-B

MSH

THIS IS ONLY FOR 67489-200*, OTHER
INFOMATION IS REFERED TO 67489-000*

P/N	PLATING TYPE	REMARK
67489-2001	GOLD FLASH	BOTH METAL LATCH
67489-2002	GOLD PLATED 0.76 MICRONS	AND BUMP TYPE
67489-2005	GOLD PLATED 0.38 MICRONS	

tb_frame_B
rev. B1 2000/08/01

EC NO: SH2004-0185 DRWN: GRMA 2004/12/28 CHKD: GRATE 2004/12/30 APPR: YTYAP 2004/12/30		QUALITY SYMBOLS ▽ = 0 ▽C = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY																
DESCRIPTION			<table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>± ---</td></tr></table>			mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± 0.25	± ---	DIMENSION STYLE MM ONLY		TITLE SERIAL ATA R/A CABLE END CONNECTOR WITH LATCH TYPE		
	mm	INCH																						
4 PLACES	± ---	± ---																						
3 PLACES	± ---	± ---																						
2 PLACES	± 0.2	± ---																						
1 PLACE	± 0.25	± ---																						
REV		ANGULAR ± 1 °		DRAWN BY GRATE MA 2004/03/24		CHECKED BY YAJUN 2004/03/24																		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY SAM 2004/03/24		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-67489-001	SHEET NO. 2 OF 2															
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						B														

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[67489-0005](#)