

Patch box - FL PBX 6TX/4FX - 2832506


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Patch box with six RJ45 and four FO network connections



Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 952280
GTIN	4017918952280

Technical data

Dimensions

Width	139 mm
Height	85 mm
Depth	140 mm

Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	0 °C ... 55 °C (non-condensing)
Ambient temperature (storage/transport)	-20 °C ... 70 °C
Permissible humidity (operation)	10 % ... 95 % (non-condensing)
Permissible humidity (storage/transport)	10 % ... 95 % (non-condensing)

Conformity with EMC directives

Developed in acc. with standard	ISO/IEC 11801, EN 50173, TIA/EIA 568B and IEC 60603-7
---------------------------------	-------------------------------------------------------

General

Net weight	1267.6 g
Housing material	Metal

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2832506](#)