





RECOMMENDED SPACING FOR PC LUGS



THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.

DATE	DESCRIPTION	REV.

- NOTES:
1. BASE: MAT'L - .032 [.81] THK ALUMINUM
  - CLIP: MAT'L - .032 [.81] THK ALUMINUM
  - SOLDER LUG: MAT'L - BRASS
  - FINISH - TIN PLATE

**KEYSTONE ELECTRONICS CORP.**

ASTORIA, N.Y. 11105-2017

PART NAME	BATTERY HOLDER, (2) 'D' CELLS		
MATERIAL	AS NOTED		
FINISH	AS NOTED		

DRN BY	BOONE	DATE	6.22.07
App'd	LN	SCALE	.8X
TOLERANCES	INCH [MM]	CODE	DWG NO.
DECIMAL	± .010 [± 0.25]	C	2227
ANGULAR	± 1°		
UNLESS OTHERWISE SPECIFIED			

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Keystone Electronics:](#)

[2227](#)