



UNET FUR 734334 2					51.6	46.2	24	2-/94	954-4	
					DIM B	DIM A	POS.	PART N	IUMBER	
THIS DRAWING IS A CONTRO	DWN S. HAMM CHK D. COLEY	08-0CT-2001 08-0CT-2001	TE TE Connectivity				ty			
mm [INCHES]	TOLERANCES UNLESS THERWISE SPECIFIED:	APVD D. COLEY PRODUCT SPEC	08-0CT-2001	NAME	NAME RECEPTACLE HOUSING,					
	1 PLC ± 0.4[.02] 2 PLC ± 0.25[.010]	APPLICATION SPEC		VAL-U-LOK(TM)						
	C ±			SIZE	CAGE CODE	DRAWING NO			RESTRICTED TO	
		weight 0.0	00000	A2	00779	C =7949	54			
		CUSTOMER DRAWING				SCA	^د 3:1 ^s	HEET 1 OF 1	2 REV D1	

ONLY FOR 794954-2



5.4	_	2	794954-2	794954			
9.6	4.2	4	794954-4	.62			
13.8	8.4	6	794954–6	В			
18.0	12.6	8	794954–8				
22.2	16.8	10	1-794954-0				
26.4	21.0	12	1-794954-2				
30.6	25.2	14	1-794954-4				
34.8	29.4	16	1-794954-6	 			
39.0	33.6	18	1-794954-8				
43.2	37.8	20	2-794954-0				
47.4	42.0	22	2-794954-2		1 1		
51.6	46.2	24	2-794954-4				
DIM B	DIM A	POS.	PART NUMBER				
TE TE Connectivity							



2




1 MATERIAL: NYLON, UL94V-2, NATURAL.

1 REVISIONS DESCRIPTION DWN APVD DATE 06маг2017 JJ DZ D1 REVISED PER ECR-17-003169

D

С



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 794954-2