

4

3

2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	L1	ECR-14-006521	14JUL2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151541-1

FOR REPLACEMENT PARTS FOR APPLICATOR 2-541578-5
 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
 WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
 SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
 2-541578-5

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		
DIMENSIONS:		CHK	RAGHAVENDRA		
		APVD	RAGHAVENDRA		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	NAME		
0 PLC	±	APPLICATION SPEC	MQC-APPLICATOR HD		
1 PLC	±		SIZE	CAGE CODE	DRAWING NO
2 PLC	±		A3		©- 2-541578-5
3 PLC	±				RESTRICTED TO
4 PLC	±				
ANGLES	±	WEIGHT			
MATERIAL	FINISH	CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE	SHEET 1 OF 3 REV L1

0145

A P P L I C A T O R S

=====

MARK (N/A/L/C)

LOGNUMBER: 2 - 0541578 - 5 DESCRIPTION: MQC-APPLICATOR HD

REVISION: L REV.-DATE : 31.07.03 INSTRUCTION: SF/HD
ALREADY PRODUCED: N CONTROLL-GAUGE: 0-0659148-4
FEED: 0700 MM EXPLODED-VIEW: 0-8780982-2
INSULATION SPAN: 115 - 160 MM SKINNING LENGTH: 033 MM

TEXT:

ASM POS.37=5-562109-7//ALT.POS 200-205 REV L E
CN EG 0-0018-03 PN 1534116+1394702 NUR F.0.35-0.5MM²

REPLACEMENT: 00

USED FOR FOLLOWING CONTACTS (JUST THE BASE NUMBER IS GIVEN)

- 0928918 - MQS PIN CONTACT
- 0928999 - QUADCON-KONTAKT
- 0963923 - MQS BU-KONTAKT
- 0963925 - MQS STIFT-KONTAKT
- 0968002 - DL BUCHS-KONTAKT
- 0968220 - MQS SOCKET CONTACT
- 0968893 - MQS BU-KONTAKT
- 1241918 - MQS SOCKET CONTACT
- 1394408 - MICRO TWINLEAF BU
- 1394702 - MQS BU-KONT 2PUNKT
- 1534116 - MQS SOCKET CONTACT 2POINT CLEAN BODY

1451

B I L L O F M A T E R I A L

=====

APPLICATOR: 2 - 0541578 - 5 DESCRIPTION: MQC-APPLICATOR HD

Table with 7 columns: PART - NO, DESCRIPTION, NUMBER, NO., MARKER, CODE, STATUS. It lists various components like CRIMPER WIRE, SPACER, MESSERSTOESSEL, ANVIL, etc.

0-0879006-2	BASIS-HD-APPLICATOR	001	046	B
0-0690501-4	CAM, TERMINAL FEED	001	048	
0-0240638-1	SPRING, FEED FINGER	001	054	
0-0873414-1	VORSCHUBFINGER	001	056	
2-0021000-6	SCREW,CAP, SOCKET HEAD	002	108	
1-0021002-7	SCREW,CAP, SOCKET,BUTTON HEA	001	112	
2-0021002-1	SCREW,CAP, SOCKET,BUTTON HEA	002	113	
8-0021002-8	SCREW,CAP, SOCKET,BUTTON HEA	002	114	
2-0021002-1	SCREW,CAP, SOCKET,BUTTON HEA	004	115	
0-0022353-8	SCREW, SHOULDER, SLOT HEAD	001	126	
0-0021024-4	WASHER, SPG LOCK, REG	002	127	
0-0021024-4	WASHER, SPG LOCK, REG	002	133	
0-0023846-1	SPRING, DIE	001	148	
1-0562167-6	HOLD DOWN	001	151	
0-0519021-8	NUT, HEX	001	152	
1-0519009-2	SCREW, CAP, HEX HEAD, FULL	001	153	
0-0653788-2	SICHERUNGSSCHEIBE	002	154	
0-0879283-7	SCHIEBER	001	157	
2-0519000-4	SCREW, CAP, SOCKET HD, METR	001	159	
2-0653861-7	FEDER KL	001	172	
0-0542395-1	PASS-SCHRAUBE	001	190	
4-0354779-9	PIN, WIRE DISC .3235 (MARKE	002	200	
5-0354779-7	PIN, WIRE DISC .3275 (MARKE	002	201	
6-0354779-2	PIN, WIRE DISC .3300 (MARKE	002	202	
6-0354779-4	PIN, WIRE DISC .3310 (MARKE	002	203	
0-0986950-1	WASHER, FLAT, PRECISION	001	204	
0-0354777-1	WIRE DISC ASSY	001	205	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-541578-5](#)