

Weather protection tape - RAD-TAPE-SV-19-3 - 2903182

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Vulcanizing sealing tape for external protection of adapters, cable connections, etc. against the effects of weather, roll length: 3 m

Product Features

- Provides additional weather protection for adapters, splitters, cable connections, etc.
- Vulcanizing



Key Commercial Data

| | |
|--------------------------------------|----------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 40.0 g |
| Custom tariff number | 59061000 |
| Country of origin | Taiwan |

Technical data

Dimensions

| | |
|-----------|---------|
| Width | 19 mm |
| Length | 3 m |
| Thickness | 0.75 mm |

General

| | |
|----------|------------------|
| Color | black |
| Features | Self-vulcanizing |
| Material | Polyisobutylene |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27060805 |
|------------|----------|

Weather protection tape - RAD-TAPE-SV-19-3 - 2903182

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.1 | 27060805 |
| eCl@ss 5.0 | 27061805 |
| eCl@ss 5.1 | 27061805 |
| eCl@ss 6.0 | 27061805 |
| eCl@ss 7.0 | 27061805 |
| eCl@ss 8.0 | 27149103 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000019 |
| ETIM 4.0 | EC002498 |
| ETIM 5.0 | EC000128 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 26121608 |
| UNSPSC 7.0901 | 26121608 |
| UNSPSC 11 | 26121608 |
| UNSPSC 12.01 | 26121608 |
| UNSPSC 13.2 | 26121608 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

| |
|-----|
| EAC |
|-----|

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2903182](#)