






SECTION B-B / Schnitt B-B

- 1 CAVITY SUITABLE FOR STANDARD TIMER CONTACTS LISTED IN
PROD. SPEC. 108-18049, ITEM 3.3.2
Kammer geeignet für Standard Timer Kontakte gelistet in
Prod. Spec. 108-18049, Punkt 3.3.2
- 2 CONTACT CAVITY NO.
Kontaktkammernummerierung
- 3 MATING STOP
Tiefenanschlag
- 4 AREA FOR TE LOGO ACC. TO SPEC 202-36
Bereich für TE Logo nach Spec. 202-36
- 5 POLARIZATION RIB POSITION "a" AND/OR "b"
Polarisierungsrippe Position "a" und/oder "b"
- 6 KEYING RIB POSITION "c" AND/OR "d"
Kodierrippe Position "c" und/oder "d"
- 6a KEYING RIB POSITION "c" AND/OR "d" AT THE END WALLS OF THE HOUSING
Kodierrippe Position "c" und/oder "d" an den Gehäusestirnseiten
- 7 LOCKING LATCH
Rasthaken
- 8 TE PART NO (PN)
TE Bestell Nr. (PN)
- 9 DESIGN OF THE HOUSINGS ACC. TO RAST 5 STANDARD
Gehäuseausführung gemäss RAST 5 Vorgabe
- 10 GENERAL SUITABLE TAB HEADER SEE RAST 5 PERFORMANCE
Generell passende Flachsteckerwannen siehe RAST 5 Vorgabe
- 11 PACKAGING: BULK PACKAGING IN CORRUGATED BOX PN 740580-2
2 POS. 2500 PIECES PER BOX / 3 POS. 2000 PIECES PER BOX
Verpackung: Schüttgut in Versandkarton Pn 740580-2
2pol. 2500 Stück per Karton / 3pol. 2000 Stück per Karton
- 12 DIMENSION A, B C AND D SEE SHEET 2 OF 3
- 13 MATERIAL CORRESPONDS TO THE REQUIRMENT EN 60335
(INCL. GLOW WIRE TEST 750° WITHOUT FLAME)
Material entspricht den Anforderungen der EN 60335
(inkl. Glühdrahttest 750° ohne Flamme)
- 14 RATIO NUMBER OF THE KEYING VERSION.INKJET PRINTED. SEE SHEET 2
Kodierungskennnummer, mit Tintenstrahldrucker aufgebracht, siehe Blatt 2
- 15 PRELIMINARY - NOT RELEASED FOR PRODUCTION


4805 (3/11)

ONLY 5-1241961-7, 1-1241961-9, 7-1241961-7



ALL OTHER DIMENSIONS SEE SHEET 1 OF 3

KEY LAYOUT DESCRIPTION



X-XXXXXX-X

SPECIAL VERSION: UL94 VO & GWT 750 NF & CTI 350								
5-1241961-7	3	6	1	15	10	PA66	NATURAL	A
1-1241961-9	3			15	10		NATURAL	A
7-1241961-7	3			15	10		NATURAL	A

SPECIAL VERSION: UL94 VO & GWT 750 NF								
2322164-1	4	4	0.5	20	15	PA66	NATURAL	1


SPECIAL VERSION: UL94 V2 & GWT 750 NF								
6-2178575-7	3	4	0.5	15	10	PA6 GF15	NATURAL	A

SPECIAL VERSION: UL94 VO & GWT 750 NF								
3-2178412-7	3	6	1	15	10	PA66 UL94 VO & GWT 750 NF	NATURAL	1
4-2178412-7	3			15	10		NATURAL	1
8-2178412-2	2			10	5		NATURAL	1

UL94 VO & GWT 750 NF								
2322917-4	4	4	0.5	20	15	PA66 UL94 VO & GWT 750 NF	NATURAL	1
2322917-2	2			10	5		NATURAL	1
2315717-1	2			10	5		NATURAL	C
2315717-2	2	4	0.5	10	5		NATURAL	C
2315717-3	2			10	5		NATURAL	1
2315717-4	4			20	15		NATURAL	C
2315717-5	4			20	15		NATURAL	C
2315717-6	3			15	10		NATURAL	C
2315717-7	3			15	10		NATURAL	C
PART NO.	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV.

PAY ATTAENTION !
DIFFERENT CAVITY GEOMETRY AND LOCKING LATCHE OVERHANG
Bitte beachten !
Unterschiedliche Kammergeometrie und Rasthakenuberstand.

FOR 2 POS. AND 3 POS.



SECTION B-B/Schnitt B-B

ALL OTHER DIMENSIONS SEE SHEET 1 OF 3
Alle anderen Masse siehe Seite 1 von 3

SPECIAL MATERIAL								
1955507-4	4	6	1	20	15	PA66 UL 94 VO	NATURAL	1
9-1955506-2	2			10	5		NATURAL	1
6-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	NATURAL	1
4-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL	A
3-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL	A
1-1955422-7	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
5-1955422-7	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
4-1955422-3	2	6	1	10	5	PA 66 UNFILLED UL94 VO	NATURAL	A
2-1241817-3	3	4 or 6	0.5 or 1	15	10	PA 66 UL94 V-2	Green	E
0-1955422-6	3			15	10	PA 66 UNFILLED UL94 VO	NATURAL	A
8-1241961-8	3			15	10	PA 6 UL94V-2	natural	C
0-1241961-8	3			15	10			A
8-1241961-3	2			10	5			C
3-1241961-1	2	4	0.5	10	5	PA 6 UL94V-2	NATURAL	C
0-1955422-1	2			10	5	PA 66 UNFILLED UL94 VO	NATURAL	A
PART NO	POS	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR Farbe	REV./Rev.

LOC		DIST		REVISIONS													
P		LTR		DESCRIPTION				DATE		DWN		APVD					
SEE SHEET-01																	
0-1241959-5	5	4	0.5	25	20	PA 6 UL94V-2	13	Natural/natur				B					
4-1241959-4	4			20	15							A					
2-1241959-4	4			20	15							B					
0-1241959-4	4			20	15												
2-1241817-5	5	6	1	25	20	PA 6.6 UL94V-2		Natural/natur Black/schwarz Violet/violett Grey/grau Natural/natur				C					
0-1241817-5	4	4	0.5	25	20												
3-1241817-4	4	6	1	20	15												
2-1241817-4		4	0.5	20	15												
0-1241817-4	4	4	0.5	20	15												
2-1241983-2	2	4	0.5	10	5	PA 6 UL94V-2	13	Green/grün Violet/violett TARGET RAL 4001 Yellow/gelb Black/schwarz Blue/blau Red/rot				C					
1-1241983-2				10	5												
0-1241983-2				10	5												
8-1241983-2				10	5												
5-1241983-3				10	5												
6-1241983-2				10	5												
9-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	13	Natural/natur				C					
9-1241961-8		4	0.5	15	10												
6-1241961-8		4	0.5 or 1	15	10												
5-1241961-8		4	0.5	15	10												
4-1241961-8		4	0.5	15	10												
7-1241961-8		4	0.5 or 1	15	10												
1-1241961-8		6	1	15	10												
3-1241961-8		4	0.5	15	10												
2-1241961-8				15	10												
2-1241961-7				15	10												
1-1241961-7	15			10													
9-1241961-9	15			10													
0-1241961-6	2	4	0.5	15	10	PA 6.6 UL94V-2		Natural/natur				H					
2-1241961-2				10	5												
5-1241961-2				10	5												
4-1241961-3				10	5												
7-1241961-2				10	5												
7-1241961-3				10	5												
6-1241961-3				10	5												
3-1241961-2				10	5												
5-1241961-3				10	5												
6-1241961-2				10	5												
0-1241961-3	10	5															
8-1241961-2	10	5															
9-1241961-2	10	5															
0-1241961-1	10	5															
9-969484-9	3	6	1	15	10	PA 6.6 UL94V-2		Yellow/gelb									
2-969484-8	4	0.5 or 1	15	10													
4-969484-8			15	10													
0-969484-8			15	10													
9-969484-7			15	10													
8-969484-7			4	0.5	15								10				
7-969484-7			15	10													
6-969484-7			15	10													
5-969484-7			4	0.5	15								10				
4-969484-7			4	0.5	15								10				
3-969484-7			4	0.5	15	10											
2-969484-7	3	4	0.5	15	10	PA 6.6 UL94V-2		Natural/natur									
1-969484-7				15	10												
0-969484-7				15	10												
9-969484-6				15	10												
8-969484-6				6	1								15	10			
7-969484-6				15	10												
6-969484-6				15	10												
5-969484-6				15	10												
4-969484-6				15	10												
3-969484-6				6	1								15	10			
2-969484-6	2	4	0.5	15	10	PA 6.6 UL94V-2		Natural/natur									
1-969484-6				15	10												
0-969484-6				15	10												
9-969484-5				10	5												
8-969484-5				10	5												
7-969484-5				10	5												
6-969484-5				10	5												
5-969484-5				10	5												
4-969484-5				10	5												
3-969484-5				10	5												
2-969484-5	4	0.5	10	5	PA 6.6 UL94V-2		Natural/natur										
1-969484-5			10	5													
0-969484-5			10	5													
9-969484-4			10	5													
8-969484-4			10	5													
7-969484-4			10	5													
6-969484-4			10	5													
5-969484-4			10	5													
4-969484-4			10	5													
3-969484-4			10	5													
2-969484-4	6	1	10	5	PA 6.6 UL94V-2		Natural/natur										
1-969484-4			10	5													
0-969484-4			10	5													
9-969484-3			10	5													
8-969484-3			10	5													
7-969484-3			10	5													
6-969484-3			10	5													
5-969484-3			10	5													
4-969484-3			10	5													
3-969484-3			10	5													
2-969484-3	4	0.5	10	5	PA 6.6 UL94V-2		Natural/natur										
1-969484-3			10	5													
0-969484-3			10	5													
9-969484-2			10	5													
8-969484-2			10	5													
7-969484-2			10	5													
6-969484-2			10	5													
5-969484-2			10	5													
4-969484-2			10	5													
3-969484-2			10	5													
2-969484-2	6	1	10	5	PA 6.6 UL94V-2		Natural/natur										
1-969484-2			10	5													
0-969484-2			10	5													
9-969484-1			10	5													
8-969484-1			10	5													
7-969484-1			10	5													
6-969484-1			10	5													
5-969484-1			10	5													
4-969484-1			10	5													
3-969484-1			10	5													
2-969484-1	4	0.5	10	5	PA 6.6 UL94V-2		Natural/natur										
1-969484-1			10	5													
0-969484-1			10	5													
PART NO	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV									
		12	12	12	12												

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN: Kishor M 18-10-07		TE TE Connectivity							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK: K. Muniz 18-10-07									
mm				APVD: Th. Kienner 18-10-07									
0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.2 3 PLC ± 4 PLC ± ANGLES *		PRODUCT SPEC 108-180/9		APPLICATION SPEC -									
MATERIAL SEE TABLE SHEET 2 OF 3		FINISH -		WEIGHT -		SIZE A1		CAGE CODE 00779		DRAWING NO 1241961		RESTRICTED TO -	
Customer Drawing						SCALE 5:1		SHEET 2 OF 3		REV 3			

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

2 POSITION VARIANTS

2.00

0-969484-1

2.14

1-969484-1
2315717-2

2.13

2-969484-1

2.12

3-969484-1 OBSOLETE

2.11

4-969484-1

2.10

5-969484-1 OBSOLETE

2.09

6-969484-1

2.07

7-969484-1 OBSOLETE

2.06

8-969484-1

2.04

9-969484-1 OBSOLETE

2.03

0-969484-2

2.02

1-969484-2 OBSOLETE

2.08

2-969484-2

2.21

3-969484-2

2.99

4-969484-2
2315717-1

2.20

5-969484-2

2.19

6-969484-2

2.18

7-969484-2

2.17

8-969484-2
2315717-3

2.16

9-969484-2

2.31

0-969484-3

2.15

1-969484-3 OBSOLETE

2.05

2-969484-3 OBSOLETE

2.30

3-969484-3 OBSOLETE

Ohne/NONE

4-969484-3

Ohne/NONE

5-969484-3

Ohne/NONE

6-969484-3

Ohne/NONE

7-969484-3 OBSOLETE

Ohne/NONE

5-1241961-2

Ohne/NONE

0-1241961-1

PA6

2-1241961-2

PA6

3-1241961-2

PA6

6-1241961-2

PA6

7-1241961-2

PA6

8-1241961-2

PA6

9-1241961-2

PA6

0-1241961-3

PA6

3-1241961-3 OBSOLETE

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3

PA6

6-1241983-2

PA6

8-1241983-2

PA6

5-1241983-3

PA6

0-1241983-2

PA6

1-1241983-2

PA6

2-1241983-2

PA6

3-1241961-1

PA6

8-1241961-3
2322917-2

PA6

4-1955422-3

PA6

9-1955506-2
PRELIMINARY

PA6

0-1955422-1

3 POSITION VARIANTS

3.00

0-969484-6 OBSOLETE

3.38

1-969484-6 OBSOLETE

3.18

2-969484-6

3.37

3-969484-6

3.35

4-969484-6 OBSOLETE

3.33

5-969484-6 OBSOLETE

3.32

6-969484-6 OBSOLETE

3.20

7-969484-6

3.10

8-969484-6

3.09

9-969484-6

3.08

0-969484-7 OBSOLETE

3.39

1-969484-7
1-1955422-7 PRELIMINARY

3.31

2-969484-7 OBSOLETE

3.40

3-969484-7

3.99

4-969484-7 OBSOLETE

Ohne/NONE

5-969484-7

3.45

6-969484-7 OBSOLETE

3.47

7-969484-7 OBSOLETE

3.65

8-969484-7

3.48

9-969484-7 OBSOLETE

3.66

0-969484-8

Ohne/NONE

1-969484-8 OBSOLETE

Ohne/NONE

2-969484-8

PA6

9-1241961-9

PA6

3-1241961-8

PA6

9-969484-9

PA6

4-1241961-8

PA6

5-1241961-8

PA6

0-1241961-6

PA6

2-1241961-7

PA6

1-1241961-8

PA6

2-1241961-8

PA6

6-1241961-8

PA6

7-1241961-7

PA6

7-1241961-8

PA6

1-1241961-7

PA6

9-1241961-8

PA6

8-1241961-8

03-K

2-1241817-3

PA6

0-1241961-8

03-F

3-1241961-7

03-I

4-1241961-7

03-G

5-1955422-7

03-I

1-1241961-9

03-G

0-1955422-6

03-G

6-2178575-7

03-I

15-3-2178412-7

03-I

15-4-2178413-7

03-I

15-6-1241961-7

03-I

15-9-1241961-7

4 POSITION VARIANTS

0-1241959-4

0-1241959-4

2-1241959-4

2-1241959-4

4-1241959-4

4-1241959-4
2315717-4

0-1955507-4

0-1955507-4
PRELIMINARY

0-2315717-5

0-2315717-5

2-1241817-4

2-1241817-4

3-1241817-4

3-1241817-4
2322164-1
2322917-4

0-1241959-5

0-1241959-5

0-1241817-5

0-1241817-5

2-1241817-5

2-1241817-5

0-1241961-6

0-1241961-6

2-1241961-7

2-1241961-7

1-1241961-8

1-1241961-8

2-1241961-8

2-1241961-8

6-1241961-8

6-1241961-8

7-1241961-7

7-1241961-7

7-1241961-8

7-1241961-8

1-1241961-7

1-1241961-7

9-1241961-8

9-1241961-8

8-1241961-8

8-1241961-8

2-1241817-3

2-1241817-3

0-1241961-8

0-1241961-8

03-F

3-1241961-7

03-I

4-1241961-7

03-G

5-1955422-7

03-I

1-1241961-9

03-G

0-1955422-6

03-G

6-2178575-7

03-I

15-3-2178412-7

03-I

15-4-2178413-7

03-I

15-6-1241961-7

03-I

15-9-1241961-7

5 POSITION VARIANTS

0-1241959-5

0-1241959-5

0-1241817-5

0-1241817-5

2-1241817-5

2-1241817-5

0-1241961-6

0-1241961-6

2-1241961-7

2-1241961-7

1-1241961-8

1-1241961-8

2-1241961-8

2-1241961-8

6-1241961-8

6-1241961-8

7-1241961-7

7-1241961-7

7-1241961-8

7-1241961-8

1-1241961-7

1-1241961-7

9-1241961-8

9-1241961-8

8-1241961-8

8-1241961-8

2-1241817-3

2-1241817-3

0-1241961-8

0-1241961-8

03-F

3-1241961-7

03-I

4-1241961-7

03-G

5-1955422-7

03-I

1-1241961-9

03-G

0-1955422-6

03-G

6-2178575-7

03-I

15-3-2178412-7

03-I

15-4-2178413-7

03-I

15-6-1241961-7

03-I

15-9-1241961-7

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN: Kishor M. 18-10-07

CHK: K. Munz 18-10-07

APVD: T. Klanner 18-10-07

PRODUCT SPEC: 108-18049

APPLICATION SPEC: -

WEIGHT: -

Customer Drawing

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2, 1 PLC ±0.2, 2 PLC ±0.2, 3 PLC ±0.2, 4 PLC ±0.2, 5 PLC ±0.2, 6 PLC ±0.2, 7 PLC ±0.2, 8 PLC ±0.2, 9 PLC ±0.2, 10 PLC ±0.2, 11 PLC ±0.2, 12 PLC ±0.2, 13 PLC ±0.2, 14 PLC ±0.2, 15 PLC ±0.2, 16 PLC ±0.2, 17 PLC ±0.2, 18 PLC ±0.2, 19 PLC ±0.2, 20 PLC ±0.2, 21 PLC ±0.2, 22 PLC ±0.2, 23 PLC ±0.2, 24 PLC ±0.2, 25 PLC ±0.2, 26 PLC ±0.2, 27 PLC ±0.2, 28 PLC ±0.2, 29 PLC ±0.2, 30 PLC ±0.2, 31 PLC ±0.2, 32 PLC ±0.2, 33 PLC ±0.2, 34 PLC ±0.2, 35 PLC ±0.2, 36 PLC ±0.2, 37 PLC ±0.2, 38 PLC ±0.2, 39 PLC ±0.2, 40 PLC ±0.2, 41 PLC ±0.2, 42 PLC ±0.2, 43 PLC ±0.2, 44 PLC ±0.2, 45 PLC ±0.2, 46 PLC ±0.2, 47 PLC ±0.2, 48 PLC ±0.2, 49 PLC ±0.2, 50 PLC ±0.2, 51 PLC ±0.2, 52 PLC ±0.2, 53 PLC ±0.2, 54 PLC ±0.2, 55 PLC ±0.2, 56 PLC ±0.2, 57 PLC ±0.2, 58 PLC ±0.2, 59 PLC ±0.2, 60 PLC ±0.2, 61 PLC ±0.2, 62 PLC ±0.2, 63 PLC ±0.2,

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[969484-1](#)