

THIS DRAWING IS A CONTROLLED DOCUMENT. DRAW NO 1583000

TOOL NUMBER 	WIRE SIZE mm <sup>2</sup> [AWG] 	INSULATION DIAMETER mm [in.] 	INSUL. ADJ. 	FLIP LOCATOR 	STRIP LENGTH mm [in.] 	CRIMP HEIGHT mm [in.] 	CONTACT PART NUMBERS				CONTACT DESCRIP.	APPLIC. SPECIF.
							LOOSE PIECE 		STRIP FORM 			
91500-1 91500-3 91500-4 	0.5 - 0.9 [20-18] 1.2 - 2.1 [16-14]	1.52 - 3.30 [.060 - .130]	YES	NO	4.37 ± 0.38 [.172 ± .015]	1.27 ± 0.05 [.050 ± .002] 1.60 ± 0.05 [.063 ± .002]	350547-[ ] 350550-[ ] 350669-[ ] 350705-[ ]	350218-[ ] 350536-[ ] 350654-[ ] 350687-[ ]	770250-[ ] 770251-[ ] 770254-[ ] 770251-[ ]	770007-[ ] 770008-[ ] 770193-[ ] 770008-[ ]	Univ. MATE-N-LOK Contacts Univ. MATE-N-LOK 2 Contacts	114-1010 & 114-1011 114-1043
91506-1 91506-3	1.21 - 2.1 [16-14]	3.3 - 5.1 [.130 - .200]	YES	NO	4.37 ± 0.38 [.172 ± .015]	1.60 ± 0.05 [.063 ± .002]	350551-[ ] 350552-[ ] 350707-[ ] 350919-[ ] 350918-[ ] 770249-[ ] 770248-[ ] 770255-[ ]	350537-[ ] 350538-[ ] 350700-[ ] 350874-[ ] 350873-[ ] 770006-[ ] 770005-[ ] 770194-[ ]	350537-[ ] 350538-[ ] 350700-[ ] 350874-[ ] 350873-[ ] 770006-[ ] 770005-[ ] 770194-[ ]	Univ. MATE-N-LOK Contacts Univ. MATE-N-LOK 2 Contacts	114-1010 & 114-1011 114-1043	
91508-1 91508-3	0.5 - 0.9 [20-18]	3.3 - 5.1 [.130 - .200]	YES	NO	4.37 ± 0.38 [.172 ± .015]	1.24 ± 0.05 [.049 ± .002]	350551-[ ] 350552-[ ] 350707-[ ] 350919-[ ] 350918-[ ] 770249-[ ] 770248-[ ] 770255-[ ]	350537-[ ] 350538-[ ] 350700-[ ] 350874-[ ] 350873-[ ] 770006-[ ] 770005-[ ] 770194-[ ]	350537-[ ] 350538-[ ] 350700-[ ] 350874-[ ] 350873-[ ] 770006-[ ] 770005-[ ] 770194-[ ]	Univ. MATE-N-LOK Contacts Univ. MATE-N-LOK 2 Contacts	114-1010 & 114-1011 114-1043	
91510-1 91510-3	0.2 - 0.38 [24-22] 0.5 - 0.9 [20-18]	1.02 - 2.54 [.040 - .100]	YES	NO	4.37 ± 0.38 [.172 ± .015]	1.02 ± 0.05 [.040 ± .002] 1.17 ± 0.05 [.046 ± .002]	350689-[ ] 350690-[ ] 350706-[ ] 640347-[ ]	350570-[ ] 350561-[ ] 350699-[ ] 350851-[ ]	350570-[ ] 350561-[ ] 350699-[ ] 350851-[ ]	Univ. MATE-N-LOK Contacts Univ. MATE-N-LOK 2 Contacts	114-1010 & 114-1011 114-1043	
91522-1 91522-3	0.32 - 0.6 [22-20] (1 wire) 0.8-0.9 [18] (2 wire) 0.31-0.38 [22]	1.50 - 2.2 [.059 - .087] (1 wire) 1.54-2.4 [.059-.095] (2 wire) 1.5-1.7 [.059-.067]	YES	NO	3.45 ± 0.25 [.136 ± .010] (1 wire) 3.45 ± 0.25 [.136 ± .010] (2 wire) 3.7 ± 0.2 [.146 ± .008]	0.79 ± 0.05 [.031 ± .002] 1.04 ± 0.05 [.041 ± .002]	170364-[ ] 170366-[ ] 794228-[ ] 794229-[ ]	170360-[ ] 170362-[ ] 794220-[ ] 794221-[ ]	170360-[ ] 170362-[ ] 794220-[ ] 794221-[ ]	794220-[ ] 794221-[ ] 770987-[ ] 770988-[ ] 770903-[ ] 770904-[ ]	Mini-Univ. MATE-N-LOK Contacts Mini-Univ. MATE-N-LOK 2 Contacts	114-5050 & 114-16017 114-13089
91529-1 91529-3	0.12 - 0.24 [26-24] 0.32 - 0.38 [22]	1.2 - 1.75 [.047 - .069]	YES	YES	3.45 ± 0.25 [.136 ± .010]	0.69 ± 0.05 [.027 ± .002] 0.79 ± 0.05 [.031 ± .002]	170363-[ ] 170365-[ ] 770985-[ ] 770986-[ ]	170359-[ ] 170361-[ ] 794136-[ ]	170359-[ ] 170361-[ ] 794136-[ ]	770901-[ ] 770902-[ ]	Mini-Univ. MATE-N-LOK Contacts Mini-Univ. MATE-N-LOK 2 Contacts	114-5050 & 114-16017 114-1111 114-13089
91536-1 91536-3	0.5 - 0.9 [20-18] (1 wire) 1.2-1.4 [16] (2 wire) 0.5-0.6 [20]	2.0 - 3.0 [.079 - .118] (1 wire) 2.5-3.2 [.098-.126] (2 wire) 2.0-2.4 [.079-.094]	YES	NO	3.45 ± 0.25 [.136 ± .010] (1 wire) 3.45 ± 0.25 [.136 ± .010] (2 wire) 3.70 ± 0.20 [.146 ± .008]	1.07 ± 0.05 [.042 ± .002] 1.27 ± 0.05 [.050 ± .002]	171638-[ ] 171639-[ ]	171636-[ ] 171637-[ ]	171636-[ ] 171637-[ ]	171636-[ ] 171637-[ ]	Mini-Univ. MATE-N-LOK Contacts	114-5050 & 114-16017
91594-1 91594-3	0.50-0.89 [20-18] 0.50-1.42x2 [16-20x2]	2.00-3.20 [.079-.126] 2.26-3.20 [.098-.126]	YES	NO	(1 wire) 3.45 ± 0.25 [.136 ± .010] (2 wire) 3.70 ± 0.20 [.146 ± .008]	1.07 ± 0.05 [.042 ± .002] 1.29 ± 0.05 [.051 ± .002]	794230-[ ] 794231-[ ]	794406-[ ] 794407-[ ] 794222-[ ] 794223-[ ]	794406-[ ] 794407-[ ] 794222-[ ] 794223-[ ]	794406-[ ] 794407-[ ] 794222-[ ] 794223-[ ]	Mini-Univ. MATE-N-LOK 2 Contacts	114-1111

LIST OF APPLIED CONTACT PART NUMBERS MAY NOT BE COMPLETE AND IS SUBJECT TO CHANGE. FOR CURRENT INFORMATION ON TERMINAL PART NUMBERS, CONTACT THE TOOLING ASSISTANCE CENTER : 1-800-722-1111.

2. AMP, CERTI-CRIMP, and MATE-N-LOK are trademarks.

-1 IS A CERTICRIMP II HAND TOOL ASSEMBLY. -3 IS A CERTICRIMP II HEAD SUB-ASSEMBLY.

SUPERSEDED

-4 IS A CERTICRIMP II HAND TOOL ASSEMBLY FOR SMALL INSULATION DIAMETER.

6. THE HAND TOOL INSTRUCTION SHEET, ALSO KNOWN AS AN "IS", FOR MOST CERTI-CRIMP II TOOLS USE IS 408-8547. IF THE TOOL HAS A FLIP LOCATOR USE IS 408-10414.

## CERTI-CRIMP II DATA SHEET

DWN: M.YOUNGER 21FEB2012		MATERIAL: -		HEAT TREAT: -	
CHK: B.A.WOLFE 22FEB2012		APVD: B.A.WOLFE 22FEB2012		NAME: B.A. WOLFE	
DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES: - SURFACE TEXTURE:					
SCALE: -		SIZE: A1		DRAWING NO: 1583000	
P LTR		REVISION RECORD		DATE: 08/2016	
D2 REVISED		AW CM		REV: 1 OF 2	
DATE: 08/2016		DWN: AW		APVD: CM	
DATE: 08/2016		DWN: AW		APVD: CM	



CERTI-CRIMP II TOOL DATA SHEET  
UNIVERSAL MATE-N-LOK CONTACT FAMILY

TOOL NUMBER	WIRE SIZE mm <sup>2</sup> [AWG]	INSULATION DIAMETER mm [in.]	INSUL. ADJ.	FLIP LOCATOR	STRIP LENGTH mm [in.]	CRIMP HEIGHT mm [in.]	CONTACT PART NUMBERS <sup>1</sup>		CONTACT DESCRIP.	APPLIC. SPECIF.
							LOOSE PIECE	STRIP FORM		
<sup>5</sup> 91574-1	0.20-0.56 [24-20]	1.52-2.54 [.060-.100]	YES	NO	5.16 ± 0.38 [.203 ± .015]	1.05 ± 0.08 [.041 ± .003]	350689-[ ] 350690-[ ] 350706-[ ]	350570-[ ] 350561-[ ] 350699-[ ]	Universal MATE-N-LOK Contacts	114-1010 & 114-1011
	0.75-0.89 [18]					1.27 ± 0.08 [.050 ± .003]				
<sup>4</sup> 91575-1 91575-3	0.50-0.89 [20-18]	2.54-3.31 [.100-.130]	YES	NO	5.16 ± 0.38 [.203 ± .015]	1.29-1.45 [.051-.057]	350547-[ ] 350705-[ ] 350669-[ ] 350550-[ ]	350218-[ ] 350687-[ ] 350564-[ ] 350536-[ ]	Universal MATE-N-LOK Contacts	114-1010 & 114-1011
	0.75+0.75 OR 0.75+1.25 [18+18 OR 18+16]					1.60-1.75 [.063-.069]				
1976176-1	18 GA SOLID	1.02-2.54 [.040-.100]	YES	NO	4.37-0.38 [.172-.015]	1.18 ± .025 [.044 ± .001]	350689-[ ] 350550-[ ] 350690-[ ] 350547-[ ]	350851-[ ] 350536-[ ] 350561-[ ] 350218-[ ]	Universal MATE-N-LOK Contacts	114-1010 & 114-1011
2280977-1	0.12-0.24 [26-24]	1.19-1.60 [.047-.063]	YES	NO	3.45 ± 0.25 [.136 ± .010]	0.68 ± 0.05 [.027 ± .002]	794226-[ ] 794227-[ ]	794218-[ ] 794219-[ ]	MINI UNERVERSAL MATE-N-LOK2 Contacts	114-5050
	0.32-0.38 [22]	1.50-1.75 [.059-.069]				0.79 ± 0.05 [.031 ± .002]				

<sup>1</sup> LIST OF APPLIED CONTACT PART NUMBERS MAY NOT BE COMPLETE AND IS SUBJECT TO CHANGE. FOR CURRENT INFORMATION ON TERMINAL PART NUMBERS, CONTACT THE TOOLING ASSISTANCE CENTER : 1-800-722-1111.

2. AMP, CERTI-CRIMP, and MATE-N-LOK are trademarks.


<sup>3</sup> -1 IS A CERTICRIMP II HAND TOOL ASSEMBLY. -3 IS A CERTICRIMP II HEAD SUB-ASSEMBLY.

<sup>4</sup> SUPERSEDED

<sup>5</sup> -4 IS A CERTICRIMP II HAND TOOL ASSEMBLY FOR SMALL INSULATION DIAMETER.

6. THE HAND TOOL INSTRUCTION SHEET, ALSO KNOWN AS AN "IS", FOR MOST CERTI-CRIMP II TOOLS USE IS 408-8547. IF THE TOOL HAS A FLIP LOCATOR USE IS 408-10414.

### CERTI-CRIMP II DATA SHEET

DWN: M.YOUNGER 21FEB2012		MATERIAL: -	HEAT TREAT: -
CHK: B.A.WOLFE 22FEB2012		APVD: B.A. WOLFE 22FEB2012	
NAME: B.A. WOLFE			
DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES: - SURFACE TEXTURE: <input checked="" type="checkbox"/>			
SCALE: -	SIZE: A1	DRAWING NO: 1583000	SHEET: 2 of 2 REV: D2

THIS DRAWING IS A CONTROLLED DOCUMENT. DRAW NO 1583000

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TE. IT IS TO BE KEPT CONFIDENTIAL AND PROPRIETARY AND NOT TO BE DISCLOSED TO ANY OTHER PERSONNEL WITHOUT AUTHORIZATION FROM TE. www.te.com

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[91510-1](#)