


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
(C) COPYRIGHT 20 BY - ALL RIGHTS RESERVED.		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E12	REVISED PER ECO-13-016361	19OCT2013	KH	MM



 MATERIALS AND FINISH
HOUSING: PA 6-6, UL 94-V0, COLOR: GREEN.
CLAMP: BRASS, NICKEL PLATED.
CONTACT SPRING : PHOSPHOR BRONZE, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.




2. WIRE SIZE RANGE: 12 - 30 AWG

3 NOT CUMULATIVE TOLERANCE.

 CHARACTERS MARKED IN PERMANENT WHITE COLOR.

5 PARTS SHOWN WITH INTEGRATED KEYING FEATURE LOCATED AS SHOWN.

6 CHARACTERS MARKED IN PERMANENT BLACK COLOR.



5 5 5 5 5 5 5 5	SEE DETAIL A-D	106.68	21	4-284047-1
	SEE DETAIL A-C	106.68	21	4-284047-0
	SEE DETAIL A-B	76.20	15	3-284047-9
	SEE DETAIL A-A	76.20	15	3-284047-8
	SEE DETAIL Z	121.92	24	3-284047-7
	SEE DETAIL X	81.28	16	3-284047-6
	SEE DETAIL W	81.28	16	3-284047-5
	SEE DETAIL V	60.96	12	3-284047-4
	SEE DETAIL U	60.96	12	3-284047-3
	SEE DETAIL T	121.92	24	3-284047-2
	SEE DETAIL S	121.92	24	3-284047-1
	SEE DETAIL R	91.44	18	3-284047-0
	SEE DETAIL P	91.44	18	2-284047-9
	SEE DETAIL N	24.40	5	2-284047-8
	SEE DETAIL M	20.32	4	2-284047-7
	SEE DETAIL L	10.16	2	2-284047-6
	-	127.00	25	2-284047-5
	-	121.92	24	2-284047-4
	-	116.84	23	2-284047-3
	-	111.76	22	2-284047-2
	-	106.68	21	2-284047-1
	-	101.60	20	2-284047-0
	-	96.52	19	1-284047-9
	-	91.44	18	1-284047-8
	-	86.36	17	1-284047-7
	-	81.28	16	1-284047-6
	-	76.20	15	1-284047-5
	-	71.12	14	1-284047-4
	-	66.04	13	1-284047-3
	-	60.96	12	1-284047-2
	-	55.88	11	1-284047-1
	-	50.80	10	1-284047-0
	-	45.72	9	284047-9
-	40.64	8	284047-8	
-	35.56	7	284047-7	
-	30.48	6	284047-6	
-	25.40	5	284047-5	
-	20.32	4	284047-4	
-	15.24	3	284047-3	
-	10.16	2	284047-2	
MARKING		A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 05FEB2003 CHK C. RICHARD 05FEB2003 APVD C. RICHARD 05FEB2003		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.3 1 PLC ±.3 2 PLC ±.25 3 PLC ±. 4 PLC ±. ANGLES ±2 FINISH		NAME TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH	
MATERIAL 		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -		SIZE A200779	CAGE CODE C-284047
		CUSTOMER DRAWING		SCALE 1:1	SHEET OF 8
				REV F12	

D

D

C


C

B


B

A


A




SEE DETAIL L
4



SEE DETAIL M
4



SEE DETAIL N
4



SEE DETAIL P
6

CODING KEY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3

1 PLC ±.3

2 PLC ±.25

3 PLC ±.

4 PLC ±.

ANGLES ±2

FINISH

MATERIAL

-

-

DWN S. WELDON 05FEB2003

CHK C. RICHARD 05FEB2003

APVD C. RICHARD 05FEB2003

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A260779

C-284047

-

SCALE


1:1

SHEET

2 OF 8

REV

E12



4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

SEE DETAIL T

6

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

SEE DETAIL Z

6

CODING KEY

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3

1 PLC ±.25

2 PLC ±.25

3 PLC ±.25

4 PLC ±.25

ANGLES ±2

FINISH

MATERIAL

-

-

DWN S. WELDON 05FEB2003

CHK C. RICHARD 05FEB2003

APVD C. RICHARD 05FEB2003

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TE

TE Connectivity

TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH

A2b0779

C-284047


SCALE 1:1

SHEET 4 OF 8

REV E12

1471-9 (3/13)


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



SEE DETAIL U



CODING KEY




SEE DETAIL V




CODING KEY

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



SEE DETAIL W



SEE DETAIL X



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±.3

2 PLC ±.25

3 PLC ±-

4 PLC ±-

ANGLES ±2

FINISH -

DWN S. WELDON 05FEB2003

CHK C. RICHARD 05FEB2003

APVD C. RICHARD 05FEB2003

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME

TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A260779

C-284047

-

SCALE

1:1


SHEET

6 OF 8

REV

E12


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



SEE DETAIL A-A




CODING KEY



SEE DETAIL A-B



CODING KEY



TE

TE Connectivity

NAME

TERMINAL BLOCK, VERTICAL PLUG, STACKING, RIGHT HAND, 5.08mm PITCH

SIZE

A2

CAGE CODE

0779

DRAWING NO

C-284047

RESTRICTED TO

-

SCALE

1:1

SHEET

8

OF

8

REV

E12

1471-9 (3/13)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-284047-9](#)