







⚠ JACK INTERFACE PER DIN 72594-1,
ROAD VEHICLES - RADIO FREQUENCY INTERFACE - DIMENSIONS
AND ELECTRICAL REQUIREMENTS.

- JACK SUBASSEMBLY WILL ACCEPT RG-62U/M COAXIAL CABLE.
- SEE INSTRUCTION SHEET 408-10028.
- SPACER I274233-1 MUST BE PURCHASED SEPERATELY.
- PIN CONTACT I438890-9 MUST BE PURCHASED SEPERATELY.



LOC		DIST		REVISIONS					
IN		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					E	REVISED PER ECR-07-012944	06JUN2007	AH	LLV
					E1	REVISED PER ECO-10-013737	30JUN2010	DLD	LLV




PER DETAIL Y	PER DETAIL K	K	GRAY	I438894-2	CURRY	I-1438887-0	6-1438924-0
PER DETAIL Y	PER DETAIL H	H	GRAY	I438894-2	HEATHER VIOLET	I438887-8	5-1438924-8
PER DETAIL Y	PER DETAIL D	D	GRAY	I438894-2	CLARET VIOLET	I438887-4	5-1438924-4
PER DETAIL Y	PER DETAIL C	C	GRAY	I438894-2	SIGNAL BLUE	I438887-3	5-1438924-3
PER DETAIL Y	PER DETAIL B	B	GRAY	I438894-2	SIGNAL WHITE	I438887-2	5-1438924-2
PER DETAIL Y	PER DETAIL A	A	GRAY	I438894-2	JET BLACK	I438887-1	5-1438924-1
PER DETAIL X	PER DETAIL K	K	RED	I438888-1	CURRY	I-1438887-0	I-1438924-0
PER DETAIL X	PER DETAIL H	H	RED	I438888-1	HEATHER VIOLET	I438887-8	I438924-8
PER DETAIL X	PER DETAIL D	D	RED	I438888-1	CLARET VIOLET	I438887-4	I438924-4
PER DETAIL X	PER DETAIL C	C	RED	I438888-1	SIGNAL BLUE	I438887-3	I438924-3
PER DETAIL X	PER DETAIL B	B	RED	I438888-1	SIGNAL WHITE	I438887-2	I438924-2
PER DETAIL X	PER DETAIL A	A	RED	I438888-1	JET BLACK	I438887-1	I438924-1
ASSEMBLY	KEYING	CODING	LOCK COLOR	LOCK PART NUMBER	HOUSING COLOR	JACK HOUSING PART NUMBER	PART NUMBER

TYPICAL DIMENSIONS TO CENTER LINE UNLESS OTHERWISE SPECIFIED. DIMENSIONS IN PARENTHESES ARE FOR REFERENCE ONLY. DIMENSIONS IN PARENTHESES ARE FOR REFERENCE ONLY. DIMENSIONS IN PARENTHESES ARE FOR REFERENCE ONLY.		DWN D.J.HARDY 03JAN2005	Tyco Electronics Harrisburg, PA 17105-3608		
DIMENSIONS:		CHK J.W.HALL 13JAN2005	NAME		
mm		APVD J.W.HALL 13JAN2005	PRODUCT SPEC UNASSEMBLED, 1 POSITION, RG-62U/M, FAKRA, SMB		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC			
9 PLC ±		114-13157			
1 PLC ±0.25		WEIGHT			
3 PLC ±		CUSTOMER DRAWING			
4 PLC ±		SCALE 4:1 SHEET 1 OF 2 REV E			
ANGLES FINISH					
MATERIAL					

LOC		DIST		REVISIONS					
IN		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-

CODING RIB A


CODING RIB B1



DETAIL A
SCALE 5:1

CODING RIB A


CODING RIB B2



DETAIL B
SCALE 5:1

CODING RIB A


CODING RIB C



DETAIL C
SCALE 5:1


CODING RIB A

CODING RIB D




DETAIL D
SCALE 5:1

CODING RIB B2



DETAIL H
SCALE 5:1

CODING RIB C



DETAIL K
SCALE 5:1

CODING RIB D

CODING RIB C

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.										DWN		J. J. HARDY		03JAN2005				Tyco Electronics Harrisburg, PA 17105-3608			
										CHK		J. W. HALL		13JAN2005							
										APVD		J. W. HALL		13JAN2005		NAME		JACK KIT,			
DIMENSIONS: mm 										TOLERANCES, UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		UNASSEMBLED, 1 POSITION, RG-62U/M,		FAKRA, SMB					
										0 PLC ±		-		APPLICATION SPEC							
										2 PLC ±		-		114-13157							
										3 PLC ±		-		WEIGHT							
										4 PLC ±		-		A 00779		C=1438924		RESTRICTED TO			
MATERIAL										FINISH		-		CUSTOMER DRAWING		SCALE		4:1		SHEET	
-										-		-		-		-		2		OF	
																		2		REV	
																				E	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1438924-3](#)