## **Detailed Specifications & Technical Data**



ENGLISH MEASUREMENT VERSION

### AX104270 Connectivity Accessories - FiberExpress Brilliance Field Kit

2			For more Informatio please call		
		*	1-800-Belden1		
neral Desc	ription:				
berExpre	ss Brilliance Field Kit				
age (Overa					
Suitable Ap		Indoor termination of fiber cables: Patch panels. Comm	nunication outlets. Fiber-to-the-desk. Distribution		
ounable Ap	piloations.	Indoor termination of fiber cables: Patch panels, Communication outlets, Fiber-to-the-desk, Distribution frames, Direct termination to equipment, Fiber cable repair, Campus, Customer premise / Access network.			
Related Part	ts:	Brilliance connectors, Breakout kits			
ysical Cha	racteristics (Connectivity)				
mensions					
Dimensions:					
Height (in.) 14.000	Width (in.)         Depth (in.)           15.000         6.000				
14.000	13.000 0.000				
eight					
Weight:		3.600 lbs.			
cluded Parts	•				
Included Pa	rts:	Tool Pouch, Handle, SC, LC,ST Adapters, VFL Patch ( Strippers, Scissors, Tweezers, USB Key, Marker, VFL,			
Included Pa	rts Graphic:		1. Support Handle 2. SC Adapter		
			3. LC Adapter		
			4. ST Adapter		
			5. Patch Cords     6. Field Cleaver		
			0. Held Gleaver		
		6 6	8. Alcohol Wipes		
			9. Waste Bottle		
			10. Safety Glasses 11. Strippers		
			12. Scissors		
			13. Tweezers		
		FiberExpress Brillance® Connectors	14. USB Installation Files 15. Marker		
		Antidation Galde	16. Visual Fault Locator (VFL)		
			17. Microscope		
		BELDEN	Its. Installation Guide		
akaaina			19. Installation Card		
ackaging					
Packaging		The carrying case is individually packaged in a cardboa	ard box.		
Packaging:	haracteristics (Connectivity)	The carrying case is individually packaged in a cardboa	ard box.		
Packaging:	haracteristics (Connectivity)	The carrying case is individually packaged in a cardboa	ard box.		
Packaging: chanical C Storage Ten		-20°C To +60°C	ard box.		
Packaging: echanical C Storage Ten plicable Sp	nperature Range: Decifications and Agency Compli	-20°C To +60°C	ard box.		
Packaging: echanical C Storage Ten plicable Sp uitability Suitability	nperature Range: Decifications and Agency Compli Indoor:	-20°C To +60°C ance (Overall)	ard box.		
Packaging: echanical C Storage Ten plicable Sp uitability	nperature Range: Decifications and Agency Compli Indoor: II)	-20°C To +60°C ance (Overall)	ard box.		
Packaging: echanical C Storage Ten plicable Sp uitability Suitability - tes (Overal roduct Family Part Number L	nperature Range: Decifications and Agency Compli Indoor: III) Y v	-20°C To +60°C ance (Overall)	ard box.		
Packaging: echanical C Storage Ten plicable Sp uitability Suitability suitability - tes (Overal oduct Family Part Number L Part Number	nperature Range: Decifications and Agency Compli Indoor: II) Y Just: er Description	-20°C To +60°C ance (Overall)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal oduct Family Part Number L Part Number AX100910	nperature Range: Decifications and Agency Compli Indoor: II) Y Just: er Description Cleave Inspection Microscope	-20°C To +60°C ance (Overall) Yes - Indoor	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number AX100910 AX100951	nperature Range: Decifications and Agency Compli Indoor: II) Y J S S Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number AX100910 AX100951 AX103149	nperature Range: Decifications and Agency Compli Indoor: II) Y ist: er Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number L Part Number AX100910 AX100951 AX103149 AX103151	Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number L Part Number L Part Number L AX100910 AX100951 AX1003151 AX104268	Indoor: Indoor: II) y ist: er Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax103151 Ax104268 Ax104270	Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax100951 Ax103151 Ax104268 Ax104270 Ax104271	Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax100951 Ax1004251 Ax104270 Ax104272	Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit FiberExpress Brilliance Installation Pouch	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax103151 Ax104268 Ax104270 Ax104272 Ax104273	Indoor: Indoor: II) y ist: ar Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit FiberExpress Brilliance Installation Pouch FiberExpress Brilliance Installation Guide	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		
Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax100951 Ax1004251 Ax104270 Ax104272	Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit FiberExpress Brilliance Installation Pouch	-20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker)	ard box.		

## **Detailed Specifications & Technical Data**



#### AX104270 Connectivity Accessories - FiberExpress Brilliance Field Kit

AX104278	Tweezers
AX104279	Pen Marker
AX104280	Scissors
AX104281	Waste Bottle
AX104282	Safety Glasses
AX104283	FiberExpress Brilliance Pocket Visual Fault Locator (VFL) with Adapter Cords
AX104285	FiberExpress Brilliance Field Cleaver
AX104286	FiberExpress Brilliance Precision Cleaver
AX104289	FiberExpress Brilliance Support Handle LC Adapter
AX104290	FiberExpress Brilliance Support Handle SC Adapter
AX104291	FiberExpress Brilliance Support Handle ST Adapter
AX104293	FiberExpress Brilliance Precision Cleaver Replacement Blade
AX104294	FiberExpress Brilliance Replacement Leaf Spring Base Plate
AX203567	FiberExpress Brilliance Visual Fault Locator (VFL) LC-LC Adapter Cord
AX203568	FiberExpress Brilliance Visual Fault Locator (VFL) LC-SC Adapter Cord (valid for ST also)

#### Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
AX104270	1 EA	2.500 KG			Brilliance Field Kit

Revision Date: 03-10-2010 Revision Number: 0

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale.

<sup>© 2016</sup> Belden, Inc All Rights Reserved.

# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Belden Wire & Cable:

<u>AX103149</u> <u>AX100910</u> <u>AX100951</u> <u>AX104270</u> <u>AX104271</u> <u>AX104276</u> <u>AX104279</u> <u>AX104283</u>