



REL. 37508-275	WAS	DATE	D'MAN	APPD.
I	CNR	SEE SHEET I	5-10-61	PRICE
A1		SEE SHEET I	3-3-70	HANNI

ASSEMBLY NO.	AN. NO. REF.	DIMENSIONS							DETAILS			ACCESSORY
		A THREAD SIZE CLASS 2B	C +.016 -.047	D	J ±.005	Q DIA MAX	V THREAD(PLATED) SIZE CLASS 2A	Z ±.045	SHELL	COUPLING NUT	ADAPTER	
10-350600	3106E-8S	.5000-28 UNEF	.492	.859 ±.030	.531	.741	.5000-28 UNEF	.562	10-37266-8	10-37265-8	10-37267-8	10-37269-8
10-350601	-10S-	.6250-24 NEF	.492	.937 ±.030	.531	.869	.5000-28 UNEF		10-37266-10	10-37265-10		-10
10-350602	-10SL-	.6250-24 NEF		.937 ±.025	.531	.946	.6250-24 NEF		10-113488-11 (SHELL ASSY)			-12
10-350603	-12S-	.7500-20 UNEF	.492	.937 ±.030	.531	.995			10-37266-12	10-37265-12		-12
10-350604	-12-	.7500-20 UNEF	.679	1.124 ±.030	.719	.995		.812	-13	-13	-13	-13
10-350605	-14S-	.8750-20 UNEF	.492	.937 ±.030	.531	1.123	.7500-20 UNEF	.562	-14	-14	-14	-14
10-350606	-14-	.8750-20 UNEF	.679	1.124 ±.030	.719	1.123	.7500-20 UNEF	.812	-15	-15	-15	-15
10-350607	-16S-	1.0000-20 UNEF	.492	.937 ±.030	.531	1.250	.8750-20 UNEF	.562	-16	-16	-16	-16
10-350608	-16-	1.0000-20 UNEF	.679	1.124 ±.030	.719	1.250	.8750-20 UNEF	.812	-17	-17	-17	-17
10-350609	-18-	1.1250-18 NEF		1.219 ±.030		1.333	1.0000-20 UNEF		-18	-18	-18	-18
10-350610	-20-	1.2500-18 NEF		1.125 ±.030		1.461	1.1875-18 NEF		-20	-20	-20	-20
10-350611	-22-	1.3750-18 NEF		1.219 ±.030		1.588	1.1875-18 NEF		-22	-22	-22	-22
10-350612	-24-	1.5000-18 NEF		1.251 ±.030		1.715	1.4375-18 NEF		-24	-24	-24	-24
10-350613	-28-	1.7500-18 NS		1.470 ±.030		1.968	1.4375-18 NEF		-28	-28	-28	-28
10-350614	-32-	2.0000-18 NS		1.439 ±.030		2.209	1.7500-18 NS		-32	-32	-32	-32
10-350615	-36-	2.2500-16 UN		1.500 ±.030		2.463	2.0000-18 NS		-36	-36	-36	-36
10-350616	-40-	2.5000-16 UN		1.469 ±.030		2.718	2.2500-16 UN		-40	-40	-40	-40
10-350617	-44-	2.7500-16 UN		1.818 <sup>+.020</sup> -.030		3.084	2.5000-16 UN	1.063	-44	-44	-44	NOT AVAILABLE
10-350618	-48-	3.0000-16 UN		1.818 ±.030		3.354	3.0000-16 UN	1.063	-48	-48	-48	NOT AVAILABLE
10-350619		NOT AVAILABLE										

10-350600 THRU  
10-350619

6. FOR SIZE "0" CONTACT ONLY, INCREASE Z DIM. BY .312 FOR SHELL SIZES 8 THRU 40 & BY .062 FOR SHELL SIZES 44 & 48.
5. FOR CONTACT SIZE, SPACING, & SERVICE RATING, SEE DRAWINGS ANDIO425 THRU ANDIO438.
4. DIMENSIONS MUST BE MAINTAINED WHEN INSERTS ARE PRESSED FIRMLY AGAINST INDICATED SHOULDER.
3. INSERTS AND CONTACTS ARE REMOVABLE.
2. ADAPTER MUST BE REMOVED WHEN GROMMET RETAINING NUT IS USED.
1. ALL LOCKWIRE HOLES ARE .045 DIA MIN.

10. UNITS ILLUSTRATED MEET THE MATERIAL & FINISH REQUIREMENTS OF MIL-C-5015C.
9. SEE DRAWINGS 10-68008 THRU 10-68050 & 10-68208 THRU 10-68240 FOR REQUIRED MATING RECEPTACLE ASSEMBLIES.
8. SEE WORK ORDER FOR PERMISSIBLE ADDITIONAL OR ALTERNATE STAMPING.
7. TO COMPLETE ASSEMBLY NUMBER & AN. NO. REF, ADD APPLICABLE INSERT ARRANGEMENT SUFFIX TO BASE NUMBERS LISTED ABOVE. (FOR ALTERNATE ARRANGEMENTS REFER TO 9-2437) TO DETERMINE DESIRED INSERT ARRANGEMENT, SEE PARTS LISTS 10-350600 THRU 10-350619.

NOTES

MATERIAL SPEC.	PROCESS SPEC. TEST 9-3106-5	SCINTILLA MAGNETO DIVISION BENDIX AVIATION CORPORATION SIDNEY, N. Y., U.S.A.				TOLERANCES UNLESS OTHERWISE SPECIFIED.			
HEAT TREAT SPEC.	ASSY. 9-3103-1	NAME CONNECTOR, ELECTRICAL, PLUG, TYPE C(I) MC.				FRACTIONS ±	ANGLES ±	DECIMALS ±.010	CONCENTRICITY ±
TOOL ACC.	9-2811, 9-2437	D'MAN CHECKER MAT. STDS. CH. D'MAN APPROVED SCALE.				SURFACE ROUGHNESS MICRO-INCHES RMS VALUE MAX			
COM. REC.	3-22-61 3-27-61	Frazier 3-27-61				NEXT ASSEMBLY			
		3-27-61 3-27-61 3-28-61				WEIGHT-LBS. SEE PARTS LIST			
		NONE				SUPERSEDES AND IS NOT INTERCHANGEABLE			
						SUPERSEDED BY 10-350600 THRU 10-350619			
						REF. 10-68608/40			

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## Amphenol:

[10-037265-012](#) [10-037265-014](#) [10-037265-016](#) [10-037265-017](#) [10-037265-018](#) [10-037265-020](#) [10-037265-022](#)  
[10-037265-024](#) [10-037265-028](#) [10-037265-032](#) [10-037265-036](#) [10-037267-012](#) [10-037267-014](#) [10-037267-016](#) [10-](#)  
[037267-017](#) [10-037267-018](#) [10-037267-020](#) [10-037267-022](#) [10-037267-024](#) [10-037267-028](#) [10-037267-032](#) [10-](#)  
[037267-12Y](#) [10-183578-285](#) [10-350610-27S](#) [97-3100A28-15SZ](#) [97-3107B22-1S-417](#) [97-3101A28-18SY](#) [97-](#)  
[3108A16S-6PW-940](#) [97-3107A20-18SW-417](#) [97-3108B28-21PX-417-940](#) [97-3106B24-22SY-417](#) [97-3108B24-20PZ-](#)  
[940](#) [97-3108A22-22P-940](#) [97-3108A24-9P-940](#) [97-3106B24-27S-940](#) [97-3106B14S-6P-940](#) [GTC06G2-16-10P](#)  
[GTC06G28-5S](#) [GTC030R36-7P](#) [GTS020R10SL-4P](#) [GTS06R20-23P-025](#) [GTS06RV14S-2P-B30](#) [GTS06F32-76S](#)  
[GTC06R32-17SW](#) [GTC06R28-6S-LC](#) [GTC030A28-21S-025](#) [10-350610-17P](#) [10-350611-57P](#) [10-350614-08P](#) [10-](#)  
[350614-08S](#) [10-350609-10P](#) [10-350602-03S](#) [10-350603-03M](#) [10-350605-05S](#) [10-350615-10P](#) [10-350613-21J](#) [10-](#)  
[350610-29P](#) [10-350613-21S](#) [10-350614-17S](#) [10-350611-57G](#) [10-350613-21H](#) [10-350610-29S](#) [10-350615-10G](#) [10-](#)  
[350614-17J](#) [10-350603-03S](#) [10-350613-15M](#) [10-350605-05P](#) [10-350605-07I](#) [10-350612-07P](#) [10-350613-20S](#) [10-](#)  
[350613-20P](#) [10-350612-28L](#) [10-350613-15S](#) [10-350603-03P](#) [10-350610-27G](#) [10-350613-15P](#) [10-350611-14M](#) [10-](#)  
[350611-22P](#) [10-350612-28G](#) [10-350610-33S](#) [10-350613-15G](#) [10-350611-14N](#) [10-350605-07P](#) [10-350611-22S](#) [10-](#)  
[350611-14G](#) [10-350615-07P](#) [10-350602-04S](#) [10-350612-07S](#) [10-350605-07G](#) [10-350607-04S](#) [10-350615-10H](#) [10-](#)  
[350607-04P](#) [10-350610-07P](#) [10-350612-28S](#) [10-350615-07S](#) [10-350605-02S](#) [10-350610-27P](#) [10-350613-22P](#) [10-](#)  
[350610-81S](#) [10-350611-14P](#)