





1. CHARACTERISTIC IMPEDANCE: 100±10 OHMS (MEASURED DIFFERENTIALLY).
2. LABEL INFORMATION:
3. LABEL INFORMATION:
4. SEE SHEET 2 FOR WIRING SCHEMATIC.
5. ROHS COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TYCO ELECTRONICS SPECIFICATION TEC-138-702.

6 +0.1 -0 METERS	2127933-7
5 +0.1 -0 METERS	2127933-6
4 +0.08 -0 METERS	2127933-5
3 +0.08 -0 METERS	2127933-4
2 +0.08 -0 METERS	2127933-3
1 +0.05 -0 METERS	2127933-2
0.5 +0.05 -0 METERS	2127933-1
L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. 18MM2010 CHK. T. SMITH C. ADAMS C. ADAMS C. ADAMS		TE Connectivity	
DIMENSIONS:		APPROVED FOR RELEASE		NAME	
1.0 PLC		1.0 PLC		CABLE ASSY, 26 AWG, SFP+ TO SFP+ NL_PLATED	
2.0 PLC		2.0 PLC		APPLICATION SPEC	
3.0 PLC		3.0 PLC		WEIGHT	
4.0 PLC		4.0 PLC		SCALE	
MATERIAL		FINISH		RESTRICTED TO	
CUSTOMER DRAWING		CUSTOMER DRAWING		SCALE 1:1	
SIZE		DATE CODE		DRAWING NO	
A1		00779		C-2127933	
SHEET 1		OF 2		REV C	



THIS DRAWING IS A CONTROLLED DOCUMENT.				DRG T-SMITH 18M42010	NAME		CABLE ASSY,26 AWG,SFP+ TO SFP+ NL_PLATED	
DIMENSIONS:				CHK C-ADAMS 18M42010	NAME		CABLE ASSY,26 AWG,SFP+ TO SFP+ NL_PLATED	
TOLERANCE UNLESS OTHERWISE SPECIFIED:				APP C-ADAMS 18M42010	NAME		CABLE ASSY,26 AWG,SFP+ TO SFP+ NL_PLATED	
PRODUCT SPEC				APPLICATION SPEC		SIZE		RESTRICTED TO
MATERIAL				WEIGHT		A1 00779		REV C
FINISH				CUSTOMER DRAWING		SCALE 1:1		SHEET 2 OF 2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2127933-4](#)