







PART No.	LOADED CIRCUITS
91119-1001	1 & 14




- NOTES:
- MATERIALS: HOUSING: NYLON 4/6 (PA 4/6), 45% GLASS FILL, UL94V-0 COLOUR:BLACK.
TERMINALS: 0.20 REF. THK. PHOSPHOR BRONZE
LATCHES: 0.40 REF. THK. STAINLESS STEEL
PLATING: NICKEL 1.27um MIN.UNDERCOAT OVERALL
0.10um MIN.GOLD FLASH ON 1.0um MIN.
PALLADIUM-NICKEL (80/20) IN CONTACT AREA.
3-5um MIN. TIN-LEAD (90/10) IN SOLDER TAIL AREA.
 - PACKAGING: TRAY PER 99025-0029.
 - SEE PRODUCT SPECIFICATION PS-99020-0054.
 - PART No., 'MXI' AND CAVITY I.D. TO BE 0.1mm MAX. ABOVE THIS SURFACE.
 - SOLDER I.D. RIB RAISED 0.20mm ABOVE FLOOR OF WELL.
WELL TO BE 0.2mm MAX. DEEP.
 - FORCE AT 0.30mm DEFLECTION = 0.35N (MIN.).
FORCE AT 0.80mm DEFLECTION = 1.0N (MAX.).

FOR PREVIOUS
DRAWING ISSUES
SEE MRI.

VARIOUS MODS. ECN E80116 '97/10/30 J O'C	REVISIONS	DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1°
		INCH (METRIC)
		3 PLACE ± .
		2 PLACE ± . ± 0.05
		1 PLACE ± . ± 0.10
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS
		DESIGN DIMENSION (PRIMARY) ☒ (MM)
		EQUIVALENT DIMENSION (SECONDARY) ☐ (MM)

DRWG BY JJJO
CHK'D BY
APP'D BY
SCALE 5:1

CAD/CAM FILENAME S91119X1.DGN		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
REVISE ONLY ON CAD SYSTEM			
TITLE MOBILE PHONE CONTACT UNIT FOR WIRE			
MOLEX MOLEX EUROPE		SHEET NO. 10F3	DATE 96/01/23
PART NO. 91119-1001	DWG NO. SDA-91119	SIZE B	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[91119-0002](#)