






Copyright FCI.

NOTES:

1. MATERIAL:  
A. HEADER HOUSING: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETADENT ACC. UL 94 V0
- B. TERMINAL: TINBRONZE
- C. WAFER: LIQUID CRYSTAL POLYMER 30% GLASS  
FLAME RETADENT
2. PACKAGING ACCORDING GS-14-654

REV F - 2006-04-17

rev	ecn no	dr	date
H	N09-0372	SH	2010-01-05
J	N11-0071	A.ZH	2011-03-23
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com			surface ISO 1302		- ✓ tolerance std ISO 406 ISO 1101		projection 		MM 			
			TOLERANCES UNLESS OTHERWISE SPECIFIED									
Dr	B.Beirinckx	2002/06/30	ANGULAR	LINEAR	0.X		±0.30		size A3	Scale 3:1		
Eng	G.Nys	2002/06/30			0.XX		±0.15					
Chr	W.Panis	2002/06/30			0.XXX		±0.05					
Appr	W.Panis	2002/06/30	° ±°		ECN				NII-0071			
			Product family					Spec ref		RELEASE		
		title	SOFIX 72 POS WITH FRONT SPRINGS						72850			Rev. J
			SHIELDED HDR 3x24 PIP									
			catalog no		See Table				CUSTOMER		sheet 1 of 2	

PDM: Rev:J

STATUS:Released

Printed: Mar 31, 2011


LEAD FREE PRODUCT NUMBER

PRODUCT NUMBER	MADE FROM									
Item	Row	Number	Column							
72850-XY1LF	D	24	Q	Q	Q	Q	2	I		
	C		P	P	P	P	P	P		
	B		O	O	O	O	O	O		
	A		N	N	N	N	N	N		
72850-XY2LF	D	24	U	U	U	U	U	Q		
	C		T	T	T	T	P	T		
	B		S	S	S	S	S	S		
	A		N	N	N	N	N	N		
72850-XY3LF	D	12	Q	Q	Q	Q	Q	Q		
	C									
	B		O	O	O	O	O	O		
	A									

Nota: Y can be 0 or 1.



Item	DIM A
N	5.75
O	5.00
P	5.00
Q	5.00
R	5.00
S	5.75
T	5.75
U	5.75



Material	SEE NOTES	Spec ref	RELEASE
Mat code	-	surface -	tolerance
Heattreat	-	ISO 1302	ISO 406
Plating/Finish	-	ISO 1302	ISO 1101
Dr	B.Beirinckx	2002/06/30	
Eng	G.Nys	2002/06/30	Product family
Chr	W.Panis	2002/06/30	Model Name
Appr	W.Panis	2002/06/30	Model Revision
+ FCI		= SOFIX 72 POS WITH FRONT SPRINGS	
+ FCI		= SHIELDED HDR 3x24 PIP	
Pro/E file	catalog no	See Table	CUSTOMER
		72850	
		Rev. J	
		sheet 2 of 2	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[72850-101LF](#) [72860-103LF](#) [72850-701LF](#) [72850-702LF](#) [72850-703LF](#) [72860-201LF](#)