

MODULAR JACKS AND PLUGS: GPX Series

Vertical Ganged Jack

Product Features:

- Available in 6 and 8 Position Housings
- Top Entry Version
- Ribbed Pin Guides
- Metal Locking Brackets
- CSA/NRTL Certified File No. LR78160
- UL File No. E134345

Performance Specifications

Materials and Finish

Housing Material

Thermoplastic, UL 94V-0 Rated, Gray Color

Contact Material

Phosphor Bronze

Electrical Characteristics

Insulation Resistance

500 Megohms Min.

Dielectric Withstanding Voltage

1000V RMS, 60Hz

Contact Resistance

20 milliohms Max.

Current Rating

1.5A

Voltage Rating

125V DC

| | | | |
|-----------------------|---------------------|----------------------|------------------|
| 2D Drawing | IGES | STEP | 3D PDF |
| Solder Profile | CofC RoHS Compliant | CofC REACH Compliant | UL Plastic File |
| Certificate of Origin | Check Stock | Request a Sample | Send Us An Email |

Generated Part Number



Part Number Builder

| | | | | |
|----------------------|---|----------------------|----------------------|----------------------|
| <input type="text"/> | - | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Series | | Number of Ports | Positions & Contacts | Plating Options |

Series

GPX - Vertical PCB Mount

Number of Ports

- 2 - 2 Port
- 3 - 3 Port
- 4 - 4 Port
- 5 - 5 Port
- 6 - 6 Port
- 7 - 7 Port
- 8 - 8 Port

Number of Positions / Contacts

- 62 - 6 Positions / 2 Contacts
- 64 - 6 Positions / 4 Contacts
- 66 - 6 Positions / 6 Contacts
- 88 - 8 Positions / 8 Contacts (Available up to 4 ports)

Plating Option


- Blank - Gold Flash
- 50 - 50µ" Gold Plating

Contact Kycon for Other Options

GPX Series

Dimensions in mm

GPX-x-8y



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Kycon:](#)

[GPX-4-64](#) [GPX-4-62](#) [GPX-4-66](#) [GPX-4-88](#) [GPX-3-64](#) [GPX-3-66](#) [GPX-3-88](#) [GPX-3-88-50](#) [GPX-4-88-50](#) [GPX-2-88-50](#) [GPX-4-64-50](#) [GPX-2-64-50](#) [GPX-6-64-50](#) [GPX-5-64-50](#) [GPX-7-64-50](#) [GPX-3-64-50](#) [GPX-2-66-50](#) [GPX-6-66-50](#) [GPX-4-66-50](#) [GPX-7-66-50](#) [GPX-3-66-50](#) [GPX-5-66-50](#) [GPX-8-62-50](#) [GPX-7-64](#) [GPX-7-62](#) [GPX-7-66](#) [GPX-5-66](#) [GPX-5-62](#) [GPX-5-64](#) [GPX-8-66-50](#) [GPX-8-66](#) [GPX-8-62](#) [GPX-8-64](#) [GPX-7-62-50](#) [GPX-5-62-50](#) [GPX-6-62-50](#) [GPX-6-64](#) [GPX-6-66](#) [GPX-6-62](#) [GPX-2-88](#) [GPX-2-66](#) [GPX-2-64](#) [GPX-8-64-50](#) [GPX-1-88](#) [GPX-1-88-50](#) [GPX-2-62](#) [GPX-2-62-50](#) [GPX-3-62](#) [GPX-3-62-50](#) [GPX-4-62-50](#) [GPJX-623K-66-07500](#)