## ® Thermofit Molded Parts Specification Control Drawing

Part Number :  ${\tt Description} \ :$ 

222D121 thru 196 Boot, 90°, With Lip

## NOTES

- 1. All dimensions are in Incres [millimeters]
- 2. Dimensions appearing in table are as follows:

a - As Supplied

- b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
- Molding ports are optional. When -00 modification number is specified molding ports will be located as shown.
- -8 material is not available on 222D185 and 222D196. 5.

	H DIA	AS SUPPLIED								AFTER UNRESTRICTED RECOVERY							
	TABLE OF DIMENSIONS																
	PART	н			J			Р	R	s	т	U	JO	w	к	L	
	NUMBER	Min -8,-100 a	Min a	Max b	Min -8,-100 a	Min -3,-4,-25 a	Min -5,-6,-12 a	Max b	±10% b	Ref b	Ref b	Ref b	Ref b	±10% b	±20% b	±10%	±10% b
	222D121	<u>.94</u> [24,0]	<u>.92</u> [23,4]	<u>.41</u> [10,4]	<u>.55</u> [14,0]	<u>.92</u> [23,4]	.49 [12,4]	<u>.22</u> [5,6]	.84 [21,3]	<u>.89</u> [22,6]	<u>.65</u> [16,5]	<u>.12</u> [3,0]	<u>.04</u> [1,0]	<u>.23</u> [5,8]	.05 [1,3]	<u>.60</u> [15,2]	<u>.58</u> [14,7]
	222D132	<u>1.18</u> [30,0]	<u>1.12</u> [28,4]	<u>.56</u> [14,2]	<u>.59</u> [15,0]	1.12 [28,4]	<u>.58</u> [14,7]	<u>.26</u> [6,6]	<u>1.33</u> [33,8]	<u>1.07</u> [27,2]	<u>.76</u> [19,3]	. <u>12</u> [3,0]	<u>.04</u> [1,0]	<u>.65</u> [15,5]	<u>.06</u> [1,5]	<u>.75</u> [19,1]	. <u>98</u> [24,9]
	222D142	1.22 [31,0]	1.22 [31,0]	<u>.70</u> [17,8]	<u>.71</u> [18,0]	<u>1.22</u> [31,0]	<u>.63</u> [16,0]	<u>.28</u> [7,1]	1.44 [36,6]	<u>1.22</u> [31,0]	. <u>83</u> [21,1]	. <u>12</u> [3,0]	<u>.04</u> [1,0]	<u>.50</u> [12,7]	.07 [1,8]	<u>.75</u> [19,1]	. <u>98</u> [24,9]
	222D152	<u>1.42</u> [36,0]	<u>1.42</u> [36,0]	. <u>88</u> [22,4]	<u>.83</u> [21,0]	<u>1.42</u> [36,0]	<u>.73</u> [18,5]	. <u>33</u> [8,4]	<u>1.72</u> [43,7]	<u>1.38</u> [35,1]	<u>.90</u> [22,9]	. <u>12</u> [3,0]	<u>.04</u> [1,0]	<u>.57</u> [14,5]	<u>.07</u> [1,8]	<u>.75</u> [19,1]	1 <u>.18</u> [30,0]
	222D163	<u>1.69</u> [43,0]	<u>1.68</u> [42,7]	<u>1.11</u> [28,2]	<u>.98</u> [25,0]	1.68 [42,7]	<u>.87</u> [22,1]	<u>.39</u> [9,9]	<u>2.11</u> [53,6]	<u>1.73</u> [43,9]	<u>1.14</u> [29,0]	<u>.12</u> [3,0]	<u>.07</u> [1,7]	<u>.69</u> [17,5]	.08 [2,0]	<u>.76</u> [19,3]	1 <u>.30</u> [33,0]
	222D174	<u>2.05</u> [52,0]	<u>2.04</u> [51,8]	<u>1.38</u> [35,1]	<u>1.54</u> [39,0]	<u>2.04</u> [51,8]	<u>1.39</u> [35,3]	<u>.62</u> [15,7]	<u>3.07</u> [78,0]	<u>2.08</u> [52,8]	<u>1.32</u> [33,5]	<u>.12</u> [3,0]	<u>.07</u> [1,7]	<u>1.32</u> [33,5]	<u>.13</u> [3,3]	1 <u>.00</u> [25,4]	2 <u>.12</u> [53,8]
*	222D185	<u>2.60</u> [66,0]	<u>2.60</u> [66,0]	1.75 [44,5]	<u>1.65</u> [42,0]	2.60 [66,0]	<u>1.80</u> [45,7]	<u>.80</u> [20,3]	<u>3.84</u> [97,5]	2.60 [66,0]	<u>1.64</u> [41,7]	<u>.12</u> [3,0]	<u>.08</u> [2,0]	<u>1.58</u> [40,1]	<u>.15</u> [3,8]	1 <u>.00</u> [25,4]	2.80 [71,1]
*	222D196	<u>3.22</u> [81,8]	<u>3.22</u> [81,8]	2.38 [60,5]	2.25 [57,2]	<u>3.22</u> [81,8]	2.25 [57,2]	<u>1.00</u> [25,4]	4.64 [117,9]	<u>3.30</u> [83,8]	2.03 [51,6]	. <u>12</u> [3,0]	.08 [2,0]	<u>1.50</u> [38,1]	<u>.16</u> [4,1]	1 <u>.00</u> [25,4]	3.15 [80,0]
ED.	L										•						

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLI CHECK FOR THE LATEST REVISION.

R Thermofit Molded Parts

ETE TE Connectivity

300 Constitution Drive, Menio Park, CA 94025

Revision : R1 Date : 20APR11 Part Number : Description : Boot, 90°, With Lip

222D121 thru 196

Part Number : 222D121 thru 196 Description : Boot, 90°, With Lip

COMPATABILITY CHART									
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION				
-3	Polyolefin, Semi-rigid	RT-301	/42; /86; /180	S-1017; S-1048; S-1030	Adhesive				
-4	Polyolefin, Flexible	RT-1304	/42; /86; /180	S-1017; S-1048; S-1030	Adhesive				
-5	Elastomer, Flexible	RT-501	N/A						
-6	Silicone	RT-602	N/A						
-8	Polyolefin, Space	RT-1308	N/A						
-12	*VITON, Flexible	RT-1312	N/A						
-25	Elastomer, Fluid Resistant	RT-1325	/86;/225	S-1048; S-1206	Adhesive				
-100	Polyolefin, Semi-flexible ZER0HAL™	RT-1323	/86; /180; /184	S-1048; S-1030	Adhesive				

\*VITON is a Registered Trademark of Dupont

Specification Control Drawing

ORDERING INFORMATION 222D1XX \_X\_ <u>-xx</u> <u>/xxx</u> Base part number Material dash number (See Compatability Chart) Modification number (If necessary, see front of scd binder for a complete list) Adhesive slash number (If necessary, see Compatability Chart)

THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

## IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED. CHECK FOR THE LATEST REVISION.



Menio Park, CA 94025 IF THIS DECUMENT IS PRINTED IT BECOMES UNCONTROLLED. CHECK FOR THE LATEST REVISION.

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 222D163-12-0