

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG 2006



COPYRIGHT 2009

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION







DATE

DWN

APVD

SEE SHEET 1.

PULL OUT DIRECTION



SHIPPING CARTON

LABEL

NOTES:

1.MATERIAL:

REEL: PS.

CARRIER: PS.



COVER TAPE: PBT.

2.DIMENSION

REEL: 330mmX37.1mm

3.PEELING STRENGTH: 0.1~1.3N(10.2g~132.5g)

4.PEELING SPEED: 300MM/MIN.



9.46 Kg	4.86 Kg	300	9	2700 PCS	2041179-1
GROSS WEIGHT	NET WEIGHT	PCS/REEL	REELS /CARTON	QUANTITY	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

Tyco Electronics Corporation
Taipei, Taiwan

NAME

USB 3.0 STANDARD TYPE A,
RECEPTACLE, CL:1.04mm

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C=2041179

SCALE

SHEET

2 of 2

REV A1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2041179-1](#)