

8			7		
THIS DRAWING IS UNPUBLISHED.			RELEASED FOR PUBLICATION		
COPYRIGHT 20			20		
BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.					
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION
1855414-1	A	122500-1	LEADMAKER	POST FEED	CUTS CARRIER
1855414-2	A	565435-5	BENCH MODEL K	PRE FEED	CUTS CARRIER
1855414-3	A	354500-1	BENCH MODEL G	PRE FEED	CUTS CARRIER
1855414-6	A	122500-1	LEADMAKER	POST FEED	CONTINUOUS CARRIER
7-1855414-7	A	-	-	-	SPARE PARTS


RECOMMENDED SPARE PARTS

GREASE LIGHTLY


GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE

APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY PN 1-23419-5 LOC-TITE TO THREADS.

*** WARNING**
ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN. REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.



TERMINAL NAME: LEAR MDK3 PLUS TERMINAL					
TE PN	LEAR	LEAR TERMINAL - LEAR CRIMP SPECS			
1949701	26628.331.179	CRIMP HEIGHT		WIRE SIZE	
-	-	1.30mm+.05/- .05[.051+.002/- .002]		1mm2	
-	-	1.25mm+.05/- .05[.049+.002/- .002]		0.75mm2	
-	-	1.20mm+.05/- .05[.047+.002/- .002]		0.5mm2	
-	-	-		-	
-	-	CRIMP	SIZE	TYPE	RANGE
SEAL PN	-	WIRE	1.79mm [1.070]	F	1.00-0.50
1949095	16694.627.626	INSUL	3.94mm [1.155]	O	Ø2.000 - 2.700
-	-	FEED	13.49	APPLICATOR INSTRUCTIONS 408-8040	
WIRE STRIP LENGTH 4.35-4.73		TERM APPL SPEC NONE		SET UP GAGE 458637-1	



LOC		DIST		REVISONS			
A		66		P	LTR	DESCRIPTION	DATE
				A		RELEASED	15JUL2008

3	-	-	-	REF	-	..	455749-1	GUARD WINDOW	116
3	-	-	REF	-	-	..	679532-1	INSERT, GUARD	115
-	1	1	1	1	-		1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
-	1	1	1	1	-		318563-1	GUARD, FRONT CHIP	89
-	1	1	1	1	-		4088040	SF APPL INST 408-8040	72
-	1	1	1	1	-		217238-1	GENERAL INSTRUCTION PKG	71
-	1	1	1	1	-		461264-5	PLATE, IDENTIFICATION	67
-	2	2	2	2	-		21017-2	SCREW, DRIVE	66
-	1	1	1	1	-		21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
-	1	1	1	1	-		22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
-	1	1	1	1	-		2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
-	1	1	1	1	-		1-21003-9	SCR, FLT SKT HD CAP 6-32 X .375	57
4	1	1	1	1	-		458537-2	PAWL, FEED	56
-	4	4	4	4	-		2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
-	2	2	2	2	-		2-21000-8	SCR, SKT HD CAP 8-32 X .625	53
-	1	1	1	1	-		21018-5	NUT, HEX, REG 6-32	52
-	1	1	1	1	-		811242-2	BUMPER, HOLD DOWN	51
-	1	1	1	1	-		690753-1	SPACER, TONKER	50
-	-	1	-	-	..		690602-6	CAM, PRE FEED, 1 5/8	49
-	-	-	1	-	..		690602-5	CAM, PRE FEED, 1 1/8	48
-	1	-	-	1	-		690501-4	CAM, POST-FEED 1 5/8	47
-	1	1	1	1	-		459456-1	APPL. BASIC SUB ASSY (SIDE WISE MQCA)	46
-	1	1	1	1	-		690191-1	PLUG,NYLON	45
-	1	1	1	1	-		455673-1	RAM, SIDE FEED	44
-	1	1	1	1	-		7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
-	1	1	1	1	-		690125-1	SHIM SUB-ASSY	39
-	1	1	1	1	-		469367-9	SHIM	38
-	1	1	1	1	-		879103-2	FINE ADJUST HEAD ASSEMBLY	37
-	1	1	1	1	-		690786-3	TERMINAL SUPPORT	34
-	2	2	2	2	-		2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
-	1	1	1	1	-		21024-5	WASHER, SPRG LOCK, REG NO 10	32
-	1	1	1	1	-		3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
-	1	1	1	1	-		1320908-2	SPACER, STRIP GUIDE	30
-	1	1	1	1	-		1633091-3	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	-		455888-7	SPACER, CRIMPER	28
-	1	1	1	1	-		1320928-2	PLATE, STRIP GUIDE	24
-	1	-	-	1	-		690472-2	STRIPPER	22
-	1	1	1	1	-		2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
-	4	4	4	4	-		21024-4	WASHER, SPRG LOCK, REG NO 8	20
-	-	1	1	-	-		691353-1	STRIPPER	19
1	-	1	-	-	-		679625-2	SHEAR HOLDER, FRONT (NO CUT)	13
-	1	1	1	1	-		3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	-		690461-2	STOP, SHEAR	11
1	-	1	1	1	-		1-690459-0	SHEAR HOLDER, FRONT	10
1	-	1	1	1	-		318707-2	FLOATING SHEAR, FRONT	9
1	1	1	1	1	-		7-1633535-8	ANVIL, COMBINATION	8
-	1	1	1	1	-		240641-5	SPACER	7
-	-	-	-	-	..		-	-	6
-	1	1	1	1	-		318701-6	DEPRESSOR, SHEAR	5
-	1	1	1	1	-		238011-2	BLOCK, CRIMPER SPACER	4
1	1	1	1	1	-		3-456135-7	CRIMPER, INSULATION O PREMIUM	3
-	1	1	1	1	-		455888-7	SPACER, CRIMPER	2
1	1	1	1	1	-		5-456404-5	CRIMPER, WIRE PREMIUM	1
-77	-6	-3	-2	-1	U/M		PART NO	DESCRIPTION	ITEM NO

THIS IS A CUSTOMER VIEWABLE DRAWING. THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED AND IS NOT TO BE RELEASED TO THE PUBLIC OR TO ANY OTHER ORGANIZATION WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION. SHOULD BE CONTROLLED FOR THE LATEST EDITION.		DWN	B. HIGMAN	23JUN2008	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		ENG	T. ELBIN	23JUN2008	NAME FINE ADJUST SIDE FEED HDM APPLICATOR	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	N. DEMING	23JUN2008	PRODUCT SPEC	
9 PLC ±.01		APPLICATION SPEC		SIZE		CAGE CODE
1 PLC ±.01		WEIGHT		DRAWING NO		RESTRICTED TO
3 PLC ±.001		CUSTOMER DRAWING		A1 00779		SCALE
4 PLC ±.0001		SCALE		3:5		SHEET
ANGLES ±.0001		REV		A		OF
FINISH		REV		A		REV

CUSTOMER VIEWABLE ASSEMBLY

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1855414-1](#)