






REVISIONS					
REV	DATE	DESCRIPTION	BY	CHK	APPV
J1	11MAR11	REVISED PER ECO-11-004820		RK	HMR
K	24MAY2017	REVISED PER ECO-17-002214		RS	MM

- 1 HOUSING: LCP, COLOR-BLACK.
POST: BRASS.
- 2 POST: 0.00254-0.00508 [.000100-.00200] BRIGHT TIN-LEAD OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 3 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY THE CUSTOMER.
- 4 TWO POLARIZATION SLOTS ON ASSEMBLIES WITH FOUR OR MORE
POSITIONS.
- 5 0.00254-0.00508 [.000100-.000200] BRIGHT TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 6 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.
- 7 0.00254-0.00508 [.000100-.000200] MATTE TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.

SEE TABLE ON
SHEET #3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. HAYMAKER	02DEC99	 TE Connectivity							
DIMENSIONS: mm [INCHES]		CHK J. MOSIER	02DEC99								
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. MOSIER	02DEC99	NAME							
		PRODUCT SPEC		HEADER ASSEMBLY, LATCHING, RIGHT ANGLE SURFACE MOUNT, MTE, AMPMODU							
		APPLICATION SPEC									
		SIZE		CAGE CODE	DRAWING NO						
		WEIGHT		A1	00779	 147324	RESTRICTED TO				
SEE TABLE		CUSTOMER DRAWING		SCALE	6:1	SHEET	1	OF	4	REV	K

4805 (1/15)

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION								REVISIONS			
© COPYRIGHT -- By --				ALL RIGHTS RESERVED.								P LTR DESCRIPTION DATE DWN APVD			
												-- -- --			
												SEE SHEET 1			

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION											
© COPYRIGHT — By —				ALL RIGHTS RESERVED.											

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-147324-0](#)