





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
N		REVISED PER ECO-16-004940	29JUL2016	NK MZ



RECOMMENDED PC BOARD LAYOUT



- ▲ NYLON, UL 94V-0 RATED, RED.
- ▲ BRASS PER ASTM B36.
- ▲ 3.81µm [.000150] MIN TIN OVER 2.54µm [.000100] MIN COPPER.
- ▲ 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] FROM MATING END, 3.81µm [.000150] MIN TIN FOR A LENGTH OF 4.83 [.190] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.
- ▲ 3.81µm [.000150] MIN LEAD FREE TIN OVER 2.54µm [.000100] MIN COPPER.
- ▲ 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] FROM MATING END, 3.81µm [.000150] MIN LEAD FREE TIN FOR A LENGTH OF 4.83 [.190] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.

6	YES	1-207441-0
6	NO	207441-9
5	NO	207441-8
5	YES	207441-7
4	NO	207441-4
4	YES	207441-3
3	NO	207441-2
3	YES	207441-1
CONTACT FINISH		PART NO
MOUNTING TABS		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03/10/92	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK 3-17-92		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 3-17-92	NAME	
0 PLC ± -		PRODUCT SPEC	A. TRAVIS	
1 PLC ± -		APPLICATION SPEC	108-10033	
2 PLC ± 0.25 [.010]			SIZE	CAGE CODE
3 PLC ± -			A2	00779
4 PLC ± -			DRAWING NO	RESTRICTED TO
ANGLES ± -			C=207441	-
MATERIAL	FINISH	WEIGHT	SCALE 4:1 SHEET 1 OF 1 REV N	
HOUSING: ▲	CONTACT: SEE TABLE		CUSTOMER DRAWING	
CONTACT: ▲				

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[207441-8](#)