





| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| CM  | 00   |           | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

D


C



PCB LAYOUT FOR 2 POSITION   
COMPONENT SIDE




PCB LAYOUT FOR 3 POSITION   
COMPONENT SIDE



PCB LAYOUT FOR 4-12 POSITION   
COMPONENT SIDE

B

A

|                                                                                                   |  |                                                                                                                         |                                                                                                                             |                    |                         |                    |
|---------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                            |  | DWN<br>J. ROOT<br>09OCT2000                                                                                             |  TE Connectivity                       |                    |                         |                    |
| DIMENSIONS:<br>mm                                                                                 |  | CHK<br>K. WHITAKER<br>17-APR-2001                                                                                       |                                                                                                                             |                    |                         |                    |
|              |  | APVD<br>C. JONES<br>17-APR-2001                                                                                         | NAME<br>RIGHT ANGLE THRU HOLE HEADER ASSY,<br>0.38 MIC GOLD CONTACTS, WITH PLASTIC<br>HOLDDOWNS, SGL ROW, MICRO MATE-N-LOK™ |                    |                         |                    |
|                                                                                                   |  | PRODUCT SPEC<br>-                                                                                                       | SIZE<br>A2                                                                                                                  | CAGE CODE<br>00779 | DRAWING NO<br>C-1445089 | RESTRICTED TO<br>- |
| MATERIAL<br> |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±<br>1 PLC ±<br>2 PLC ±0.13<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±<br>FINISH | APPLICATION SPEC<br>-                                                                                                       |                    | WEIGHT<br>-             |                    |
| SEE TABLE -                                                                                       |  | CUSTOMER DRAWING                                                                                                        |                                                                                                                             | SCALE<br>5:1       | SHEET<br>2              | OF<br>2            |
|                                                                                                   |  |                                                                                                                         |                                                                                                                             | REV<br>A2          |                         |                    |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1445089-2](#)