








HEADERS CODINGS

(CODING 2 SHOWN)


HEADER'S CODINGS FOR MODULE T2 (32W)					
COLOR	CODING	DIM. A	DIM. B	DIM. C	DIM. D
BLACK	1	9.1	4.3	5.9	4.3
GREY	2	7.5	5.9	9.1	5.9
BROWN	3	5.9	7.5	9.1	9.1
GREEN	4	7.5	9.1	4.3	4.3
BLUE	5	4.3	7.5	5.9	5.9
YELLOW	6	9.1	7.5	4.3	7.5

(CODING 3 SHOWN)


HEADER'S CODINGS FOR MODULE T3 (48W)					
COLOR	CODING	DIM. A	DIM. B	DIM. C	DIM. D
BLACK	1	12.9	6.3	8.5	6.3
GREY	2	10.7	8.5	12.9	8.5
BROWN	3	8.5	10.7	12.9	12.9
GREEN	4	10.7	12.9	6.3	6.3
BLUE	5	6.3	10.7	8.5	8.5
YELLOW	6	12.9	10.7	6.3	10.7

NOTE:

- 1- INTERFACE DEFINITION BASED ON NFR13-462 STANDARD.
2- HEADER: ELASTICITY MODULUS: 8000Mpa min.
(INITIAL CONDITION BEFORE AGEING)



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: NX RE-MASTERING				molex							
mm		2:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 603689 DRWN: SLAFAURE 2018/07/17 CHK'D: OPLESSIS 2018/08/31 APPR: SLAFAURE 2018/09/03				32 & 48CKT CMC INTERFACE							
ANGULAR TOL ± 2.0 °															
4 PLACES		± 0.10													
3 PLACES		± 0.10		INITIAL REVISION: DRWN: G.DESBRUERES 2008/10/02 APPR: OPLESSIS 2008/10/06				PRODUCT CUSTOMER DRAWING							
2 PLACES		± 0.10													
1 PLACE		± 0.10													
0 PLACES		±		DOCUMENT NUMBER SD-98644-006				DOC TYPE PSD		DOC PART 001		REVISION B1			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								FIRST ANGLE PROJECTION		DRAWING A2-SIZE		SERIES 98644		MATERIAL NUMBER N/A	



20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

M

L

K

J

I

H

G

F

E

D

C

B

A

J

I

H

G

F

H

G

F

E

D

C

B

A

J

I

H

G

F

E

D

C

B

A

M

L

K

J

I

H

G

F

E

D

C

B

A

J

I

H

G

F

H

G

F

E

D

C

B

A

J

I

H

G

F

E

D

C

B

A

M

L

K

J

I

H

G

F

E

D

C

B

A

J

I

H

G

F

H

G

F

E

D

C

B

A

J

I

H

G

F


E

D


C

B

A



CH. 0.3 X 45 * TOUT AROUND
CHAMFER 0.3 X 45° ALL AROUND





INDICATION DIMENSIONS S.P.C
DENOTES S.P.C DIMENSIONS
INDICATION DIMENSIONS CRITIQUES
DENOTES CRITICAL DIMENSIONS
INDICATION DIMENSIONS FONCTIONNELLES
DENOTES FUNCTIONAL DIMENSIONS
QUANTITE PAR FEUILLE INDIVIDUELLE
QUANTITY PER INDIVIDUAL SHEET
0 0 3

QUANTITE/ANNEE DE L'ASSEMBLAGE
DAY IN YEAR/YEAR OF ASSEMBLY


IMPRESSION JET D'ENCRE
INK JET PRINTING

REFERENCE MOLEX
MOLEX PART NUMBER

INDICE DE REVISION DU PLAN CLIENT
CUSTOMER DRAWING REVISION LEVEL



A-A
(LEVER NON REPRESENTE)
(LEVER NOT SHOWN)



ECHELLE 1:1
SCALE 1:1

2 C3
1 C3
SHT/REV

EC NO: G2009-0313 DRAWN: PGRANDCLZ09/06/18 CHKD: PDECHELEZ09/06/18 APPR: CBOUCHANZ09/06/18	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2:1	DESIGN UNITS METRIC	 FIRST ANGLE PROJECTION	REVISE ON CAD ONLY		
			mm	INCH	DIMENSION STYLE MM ONLY		TITLE PORTE-CLIPS 48 VOIES CMC FEMALE MODULE CMC 48 WAY SALES DRAWING		
		4 PLACES	± ---	± ---	DRAWN BY PGR		DATE 98/12/13	 MOLEX INCORPORATED	
		3 PLACES	± ---	± ---	CHECKED BY		DATE		
		2 PLACES	± 0.10	± ---	PDE		00/02/02		
1 PLACE	± 0.15	± ---	APPROVED BY CBO	DATE 00/02/02	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-98950-010	SHEET NO. 1 OF 2		
REV		DRAFT WHERE APPLICABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				A1	
		MUST REMAIN WITHIN DIMENSIONS							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[98950-3003](#)