




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
P		REVISED PER ECO-16-004940	02AUG2016	NK	MZ
R		REVISED PER ECO-17-011181	05AUG2017	RS	MZ
S		REVISED PER ECO-18-000437	18JAN2018	RS	MZ



- 1 NYLON, UL 94-V0 RATED, RED.
- 2 PHOSPHOR BRONZE.
- 3 3.81 μ m [.000150] MIN TIN-LEAD OVER 1.27 μ m [.000050] MIN NICKEL.
- 4 0.76 μ m [.000030] MIN GOLD FOR A LENGTH OF 4.95 [.195] MIN FROM MATING END 3.81 μ m [.000150] MIN TIN-LEAD FOR A LENGTH OF 4.88 [.192] MIN ON OPPOSITE END, BOTH OVER 1.27 μ m [.000050] MIN NICKEL.
- 5 3.81 μ m [.000150] MIN TIN OVER 1.27 μ m [.000050] MIN NICKEL.
- 6 0.76 μ m [.000030] MIN GOLD FOR A LENGTH OF 4.95 [.195] MIN FROM MATING END 3.81 μ m [.000150] MIN TIN FOR A LENGTH OF 4.88 [.192] MIN ON OPPOSITE END, BOTH OVER 1.27 μ m [.000050] MIN NICKEL.

OBSELETE	4.60	[.181]	6	NO	4-207532-1
	4.60	[.181]	6	YES	1-207532-0
	4.60	[.181]	5	NO	207532-9
	4.60	[.181]	5	YES	207532-8
OBSELETE	9.68	[.381]	3	NO	207532-7
OBSELETE	4.60	[.181]	4	NO	207532-4
OBSELETE	4.60	[.181]	4	YES	207532-3
OBSELETE	4.60	[.181]	3	NO	207532-2
OBSELETE	4.60	[.181]	3	YES	207532-1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIN L/SIPE 03/19/92. CRK 3-25-92. R. STONE 3-25-92. NAME: A. TRAVIS. PRODUCT SPEC: 108-10033. APPLICATION SPEC: -.

MATERIAL: HOUSING: 1. FINISH: CONTACT: SEE TABLE. WEIGHT: -. SIZE: A1. CAGE CODE: 00779. DRAWING NO: 207532. RESTRICTED TO: -.

CUSTOMER DRAWING. SCALE: 4:1. SHEET: 1 OF 1. REV: S.

CONTACT FINISH: MOUNTING TABS: PART NO:

STE TE Connectivity

SOCKET HEADER ASSEMBLY, 24 POSITION, METRIMATE