

## Specification Sheet

Part Number: TAG22T2-100B



Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 2 Across, VL, White, 5000/roll

**Article Number** 596-00006

**Type** TAG22T2

**Color** White (WH)

**Features & Benefits**

- Clear laminate provides excellent abrasion protection and chemical resistance.
- Flexible material bends around small gauge wires and tight bends.
- Labels are UL recognized and include a strong acrylic adhesive for indoor and outdoor use.
- Standard 3" core can be used with HellermannTyton thermal transfer printers or most standard brands.

**Quantity Per** roll

<b>Product Description</b>	HellermannTyton self-laminating thermal transfer printer labels are a made of a flexible vinyl film with a white printable surface that easily confirms to wires. These labels include a clear "tail" that laminates printed text when applied. Labels are UL recognized for indoor and outdoor use and feature a strong acrylic adhesive designed to bond to both large and small diameter wires.
<b>Short Description</b>	Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 2 Across, VL, White, 5000/roll
<b>Global Part Name</b>	TAG22T2-100B-WH
<b>Width W (Imperial)</b>	1.0
<b>Width W (Metric)</b>	25.4
<b>Bundle Diameter Min (Imperial)</b>	.20
<b>Bundle Diameter Min (Metric)</b>	5.10
<b>Bundle Diameter Max (Imperial)</b>	0.29
<b>Bundle Diameter Max (Metric)</b>	7.37
<b>Thickness T (Metric)</b>	75
<b>Width of Liner (Metric)</b>	57.1
<b>Width of Liner (imperial)</b>	2.25

<b>Material</b>	Type 100B (100B)
<b>Material Shortcut</b>	100B
<b>Adhesive</b>	Acrylic
<b>Halogen free</b>	No
<b>Adhesive Operating Temperature</b>	-51°F to +200°F (-46°C to +93°C)
<b>Operating Temperature (Metric)</b>	-40°F to +194°F (-40°C to +90°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Certification/Specification WEB</b>	UL-Recognized
<b>UL Recognized (US)</b>	Yes
<b>Package Quantity(Imperial)</b>	5000
<b>Package Quantity (Metric)</b>	5000
<b>Customs Number</b>	3919102055
<b>Labels per Column</b>	1
<b>Labels per Row</b>	2
<b>Weight (Metric)</b>	1.176

**Weight (Imperial)**

2.57

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)