




4

3

2




1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV ,1998.
ALL RIGHTS RESERVED.



REVISIONS 変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED ECR-08-000339	01FEB08	T.T	T.F
	A1	REVISED PER ECO-16-002723	02FEB16	B.J	S.Y

4 TRAY TYPE-1 AND TYPE-2 MUST BE
PILED UP BY TURNS.
(REFER TO PACKING SPECIFICATIONS)



(A) OBSOLETE

SEALANT	AVAILABLE	3	18	70	54.7	320	6-912069-9	6-6318154-1
	NOT AVAILABLE	↑	↑	↑	48.7	280	6-↑-8	6-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	6-↑-7	5-↑-9
	NOT AVAILABLE	3	18	70	36.7	200	6-↑-6	5-↑-8
NON SEALANT	NOT AVAILABLE	3	18	70	54.7	320	6-↑-9	1-↑-1
	NOT AVAILABLE	↑	↑	↑	48.7	280	6-↑-8	1-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	6-↑-7	↑-9
	NOT AVAILABLE	3	18	70	36.7	200	6-912069-6	6318154-8
SEALANT	TOOLING STATUS	ROW	QTY	B	A	POS.	TRAY P/N	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH
仕上

GENERAL TOLERANCE
一般公差
10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

DWN
HAWKING HE
13DEC04

CHK
STEVEN YAO
13DEC04

APVD
I.ENOMOTO
13DEC04

PRODUCT SPEC
製品規格
108-60047

APPLICATION SPEC
取付適用規格
114-5255

WEIGHT

CUSTOMER DRAWING

STE TE Connectivity

SOFT TRAY ASSY
FH 0.6BTB CONNECTOR
PLUG 8H W/G-PLATE 2ROW TYPE

NAME
名称

SIZE
A3

CAGE CODE
00779

DRAWING NO
番号
C-6318154



RESTRICTED TO

SCALE
尺度
1:2

SHEET
1 OF 6

REV
A1

REVISIONS 変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



- ① MATERIAL ; ① HOUSING : HIGH TEMP THERMO PLASTIC
UL94V-0 (COLOR : NATURAL)
② CONTACT : COPPER ALLOY
③ CAP HOUSING : HIGH TEMP THERMO PLASTIC
UL94V-0 (COLOR : BLACK)
- ② FINISH ; UNDER PL Ni 0.0013mm MIN ALL OVER.
CONTACT AREA 0.0002 MIN Au PL.
SOLDERING AREA 0.001 MIN TIN PL.
- ③ THIS POSITION IS GROUND CIRCUIT.

AVAILABLE	51.8	50.6	47.4	50	54.7	54.7	320	1-	-1
NOT AVAILABLE	45.8	44.6	41.4	44	48.7	48.7	280	1-	-0
NOT AVAILABLE	39.8	38.6	35.4	38	42.7	42.7	240		-9
NOT AVAILABLE	33.8	32.6	29.4	32	36.7	36.7	200		1318156-8
TOOLING STATUS	F	E	D	C	B	A	POS	CAP	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

FINISH
仕上

GENERAL TOLERANCE
一般公差

10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

MATERIAL
材料

①

②

DWN
CHK
APVD
PRODUCT SPEC
製品規格
APPLICATION SPEC
取付適用規格
WEIGHT

NAME
名称

SOFT TRAY ASSY
FH 0.6BTB CONNECTOR
PLUG 8H W/G-PLATE 2ROW TYPE

SIZE
A3

CAGE CODE
00779

DRAWING NO
番号
C-6318154

RESTRICTED TO

CUSTOMER DRAWING

SCALE
尺度
2:1

SHEET
2 OF 6

REV
A1

1470-19 (1/15)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

NOV , 1998.


© COPYRIGHT 1998 By -

ALL RIGHTS RESERVED.

REVISIONS


変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



REFERENCE P.C.BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差MATERIAL
材料FINISH
仕上GENERAL TOLERANCE
一般公差

10 $\geq$: ± 0.2
30 $\geq$ >10: ± 0.25
100 $\geq$ >30: ± 0.3
ANGLES: $\pm 3^\circ$

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME
名称

SOFT TRAY ASSY
FH 0.6BTB CONNECTOR
PLUG 8H W/G-PLATE 2ROW TYPE

SIZE

CAGE CODE

DRAWING NO
番号


RESTRICTED TO

A300779


C-6318154

SCALE
尺度 4:1SHEET
3 OF 6REV
A1


REVISIONS					
変更					
P	LTR	DESCRIPTION		DATE	APVD
	-	SEE SHEET 1		-	-




280P



240P




320P





200P

GENERAL TOLERANCE
一般公差





10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity	
DIMENSIONS: 単位: 耗 mm		CHK			
		APVD			
		PRODUCT SPEC 製品規格			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APPLICATION SPEC 取付適用規格		NAME 名称	
MATERIAL 材料		WEIGHT		SIZE	
		CUSTOMER DRAWING		CAGE CODE	
				DRAWING NO 番号	
				RESTRICTED TO	
				SCALE 尺度 3:1	
				SHEET 4 OF 6	
				REV A1	

REVISIONS					
変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



DETAIL C
180P~240P ONLY



REFERENCE P.C.BOARD LAYOUT

AVAILABLE	51.8	50.6	54.7	50	47.4	160
AVAILABLE	45.8	44.6	48.7	44	41.4	140
NOT AVAILABLE	39.8	38.6	42.7	38	35.4	120
NOT AVAILABLE	33.8	32.6	36.7	32	29.4	100
TOOLING STATUS	E	D	C	B	A	POS

GENERAL TOLERANCE 一般公差
10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH
仕上

MATERIAL
材料

DWN

CHK

APVD

PRODUCT SPEC
製品規格

APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

STE TE Connectivity

NAME
名称

SOFT TRAY ASSY
FH 0.6BTB CONNECTOR
PLUG 8H W/G-PLATE 2ROW TYPE

SIZE
A3

CAGE CODE
00779

DRAWING NO
番号
C-6318154


RESTRICTED TO

SCALE
尺度 4:1


SHEET
5 OF 6

REV
A1

REVISIONS 変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



GENERAL TOLERANCE 一般公差
10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity					
		CHK						
DIMENSIONS: 単位： 耗 mm		APVD	NAME 名称 SOFT TRAY ASSY FH 0.6BTB CONNECTOR PLUG 8H W/G-PLATE 2ROW TYPE					
		PRODUCT SPEC 製品規格						
		APPLICATION SPEC 取付適用規格	SIZE A3			CAGE CODE 00779	DRAWING NO 番号 G-6318154	RESTRICTED TO
		WEIGHT						
MATERIAL 材料		FINISH 仕上	CUSTOMER DRAWING					
			SCALE 尺度 3:1			SHEET 6 OF 6		REV A1
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差								
0 PLC ± -								
1 PLC ± -								
2 PLC ± -								
3 PLC ± -								
4 PLC ± -								
ANGLES ± -								

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-6318154-1](#)