

|                                                                                                                                                                                                                                                                                             |                     |                                  |       |                                     |       |       |       |       |       |                                                                                                                                      |              |                                                                                                                                          |                                   |                                                                   |                          |                 |  |                         |  |               |  |      |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------------|-------|-------------------------------------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------------------------------------------------------------|--------------------------|-----------------|--|-------------------------|--|---------------|--|------|--|
| THIS DRAWING IS UNPUBLISHED.                                                                                                                                                                                                                                                                |                     |                                  |       | RELEASED FOR PUBLICATION SEP ,2005. |       |       |       |       |       |                                                                                                                                      | LOC J        |                                                                                                                                          | DIST                              |                                                                   | REVISIONS                |                 |  |                         |  |               |  |      |  |
| © COPYRIGHT 2005 By --                                                                                                                                                                                                                                                                      |                     |                                  |       | ALL RIGHTS RESERVED.                |       |       |       |       |       |                                                                                                                                      |              |                                                                                                                                          |                                   |                                                                   | 變更                       |                 |  |                         |  |               |  |      |  |
|                                                                                                                                                                                                                                                                                             |                     |                                  |       |                                     |       |       |       |       |       |                                                                                                                                      |              |                                                                                                                                          |                                   |                                                                   | P LTR DESCRIPTION        |                 |  | DATE                    |  | DWN           |  | APVD |  |
|                                                                                                                                                                                                                                                                                             |                     |                                  |       |                                     |       |       |       |       |       |                                                                                                                                      |              |                                                                                                                                          |                                   |                                                                   | F5 REVISED(ADD A NEW PN) |                 |  | 23DEC2015               |  | A.X           |  | H.W  |  |
| NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.                                                                                                                                                            |                     |                                  |       |                                     |       |       |       |       |       |                                                                                                                                      |              |                                                                                                                                          |                                   |                                                                   |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | —                                   | 0.5   | 10.55 | —     | —     | 1.1   | 1.1                                                                                                                                  | WITHOUT BOSS | EMBOSS PACKING (SEE SHEET 2)                                                                                                             | WITHOUT FLANGE TYPE (SEE SHEET 6) | 9—1747981—2                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITH P/N            | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 1.0   | 10.55 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITH BOSS    | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 9—1747981—1                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | 14.3  | M3 x 0.5                            | 0.5   | 10.05 | 10.95 | 7.98  | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | EMBOSS PACKING (SEE SHEET 3)                                                                                                             | WITH FLANGE TYPE (SEE SHEET 7)    | 8—1747981—2<br>2—1747981—5                                        |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 0.5   | 10.05 | 10.95 | 7.98  | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | CLEAR TRAY PACKING (SEE SHEET 4)                                                                                                         | WITH FLANGE TYPE (SEE SHEET 7)    | 8—1747981—1                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 1.0   | 10.55 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITH BOSS    | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 3—1747981—1                                                       |                          |                 |  |                         |  |               |  |      |  |
| NOT AVAILABLE                                                                                                                                                                                                                                                                               | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | 16.3  | #4—40 UNC                           | 0.5   | 10.55 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITH BOSS    | EMBOSS PACKING (SEE SHEET 3)                                                                                                             | WITH FLANGE TYPE (SEE SHEET 7)    | 2—1747981—4                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.76um MIN                    | 16.3  | M3 x 0.5                            | 1.0   | 10.55 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | EMBOSS PACKING (SEE SHEET 3)                                                                                                             | WITH FLANGE TYPE (SEE SHEET 7)    | 2—1747981—3                                                       |                          |                 |  |                         |  |               |  |      |  |
| NOT AVAILABLE                                                                                                                                                                                                                                                                               | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | #4—40 UNC                           | 0.5   | 10.05 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | HARDTRAY PACKING (—)                                                                                                                     | WITH FLANGE TYPE (SEE SHEET 7)    | 2—1747981—2                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.76um MIN                    | —     | M3 x 0.5                            | 1.0   | 10.55 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 2—1747981—1                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 1.0   | 10.55 | 12.75 | 10.08 | 1.5   | 1.5                                                                                                                                  | WITHOUT BOSS | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—8                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | 16.3  | M3 x 0.5                            | 1.0   | 10.55 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | EMBOSS PACKING (SEE SHEET 3)                                                                                                             | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—7                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 0.5   | 10.05 | 10.95 | 7.98  | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | SOFT TRAY PACKING (SEE SHEET 5)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—6                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | 14.3  | M3 x 0.5                            | 0.5   | 10.05 | 10.95 | 7.98  | 1.5   | 1.5                                                                                                                                  | WITHOUT BOSS | EMBOSS PACKING (SEE SHEET 3)                                                                                                             | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—5                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 1.0   | 10.55 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—4                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | #4—40 UNC                           | 0.5   | 10.05 | 12.75 | 10.08 | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—3                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 0.5   | 10.05 | 10.95 | 7.98  | 1.5   | 1.5                                                                                                                                  | WITHOUT BOSS | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—2                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | M3 x 0.5                            | 0.5   | 10.05 | 10.95 | 7.98  | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | SOFT TRAY PACKING (SEE SHEET 4)                                                                                                          | WITH FLANGE TYPE (SEE SHEET 7)    | 1—1747981—1                                                       |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | —                                   | 0.5   | 10.05 | —     | —     | 1.5   | 1.5                                                                                                                                  | WITHOUT BOSS | EMBOSS PACKING (SEE SHEET 2)                                                                                                             | WITHOUT FLANGE TYPE (SEE SHEET 6) | 1747981—2                                                         |                          |                 |  |                         |  |               |  |      |  |
| AVAILABLE                                                                                                                                                                                                                                                                                   | WITHOUT P/N         | Au 0.1um MIN OVER PdNi 0.2um MIN | —     | —                                   | 0.5   | 10.05 | —     | —     | 2.2   | 1.8                                                                                                                                  | WITHOUT BOSS | EMBOSS PACKING (SEE SHEET 2)                                                                                                             | WITHOUT FLANGE TYPE (SEE SHEET 6) | 1747981—1                                                         |                          |                 |  |                         |  |               |  |      |  |
| TOOL STATUS                                                                                                                                                                                                                                                                                 | PART NUMBER MARKING | CONTACT AREA PLATING SPEC J      | DIM H | SCREW SIZE DIM G                    | DIM F | DIM E | DIM D | DIM C | DIM B | DIM A                                                                                                                                | BOSS         | PACKING                                                                                                                                  | CONNECTOR TYPE                    | PART NUMBER                                                       |                          |                 |  |                         |  |               |  |      |  |
| 1 CONTACT COPLANALITY IS 0.1 MAXIMUM.<br>THIS DIMENSION MEANS CENTER OF THE POCKET.<br>FINISH<br>CONTACT: CONTACT AREA J: SEE TABLE<br>2μm MIN Sn PLATING ON SOLDERING AREA<br>2μm MIN Ni UNDER PLATING ALL OVER<br>SHELL: 1μm MIN Sn PLATING ALL OVER<br>1μm MIN Ni UNDER PLATING ALL OVER |                     |                                  |       |                                     |       |       |       |       |       | THIS DRAWING IS A CONTROLLED DOCUMENT.                                                                                               |              | DWN Y.HIRATA 15SEP2005<br>CHK T.KIMURA 15SEP2005<br>APVD K.IKEGAMI 15SEP2005<br>PRODUCT SPEC 製品規格 108—78180—1<br>APPLICATION SPEC 取付適用規格 |                                   | NAME 名称<br>HDMI 19 POS<br>RECEPTACLE ASSY SMT TYPE<br>—LEAD FREE— |                          |                 |  |                         |  |               |  |      |  |
| DIMENSIONS: 単位： 耗 mm                                                                                                                                                                                                                                                                        |                     |                                  |       |                                     |       |       |       |       |       | TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差<br>0 PLC ± 0.2<br>1 PLC ± 0.2<br>2 PLC ± 0.2<br>3 PLC ± 0.2<br>4 PLC ± 0.2<br>ANGLES ± — |              | WEIGHT                                                                                                                                   |                                   | SIZE A3                                                           |                          | CAGE CODE 00779 |  | DRAWING NO 番号 C—1747981 |  | RESTRICTED TO |  |      |  |
| MATERIAL 材料                                                                                                                                                                                                                                                                                 |                     |                                  |       |                                     |       |       |       |       |       | FINISH 仕上                                                                                                                            |              | CUSTOMER DRAWING                                                                                                                         |                                   | SCALE 尺度 NTS                                                      |                          | SHEET 1 OF 8    |  | REV F5                  |  |               |  |      |  |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP , 2005.

© COPYRIGHT 2005 By —

ALL RIGHTS RESERVED.

|     |   |
|-----|---|
| LOC | J |
|-----|---|

|  |                                                                                   |
|--|-----------------------------------------------------------------------------------|
|  | DIST                                                                              |
|  |  |

REVISIONS

变更

[illegible]

|     |
|-----|
| LTR |
|-----|

| DESCRIPTION |        |
|-------------|--------|
| 1           | 1.0000 |
| 2           | 1.0000 |
| 3           | 1.0000 |
| 4           | 1.0000 |
| 5           | 1.0000 |
| 6           | 1.0000 |
| 7           | 1.0000 |
| 8           | 1.0000 |
| 9           | 1.0000 |
| 10          | 1.0000 |
| 11          | 1.0000 |
| 12          | 1.0000 |
| 13          | 1.0000 |
| 14          | 1.0000 |
| 15          | 1.0000 |
| 16          | 1.0000 |
| 17          | 1.0000 |
| 18          | 1.0000 |
| 19          | 1.0000 |
| 20          | 1.0000 |
| 21          | 1.0000 |
| 22          | 1.0000 |
| 23          | 1.0000 |
| 24          | 1.0000 |
| 25          | 1.0000 |
| 26          | 1.0000 |
| 27          | 1.0000 |
| 28          | 1.0000 |
| 29          | 1.0000 |
| 30          | 1.0000 |
| 31          | 1.0000 |
| 32          | 1.0000 |
| 33          | 1.0000 |
| 34          | 1.0000 |
| 35          | 1.0000 |
| 36          | 1.0000 |
| 37          | 1.0000 |
| 38          | 1.0000 |
| 39          | 1.0000 |
| 40          | 1.0000 |
| 41          | 1.0000 |
| 42          | 1.0000 |
| 43          | 1.0000 |
| 44          | 1.0000 |
| 45          | 1.0000 |
| 46          | 1.0000 |
| 47          | 1.0000 |
| 48          | 1.0000 |
| 49          | 1.0000 |
| 50          | 1.0000 |
| 51          | 1.0000 |
| 52          | 1.0000 |
| 53          | 1.0000 |
| 54          | 1.0000 |
| 55          | 1.0000 |
| 56          | 1.0000 |
| 57          | 1.0000 |
| 58          | 1.0000 |
| 59          | 1.0000 |
| 60          | 1.0000 |
| 61          | 1.0000 |
| 62          | 1.0000 |
| 63          | 1.0000 |
| 64          | 1.0000 |
| 65          | 1.0000 |
| 66          | 1.0000 |
| 67          | 1.0000 |
| 68          | 1.0000 |
| 69          | 1.0000 |
| 70          | 1.0000 |
| 71          | 1.0000 |
| 72          | 1.0000 |
| 73          | 1.0000 |
| 74          | 1.0000 |
| 75          | 1.0000 |
| 76          | 1.0000 |
| 77          | 1.0000 |
| 78          | 1.0000 |
| 79          | 1.0000 |
| 80          | 1.0000 |
| 81          | 1.0000 |
| 82          | 1.0000 |
| 83          | 1.0000 |
| 84          | 1.0000 |
| 85          | 1.0000 |
| 86          | 1.0000 |
| 87          | 1.0000 |
| 88          | 1.0000 |
| 89          | 1.0000 |
| 90          | 1.0000 |
| 91          | 1.0000 |
| 92          | 1.0000 |
| 93          | 1.0000 |
| 94          | 1.0000 |
| 95          | 1.0000 |
| 96          | 1.0000 |
| 97          | 1.0000 |
| 98          | 1.0000 |
| 99          | 1.0000 |
| 100         | 1.0000 |



DATE \_\_\_\_\_

|  |     |
|--|-----|
|  | DWN |
|--|-----|

|      |
|------|
| APVD |
|------|

SEE SHEET 1


NOTICE: THIS COMMUNICATION INCLUDES TELECOMMUNICATIONS ACT SECTION 72(1) CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.




|     |                     |             |
|-----|---------------------|-------------|
| 300 | WITHOUT FLANGE TYPE | 9-1747981-2 |
| 300 | WITHOUT FLANGE TYPE | 1747981-2   |
| 300 | WITHOUT FLANGE TYPE | 1747981-1   |
| QTY | CONNECTOR TYPE      | PART NUMBER |

|                                                                                       |  |                                                                                                       |  |
|---------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  |  TE Connectivity |  |
| DIMENSIONS:<br>单位： 耗<br>mm                                                            |  | NAME<br>名称                                                                                            |  |
| TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br>一般公差                                     |  | HDMI 19 POS<br>RECEPTACLE ASSY SMT TYPE<br>—LEAD FREE—                                                |  |
| 0 PLC ± 0.2<br>1 PLC ± 0.2<br>2 PLC ± 0.2<br>3 PLC ± 0.2<br>4 PLC ± 0.2<br>ANGLES ± — |  | PRODUCT SPEC<br>製品規格<br>108-78180-1                                                                   |  |
| MATERIAL<br>材料                                                                        |  | APPLICATION SPEC<br>取付適用規格                                                                            |  |
| FINISH<br>仕上                                                                          |  | WEIGHT                                                                                                |  |
|                                                                                       |  | SIZE CAGE CODE DRAWING NO<br>番号<br>A3 00779 C-1747981                                                 |  |
|                                                                                       |  | RESTRICTED<br>—                                                                                       |  |
| CUSTOMER DRAWING                                                                      |  | SCALE<br>尺度 NTS                                                                                       |  |
|                                                                                       |  | SHEET<br>2 OF 8                                                                                       |  |
|                                                                                       |  | REV<br>F5                                                                                             |  |









| 2   |      | 1         |     |             |      |      |
|-----|------|-----------|-----|-------------|------|------|
| LOC | DIST | REVISIONS |     |             |      |      |
|     |      | P         | LTR | DESCRIPTION | DATE | APVD |
| J   |      |           | -   | SEE SHEET 1 | -    | -    |



NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.

|                                                                                       |  |                                                   |  |                                                                                                                  |  |                 |  |                  |  |               |  |
|---------------------------------------------------------------------------------------|--|---------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------|--|-----------------|--|------------------|--|---------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN                                               |  | <div> TE Connectivity</div> |  |                 |  |                  |  |               |  |
|                                                                                       |  | CHK                                               |  |                                                                                                                  |  |                 |  |                  |  |               |  |
| DIMENSIONS:<br>単位： 耗<br>mm                                                            |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br>一般公差 |  | NAME<br>名称                                                                                                       |  |                 |  |                  |  |               |  |
|  |  | 0 PLC ± 0.2                                       |  | HDMI 19 POS<br>RECEPTACLE ASSY SMT TYPE<br>—LEAD FREE—                                                           |  |                 |  |                  |  |               |  |
|                                                                                       |  | 1 PLC ± 0.2                                       |  |                                                                                                                  |  |                 |  |                  |  |               |  |
|                                                                                       |  | 2 PLC ± 0.2                                       |  |                                                                                                                  |  |                 |  |                  |  |               |  |
|                                                                                       |  | 3 PLC ± 0.2 ± 0.3                                 |  | PRODUCT SPEC<br>製品規格<br>108-78180-1                                                                              |  |                 |  |                  |  |               |  |
|                                                                                       |  | 4 PLC ± 0.2                                       |  | APPLICATION SPEC<br>取付適用規格                                                                                       |  |                 |  |                  |  |               |  |
|                                                                                       |  | ANGLES ± -                                        |  | SIZE                                                                                                             |  | CAGE CODE       |  | DRAWING NO<br>番号 |  | RESTRICTED TO |  |
| MATERIAL<br>材料                                                                        |  | FINISH<br>仕上                                      |  | WEIGHT                                                                                                           |  | A3              |  | 00779            |  | C-1747981     |  |
| CUSTOMER DRAWING                                                                      |  |                                                   |  |                                                                                                                  |  | SCALE<br>尺度 NTS |  | SHEET<br>5 OF 8  |  | REV<br>F5     |  |

| LOC<br>J | DIST<br>— | REVISIONS<br>變更 |     |             |      |     |      |
|----------|-----------|-----------------|-----|-------------|------|-----|------|
|          |           | P               | LTR | DESCRIPTION | DATE | DWN | APVD |
|          |           |                 | —   | SEE SHEET 1 | —    | —   | —    |




P.C.B LAYOUT  
SHOWN AS CONNECTOR MOUNTING SIDE  
TOLERANCE: NON-CUMULATIVE  
(REFERENCE)

PANEL CUT OUT DIMENSION  
(REFERENCE)

CONNECTOR WITHOUT FLANGE TYPE

NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL  
OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.

|        |                                       |     |                |      |
|--------|---------------------------------------|-----|----------------|------|
|        | POLYIMIDE                             | 1   | POLYIMIDE TAPE | ④    |
| △      | COPPER ALLOY                          | 19  | CONTACT        | ③    |
| △      | COPPER ALLOY                          | 1   | SHELL          | ②    |
|        | THERMOPLASTIC<br>UL94V-0, BLACK COLOR | 1   | HOUSING        | ①    |
| FINISH | MATERIAL                              | QTY | DISCRIPTION    | ITEM |



|                                                                                       |  |                                                                                       |  |                                                                                                                 |  |             |                  |                 |           |
|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------|--|-------------|------------------|-----------------|-----------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN                                                                                   |  | <div>TE Connectivity</div> |  |             |                  |                 |           |
|                                                                                       |  | CHK                                                                                   |  |                                                                                                                 |  |             |                  |                 |           |
| DIMENSIONS:<br>単位： 耗<br>mm                                                            |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br>一般公差                                     |  | NAME<br>名称                                                                                                      |  |             |                  |                 |           |
|  |  | 0 PLC ± 0.2<br>1 PLC ± 0.2<br>2 PLC ± 0.2<br>3 PLC ± 0.2<br>4 PLC ± 0.2<br>ANGLES ± — |  | PRODUCT SPEC<br>製品規格<br>108-78180-1                                                                             |  |             |                  |                 |           |
|                                                                                       |  |                                                                                       |  | APPLICATION SPEC<br>取付適用規格                                                                                      |  |             |                  |                 |           |
| MATERIAL<br>材料                                                                        |  | FINISH<br>仕上                                                                          |  | SIZE                                                                                                            |  | CAGE CODE   | DRAWING NO<br>番号 | RESTRICTED TO   |           |
|                                                                                       |  |                                                                                       |  | A3                                                                                                              |  | 00779       | C-1747981        | —               |           |
| CUSTOMER DRAWING                                                                      |  |                                                                                       |  |                                                                                                                 |  | SCALE<br>尺度 | 4:1              | SHEET<br>6 of 8 | REV<br>F5 |





| LOC | DIST | REVISIONS |     |    |             | DATE | DWN | APVD |
|-----|------|-----------|-----|----|-------------|------|-----|------|
|     |      | P         | LTR | 変更 | DESCRIPTION |      |     |      |
| J   |      |           | -   |    | SEE SHEET 1 | -    | -   | -    |

NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL  
OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.



MATING CONDITION (REFERENCE)  
(SCALE 2:1)

|                                                                                       |  |                                                   |  |                                                                                                                 |           |                                                                          |               |                 |           |
|---------------------------------------------------------------------------------------|--|---------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------|---------------|-----------------|-----------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN                                               |  | <div>TE Connectivity</div> |           |                                                                          |               |                 |           |
|                                                                                       |  | CHK                                               |  |                                                                                                                 |           |                                                                          |               |                 |           |
| DIMENSIONS:<br>単位： 耗<br>mm                                                            |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:<br>一般公差 |  | APVD                                                                                                            |           | NAME<br>名称<br><br>HDMI 19 POS<br>RECEPTACLE ASSY SMT TYPE<br>-LEAD FREE- |               |                 |           |
|  |  |                                                   |  | PRODUCT SPEC<br>製品規格<br>108-78180-1                                                                             |           |                                                                          |               |                 |           |
|                                                                                       |  |                                                   |  | APPLICATION SPEC<br>取付適用規格                                                                                      |           |                                                                          |               |                 |           |
|                                                                                       |  |                                                   |  | WEIGHT                                                                                                          |           |                                                                          |               |                 |           |
| MATERIAL<br>材料                                                                        |  | FINISH<br>仕上                                      |  | SIZE                                                                                                            | CAGE CODE | DRAWING NO<br>番号                                                         | RESTRICTED TO |                 |           |
|                                                                                       |  |                                                   |  | A3                                                                                                              | 00779     | C-1747981                                                                | —             |                 |           |
| CUSTOMER DRAWING                                                                      |  |                                                   |  |                                                                                                                 |           | SCALE<br>尺度                                                              | 2:1           | SHEET<br>8 of 8 | REV<br>F5 |



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1747981-8](#)