



- 1 FINISH OVER INDICATED AREA: .000100-.000200 BRIGHT TIN LEAD OVER .000050 NICKEL.
- 2 FINISH OVER INDICATED AREA: .000015 GOLD OVER .000050 NICKEL.
- 3 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 4 RECESSED DATE CODE AND CSA LOGO.
- 5 OBSOLETE PART NUMBER.
- 6 FINISH OVER INDICATED AREA: .000100-.000200 MATTE TIN OVER .000050 NICKEL.
- 7 PRELIMINARY PART.
- 8 ROHS 2002/95/EC COMPLIANT
- 9 HEADER: GLASS-FILLED, FLAME RETARDANT THERMOPLASTIC COLOR: BLACK POST: COPPER ALLOY
- 10 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. HAYMAKER 30MAR00	TE Connectivity			
DIMENSIONS: mm		CHK J. GESFORD 30MAR00				
		APVD J. GESFORD 30MAR00	NAME HEADER ASSEMBLY, MOD II, .100 X .100CL			
		PRODUCT SPEC				
MATERIAL 9		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± - FINISH SEE NOTES	APPLICATION SPEC	SIZE A2	CAGE CODE 00779	DRAWING NO C=102567
		WEIGHT -	CUSTOMER DRAWING	SCALE 4:1	SHEET 1 of 2	REV N5

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		—	SEE SHEET 1	—	—	—

D

D

C

C

B

B

A

A

<div><div><div>5</div></div><div>10</div></div> OBSOLETE	<div><div>8</div></div> <div>7-102567-9</div>	1.870	1.980	1.900	1.500	15	32	<div><div>8</div></div> <div>7-102567-8</div>
	<div><div>8</div></div> <div>7-102567-7</div>	9.270	9.380	9.300	8.900	89	180	<div><div>8</div></div> <div>7-102567-6</div>
	<div><div>8</div></div> <div>7-102567-5</div>	7.670	7.780	7.700	7.300	73	148	<div><div>8</div></div> <div>7-102567-4</div>
	<div><div>8</div></div> <div>7-102567-3</div>	6.670	6.780	6.700	6.300	63	128	<div><div>8</div></div> <div>7-102567-2</div>
	<div><div>8</div></div> <div>7-102567-1</div>	4.970	5.080	5.000	4.600	46	94	<div><div>8</div></div> <div>7-102567-0</div>
	<div><div>8</div></div> <div>6-102567-9</div>	2.470	2.580	2.500	2.100	21	44	<div><div>8</div></div> <div>6-102567-8</div>
	<div><div>8</div></div> <div>6-102567-7</div>	.970	1.080	1.000	.600	6	14	<div><div>8</div></div> <div>6-102567-6</div>
	<div><div>8</div></div> <div>6-102567-5</div>	8.270	8.380	8.300	7.900	79	160	<div><div>8</div></div> <div>6-102567-4</div>
	<div><div>8</div></div> <div>6-102567-3</div>	10.270	10.380	10.300	9.900	99	200	<div><div>8</div></div> <div>6-102567-2</div>
	<div><div>8</div></div> <div>6-102567-1</div>	7.270	7.380	7.300	6.900	69	140	<div><div>8</div></div> <div>6-102567-0</div>
<div><div><div>5</div></div><div>10</div></div> OBSOLETE	<div><div>8</div></div> <div>5-102567-9</div>	6.770	6.880	6.800	6.400	64	130	<div><div>8</div></div> <div>5-102567-8</div>
	<div><div>8</div></div> <div>5-102567-7</div>	1.070	1.180	1.100	.700	7	16	<div><div>8</div></div> <div>5-102567-6</div>
	<div><div>8</div></div> <div>5-102567-5</div>	4.570	4.680	4.600	4.200	42	86	<div><div>8</div></div> <div>5-102567-4</div>
	<div><div>8</div></div> <div>5-102567-3</div>	3.870	3.980	3.900	3.500	35	72	<div><div>8</div></div> <div>5-102567-2</div>
	<div><div>8</div></div> <div>5-102567-1</div>	5.770	5.880	5.800	5.400	54	110	<div><div>8</div></div> <div>5-102567-0</div>
	<div><div>8</div></div> <div>4-102567-9</div>	4.770	4.880	4.800	4.400	44	90	<div><div>8</div></div> <div>4-102567-8</div>
	<div><div>8</div></div> <div>4-102567-7</div>	1.770	1.880	1.800	1.400	14	30	<div><div>8</div></div> <div>4-102567-6</div>
	<div><div>8</div></div> <div>4-102567-5</div>	2.270	2.380	2.300	1.900	19	40	<div><div>8</div></div> <div>4-102567-4</div>
	<div><div>8</div></div> <div>4-102567-3</div>	1.270	1.380	1.300	.900	9	20	<div><div>8</div></div> <div>4-102567-2</div>
	<div><div>8</div></div> <div>4-102567-1</div>	3.770	3.880	3.800	3.400	34	70	<div><div>8</div></div> <div>4-102567-0</div>
<div><div><div>5</div></div><div>10</div></div> OBSOLETE	<div><div>8</div></div> <div>3-102567-9</div>	5.270	5.380	5.300	4.900	49	100	<div><div>8</div></div> <div>3-102567-8</div>
	<div><div>8</div></div> <div>3-102567-7</div>	4.270	4.380	4.300	3.900	39	80	<div><div>8</div></div> <div>3-102567-6</div>
	<div><div>8</div></div> <div>3-102567-5</div>	6.270	6.380	6.300	5.900	59	120	<div><div>8</div></div> <div>3-102567-4</div>
	<div><div>8</div></div> <div>3-102567-3</div>	2.770	2.880	2.800	2.400	24	50	<div><div>8</div></div> <div>3-102567-2</div>
	<div><div>8</div></div> <div>3-102567-1</div>	5.070	5.180	5.100	4.700	47	96	<div><div>8</div></div> <div>3-102567-0</div>
	<div><div>8</div></div> <div>2-102567-9</div>	3.270	3.380	3.300	2.900	29	60	<div><div>8</div></div> <div>2-102567-8</div>
	<div><div>8</div></div> <div>2-102567-7</div>	2.070	2.180	2.100	1.700	17	36	<div><div>8</div></div> <div>2-102567-6</div>
	<div><div>8</div></div> <div>2-102567-5</div>	1.470	1.580	1.500	1.100	11	24	<div><div>8</div></div> <div>2-102567-4</div>
	<div><div>8</div></div> <div>2-102567-3</div>	.870	.980	.900	.500	5	12	<div><div>8</div></div> <div>2-102567-2</div>
	<div><div>8</div></div> <div>2-102567-1</div>							<div><div>8</div></div> <div>2-102567-0</div>
FINISH		E	D	C	B	A	NO. OF POSN	PART NUMBER

SUPERSEDED BY 5-102567-1	<div><div>2</div></div> <div>6</div>	.870	.980	.900	.500	5	12	3-102567-0
<div><div>8</div></div> <div>7-102567-9</div>	<div><div>10</div></div> <div>7-102567-8</div>	1.870	1.980	1.900	1.500	15	32	2-102567-9
<div><div>10</div></div> <div>7-102567-7</div>	<div><div>10</div></div> <div>7-102567-6</div>	9.270	9.380	9.300	8.900	89	180	2-102567-8
<div><div>10</div></div> <div>7-102567-5</div>	<div><div>10</div></div> <div>7-102567-4</div>	7.670	7.780	7.700	7.300	73	148	2-102567-7
<div><div>10</div></div> <div>7-102567-3</div>	<div><div>10</div></div> <div>7-102567-2</div>	6.670	6.780	6.700	6.300	63	128	2-102567-1
<div><div>10</div></div> <div>7-102567-1</div>	<div><div>10</div></div> <div>7-102567-0</div>	4.970	5.080	5.000	4.600	46	94	2-102567-9
<div><div>10</div></div> <div>6-102567-9</div>	<div><div>10</div></div> <div>6-102567-8</div>	2.470	2.580	2.500	2.100	21	44	2-102567-7
<div><div>10</div></div> <div>6-102567-7</div>	<div><div>10</div></div> <div>6-102567-6</div>	.970	1.080	1.000	.600	6	14	2-102567-5
<div><div>10</div></div> <div>6-102567-5</div>	<div><div>10</div></div> <div>6-102567-4</div>	8.270	8.380	8.300	7.900	79	160	2-102567-3
<div><div>10</div></div> <div>6-102567-3</div>	<div><div>10</div></div> <div>6-102567-2</div>	10.270	10.380	10.300	9.900	99	200	2-102567-1
<div><div>10</div></div> <div>6-102567-1</div>	<div><div>10</div></div> <div>6-102567-0</div>	7.270	7.380	7.300	6.900	69	140	2-102567-9
<div><div>10</div></div> <div>5-102567-9</div>	<div><div>10</div></div> <div>5-102567-8</div>	6.770	6.880	6.800	6.400	64	130	4-102567-9
<div><div>10</div></div> <div>5-102567-7</div>	<div><div>10</div></div> <div>5-102567-6</div>	1.070	1.180	1.100	.700	7	16	4-102567-7
<div><div>10</div></div> <div>5-102567-5</div>	<div><div>10</div></div> <div>5-102567-4</div>	4.570	4.680	4.600	4.200	42	86	4-102567-3
<div><div>10</div></div> <div>5-102567-3</div>	<div><div>10</div></div> <div>5-102567-2</div>	3.870	3.980	3.900	3.500	35	72	1-102567-6
<div><div>10</div></div> <div>5-102567-1</div>	<div><div>10</div></div> <div>5-102567-0</div>	5.770	5.880	5.800	5.400	54	110	1-102567-5
<div><div>10</div></div> <div>4-102567-9</div>	<div><div>10</div></div> <div>4-102567-8</div>	4.770	4.880	4.800	4.400	44	90	4-102567-7
<div><div>10</div></div> <div>4-102567-7</div>	<div><div>10</div></div> <div>4-102567-6</div>	1.770	1.880	1.800	1.400	14	30	1-102567-6
<div><div>10</div></div> <div>4-102567-5</div>	<div><div>10</div></div> <div>4-102567-4</div>	2.270	2.380	2.300	1.900	19	40	1-102567-4
<div><div>10</div></div> <div>4-102567-3</div>	<div><div>10</div></div> <div>4-102567-2</div>	1.270	1.380	1.300	.900	9	20	1-102567-1
<div><div>10</div></div> <div>4-102567-1</div>	<div><div>10</div></div> <div>4-102567-0</div>	3.770	3.880	3.800	3.400	34	70	1-102567-9
<div><div>10</div></div> <div>3-102567-9</div>	<div><div>10</div></div> <div>3-102567-8</div>	5.270	5.380	5.300	4.900	49	100	102567-9
<div><div>10</div></div> <div>3-102567-7</div>	<div><div>10</div></div> <div>3-102567-6</div>	4.270	4.380	4.300	3.900	39	80	102567-8
<div><div>10</div></div> <div>3-102567-5</div>	<div><div>10</div></div> <div>3-102567-4</div>	6.270	6.380	6.300	5.900	59	120	102567-7
<div><div>10</div></div> <div>3-102567-3</div>	<div><div>10</div></div> <div>3-102567-2</div>	2.770	2.880	2.800	2.400	24	50	102567-6
<div><div>10</div></div> <div>3-102567-1</div>	<div><div>10</div></div> <div>3-102567-0</div>	5.070	5.180	5.100	4.700	47	96	102567-5
<div><div>10</div></div> <div>2-102567-9</div>	<div><div>10</div></div> <div>2-102567-8</div>	3.270	3.380	3.300	2.900	29	60	102567-4
<div><div>10</div></div> <div>2-102567-7</div>	<div><div>10</div></div> <div>2-102567-6</div>	2.070	2.180	2.100	1.700	17	36	102567-3
<div><div>10</div></div> <div>2-102567-5</div>	<div><div>10</div></div> <div>2-102567-4</div>	1.470	1.580	1.500	1.100	11	24	102567-2
<div><div>10</div></div> <div>2-102567-3</div>	<div><div>10</div></div> <div>2-102567-2</div>	.870	.980	.900	.500	5	12	102567-1
FINISH		E	D	C	B	A	NO. OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm

MATERIAL  
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -  
1 PLC ± -  
2 PLC ± -  
3 PLC ± .005  
4 PLC ± -  
ANGLES ± -  
FINISH

SEE NOTES

DWN  
B. HAYMAKER  
CHK  
J. GESFORD  
APVD  
J. GESFORD  
PRODUCT SPEC  
APPLICATION SPEC  
WEIGHT  
-

30MAR00  
30MAR00  
30MAR00

CUSTOMER DRAWING

TE Connectivity

NAME  
HEADER ASSEMBLY, MOD II,  
.100 X .100CL

SIZE  
A2

CAGE CODE  
00779

DRAWING NO  
C=102567

RESTRICTED TO  
-

SCALE  
4:1

SHEET  
2 of 2

REV  
N5

1471-9 (3/11)

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-102567-0](#)