


LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			G11	REVISED PER ECO-14-000579	10MAY2014	NK	MM











Technical drawing of a mechanical part, likely a bracket or support. The drawing shows the part's profile with dimensions and labels:

- Vertical dimension: 15.5
- Horizontal dimension: 18.4
- Label: RETENTION LATCH (pointing to a small circular feature)
- Label: MATING FACE (pointing to a vertical surface)

-  INK MARKING, WHITE COLOR.

PRELIMINARY	-	0.8μm GOLD	106.68±0.35	21	5-796635-8
PRELIMINARY	-	0.8μm GOLD	86.36±0.30	17	5-796635-7
PRELIMINARY	-	0.8μm GOLD	71.12	14	5-796635-6
PRELIMINARY	-	0.8μm GOLD	60.96	12	5-796635-5
PRELIMINARY	-	0.8μm GOLD	50.80	10	5-796635-4
PRELIMINARY	-	0.8μm GOLD	40.64	8	5-796635-3
PRELIMINARY	-	0.8μm GOLD	35.56	7	5-796635-2
PRELIMINARY	-	0.8μm GOLD	30.48	6	5-796635-1
PRELIMINARY	-	0.8μm GOLD	25.40	5	5-796635-0
PRELIMINARY	-	0.8μm GOLD	20.32±0.15	4	4-796635-9
PRELIMINARY	-	0.8μm GOLD	15.24±0.15	3	4-796635-8
PRELIMINARY	-	0.8μm GOLD	10.16±0.15	2	4-796635-7
	DETAIL R	TIN	45.72	9	4-796635-6
	DETAIL P	TIN	10.16±0.15	2	4-796635-5
	-	0.8μm GOLD	20.32±0.15	4	4-796635-4
	-	0.8μm GOLD	45.72	9	4-796635-3
	DETAIL N	TIN	86.36±0.30	17	4-796635-2
	DETAIL M	TIN	66.04	13	4-796635-1
PRELIMINARY	DETAIL L	TIN	60.96	12	4-796635-0
	DETAIL K	TIN	15.24±0.15	3	3-796635-9
	DETAIL J	TIN	81.28±0.30	16	3-796635-8
	DETAIL H	TIN	15.24±0.15	3	3-796635-7
	-	GOLD	30.48±0.20	6	3-796635-6
	-	TIN	127.00±0.35	25	2-796635-5
	-	TIN	121.92±0.35	24	2-796635-4
	-	TIN	116.84±0.35	23	2-796635-3
	-	TIN	111.76±0.35	22	2-796635-2
	-	TIN	106.68±0.35	21	2-796635-1
	-	TIN	101.60±0.35	20	2-796635-0
	-	TIN	96.52±0.35	19	1-796635-9
	-	TIN	91.44±0.30	18	1-796635-8
	-	TIN	86.36±0.30	17	1-796635-7
	-	TIN	81.28±0.30	16	1-796635-6
	-	TIN	76.20±0.30	15	1-796635-5
	-	TIN	71.12	14	1-796635-4
	-	TIN	66.04	13	1-796635-3
	-	TIN	60.96	12	1-796635-2
	-	TIN	55.88	11	1-796635-1
	-	TIN	50.80	10	1-796635-0
	-	TIN	45.72	9	796635-9
	-	TIN	40.64	8	796635-8
	-	TIN	35.56±0.20	7	796635-7
	-	TIN	30.48±0.20	6	796635-6
	-	TIN	25.40±0.20	5	796635-5
	-	TIN	20.32±0.15	4	796635-4
	-	TIN	15.24±0.15	3	796635-3
	-	TIN	10.16±0.15	2	796635-2
	MARKING	CONTACT FINISH	L	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 180CT2000 CHK D. BIEVENOUR 180CT2000 APVD D. BIEVENOUR 180CT2000		 TE Connectivity			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$. 1 PLC $\pm$ 0.3 2 PLC $\pm$ 0.25 3 PLC $\pm$ 0.000 4 PLC $\pm$ 0.0000 ANGLES $\pm$ 2°		NAME TERMINAL BLOCK, PLUG, STACKING, 5.08mm PITCH			
		PRODUCT SPEC -		APPLICATION SPEC -			
MATERIAL		FINISH		SIZE A2		GAGE CODE 00779	DRAWING NO C-796635
				WEIGHT -		RESTRICTED TO -	
				CUSTOMER DRAWING			
				SCALE 2:1		SHEET 1 OF 2	
						REV G11	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 18OCT2000	TE Connectivity		
		CHK D. BIEVENOUR 18OCT2000			
		APVD D. BIEVENOUR 18OCT2000	NAME		
		PRODUCT SPEC	TERMINAL BLOCK, PLUG, STACKING, 5.08mm PITCH		
		APPLICATION SPEC			
		WEIGHT			
		CUSTOMER DRAWING			
		SCALE 2:1	SHEET 2 OF 2		REV G11

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-796635-2](#)